



Mental Health Current Awareness Update

January 2024

We need your views: The software KLS currently use to produce our Current Awareness products is being decommissioned shortly and we need to upgrade to a more expensive system to provide continuation of service. To ensure that our current awareness products are meeting your needs, we are taking this opportunity to review their use. **Please take a few moments to complete our survey.**

Welcome to the monthly **Mental Health Current Awareness Alert (MHCAU)**, produced by **UKHSA Knowledge and Library Services**. The purpose of this update is to provide you with the latest, best evidence about mental health, to help you make informed decisions.

If you have any queries, please contact us at libraries@ukhsa.gov.uk, and if you would like to request a literature search, please use the **Knowledge and Library Services Enquiries Portal**.

Please note that not all the articles and resources referred to in this alert are freely available. Some articles may require an Athens username and password. For further information on Athens accounts please visit [here](#). If you are not eligible to access our library services, then you may want to approach your **local health library service**.

We do not accept responsibility for the availability or reliability of the items of content included in this alert and their inclusion is not an endorsement of any views that may be expressed.

- **Mental health - 43**
 - **Prevention and mental well-being - 2**
 - **Psychiatry - 11**
 - **Depression - 31**
 - **Anxiety - 8**
 - **Personality disorder - 1**
-

-
- [Psychosis - 10](#)
 - [Schizophrenia - 17](#)
 - [Self-harm - 3](#)
 - [Suicide - 14](#)
 - [Post Traumatic Stress Disorder - 5](#)
 - [Attention Deficit Hyperactivity Disorder - 2](#)

Mental health

[NHS Confederation responds to the recent Centre for Mental Health report](#)

31 Jan 2024 - NHS Confederation

Sean Duggan, responds to the latest report from the Centre for Mental Health 'Pursuing racial justice in mental health?.'

[\[Comment\] Reframing divorce as a mental health policy issue in the Philippines](#)

29 Jan 2024 - The Lancet

The Philippine constitution is designed to help uphold women's rights and equality. Several laws safeguard women from violence and discrimination, including the 2004 Republic Act 9262 (also known as the Anti-Violence Against Women and their Children Act)¹ and the 2009 Republic Act 9710 (also known as the Magna Carta of Women)

[Implementing and evaluating patient-focused safety technology on adult acute mental health wards](#)

27 Jan 2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView.

[\[Health Policy\] Examining how well economic evaluations capture the value of mental health](#)

25 Jan 2024 - The Lancet

Health economics evidence informs health-care decision making, but the field has historically paid insufficient attention to mental health. Economic evaluations in health should define an appropriate scope for benefits and costs and how to value them. This Health Policy provides an overview of these processes and considers to what extent they capture the value of mental health

[Editorial: Chronicity of Maltreatment and the Importance of Attachment and Peer Relationships on Youth Mental Health Trajectory](#)

25 Jan 2024 - Elsevier ScienceDirect

Publication date: Available online 25 January 2024
Source: Journal of the American Academy of Child & Adolescent Psychiatry
Author(s): Jodi Zik, Steven Berkowitz

[Efficacy of art therapy in enhancing mental health of clinical nurses: A meta-analysis](#)

25 Jan 2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView.

Mental health recovery narratives improve the quality of life for others with similar experiences

24 Jan 2024 - National Institute for Health Research (NIHR)

The NIHR-funded NEON study has found that personal accounts of how people have overcome their struggles with mental illness are effective at helping others with similar experiences.

[Articles] Community perinatal mental health teams and associations with perinatal mental health and obstetric and neonatal outcomes in pregnant women with a history of secondary mental health care in England: a national population-based cohort study

23 Jan 2024 - The Lancet

The regional availability of community perinatal mental health teams reduced the postnatal risk of acute relapse and increased the overall use of secondary mental health care. Community perinatal mental health teams should have close links with maternity services to avoid intensive psychiatric support overshadowing obstetric and neonatal risks.

A National Institutes of Health Approach for Advancing Research to Improve Youth Mental Health and Reduce Disparities

23 Jan 2024 - Elsevier ScienceDirect

Publication date: Available online 23 January 2024
Source: Journal of the American Academy of Child & Adolescent Psychiatry
Author(s): Crystal L. Barksdale, Lauren D. Hill, Beda Jean-Francois, Valerie Maholmes, Stacia R. Friedman-Hill, Parisa Parsafar, Phyllis M. Quartey-Ampofo, Robert C. Freeman, Valerie Willis, Bethany Deeds, Christina P.C. Borba

Analysis of England's incident and mental health nursing workforce data 2015–2022

23 Jan 2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView.

Characteristics and burden of acute COVID-19 and long-COVID: Demographic, physical, mental health, and economic perspectives

22 Jan 2024 - PLOS ONE

by Manuel Leitner, Gloria P?tz, Martin Berger, Maria Fellner, Stephan Spat, Marisa Koini
Background COVID-19 infection and its associated consequence, known as long-COVID, lead to a significant burden on the global healthcare system and limitations in people?s personal and work lives

Perceived risk of COVID-19 hurts mental health: the mediating role of fear of COVID-19 and the moderating role of resilience

22 Jan 2024 - Biomed Central

Depression and anxiety have been found prevalent during all phases of the COVID-19 pandemic. In late December 2022, almost all COVID-19 control measures were lifted in China, leading to a surge in COVID-19 inf...

Escaping iatrogenic harm: A journey into mental health service avoidance

18 Jan 2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView.

The use of Open Dialogue in Trauma Informed Care services for mental health consumers and their family networks: A scoping review

17 Jan 2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView.

NHS Confederation responds to the new Centre for Mental Health report

17 Jan 2024 - NHS Confederation

Health Care Spending, Use, and Financial Hardship among Traditional Medicare and Medicare Advantage Enrollees with Mental Health Symptoms

16 Jan 2024 - Elsevier

Mental health symptoms are a pervasive and costly challenge for Medicare beneficiaries.¹ Prior research finds that 22.7% have a serious mental illness, such as bipolar disorder, schizophrenia, or major depressive disorder, and 7.5% have other common mental health disorders, such as anxiety disorders, personality disorders, and posttraumatic stress disorder

NHS helps tens of thousands of people with mental health problems into work

15 Jan 2024 - england.nhs.uk

More than 40,000 people with mental health problems are being supported back into employment thanks to an NHS programme, new data shows. The figures come alongside a new campaign launching today urging more people to sign up for help they might need through the NHS Talking Therapies service. As part of a pilot programme across [...]

The acceptability of lifestyle medicine for the treatment of mental illness: perspectives of people with and without lived experience of mental illness

13 Jan 2024 - Biomed Central

While lifestyle medicine can be highly effective for treating a range of mental illnesses these approaches are grossly underutilised and have not been systematically implemented into health care systems. Under...

Treatment suspension due to the coronavirus pandemic and mental health of infertile patients: a systematic review and meta-analysis of observational studies

13 Jan 2024 - Biomed Central

Access to fertility treatments is considered a reproductive right, but because of the quarantine due to the coronavirus pandemic most infertility treatments were suspended, which might affect the psychological...

Cohort profile: The Scottish SHARE Mental Health (SHARE-MH) cohort - linkable survey, genetic and routinely collected data for mental health research

12 Jan 2024 - British Medical Journal

Purpose The SHARE Mental Health (SHARE-MH) cohort was established to address the paucity of clinical and genetic data available for mental health research. The cohort brings together detailed mental health questionnaire responses, routinely collected electronic health data and genetic data to provide researchers with an unprecedented linkable dataset

Qualitative interview study of strategies to support healthcare personnel mental health through an occupational health lens

12 Jan 2024 - British Medical Journal

Background Employee Occupational Health ('occupational health') clinicians have expansive perspectives of the experience of healthcare personnel. Integrating mental health into the purview of occupational health is a newer approach that could combat historical limitations of healthcare personnel mental health programmes, which have been isolated and underused

Stress and burnout amongst mental health professionals in Singapore during Covid-19 endemicity

11 Jan 2024 - PLOS ONE

by Suyi Yang, Germaine Ke Jia Tan, Kang Sim, Lucas Jun Hao Lim, Benjamin Yong Qiang Tan, Abhiram Kanneganti, Shirley Beng Suat Ooi, Lue Ping Ong The COVID-19 pandemic has exerted a huge emotional strain on mental health professionals (MHP) in Singapore. As Singapore transitioned into an endemic status, it is unclear whether the psychological strain has likewise lessened

Safety Considerations in the Use of Extended Reality Technologies for Mental Health with Older Adults

11 Jan 2024 - Elsevier

Virtual reality (VR), augmented reality (AR), and mixed reality (MR), collectively referred to as extended reality (XR), are creating new possibilities around digitally-delivered mental health interventions. Older adults have been overlooked when assessing, developing, and integrating technology in healthcare and this remains true for XR

Mental health self-care during the COVID-19 pandemic: a prospective cohort study in Australia

10 Jan 2024 - Biomed Central

Pandemic public health measures have affected mental health for many people. We sought to determine how people were managing their mental health concerns during the pandemic, and to identify worker characteris...

Protective and risk factors of mental health of working age adults with adventitious total bilateral blindness and low vision: A scoping review protocol

10 Jan 2024 - PLOS ONE

by Nneoma Dike, Lucia D'Ambruso, Heather May Morgan, Zo? Skea, Emma-Louise Tarburn Vision loss has been associated with mental health problems such as depression, anxiety, and post-traumatic stress disorder, which significantly impact lives of working age adults with adventitious total bilateral blindness and low vision

Randomised controlled trial on the effect of social support on disease control, mental health and health-related quality of life in people with diabetes from Cote d'Ivoire: the SoDDiCo study protocol

10 Jan 2024 - British Medical Journal

Introduction Diabetes mellitus (DM) and its severe complications contribute significantly to disability and, hence, burden of disease. Poor mental health, a frequent DM consequence, may hinder successful diabetes control in low-income and middle-income countries (LMICs). Evidence suggests social support as a cost-effective tool to improve diabetes self-management, behaviour and mental health

Study protocol for the family empowerment program: a randomized waitlist-controlled trial to evaluate the effectiveness of online Community Reinforcement and Family Training (CRAFT) on the wellbeing of family members with a relative experiencing substance dependence and mental illness

10 Jan 2024 - Biomed Central

Systematic reviews consistently show that family-focused interventions are effective at improving substance treatment engagement and outcomes across the lifespan. Yet, Australian substance use treatment servic...

Improving mental health in black men through a 24-week community-based lifestyle change intervention: the black impact program

09 Jan 2024 - National Institutes of Health (NIH)

CONCLUSIONS: The Black Impact community-based lifestyle program has the potential to reduce depressive symptoms and stress in Black men. There is a dire need for larger, randomized studies to test the impact of Black Impact on mental health in Black men to advance health equity.

NHS expands mental health support for veterans with more than half saying it's hard to speak up

09 Jan 2024 - england.nhs.uk

The NHS is rolling out an expanded mental health support service for Armed Forces veterans, as a survey found that more than half find it difficult to speak up about mental health issues. The health service has today (9 January) launched a new campaign to highlight its Op COURAGE service, which now includes enhanced specialist [...]

The development of type 2 diabetes management in people with severe mental illness in the Capital Region of Denmark from 2001 to 2015

06 Jan 2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView.

The impacts of college educational satisfaction and helpfulness of career support on life satisfaction among Korean youth: The mediating role of mental health

05 Jan 2024 - PLOS ONE

by Sangmi Lee This study aimed to investigate the structural relationships between college educational satisfaction, the helpfulness of career support, and mental health, and how these factors influence the life satisfaction of late adolescents and young adults

Exploring individuals' experiences of hope in mental health recovery: Having a sense of possibility

05 Jan 2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView.

Rosalynn Carter: A Dedicated Voice for Better Mental Health Care

05 Jan 2024 - National Institutes of Health (NIH)

No abstract

How can nurses improve mental health services for children?

04 Jan 2024 - RCNi

More dual registered nurses must be trained to cope with a dramatic increase in the number of children with mental health issues, say senior nurses. They say that vulnerable children's needs are not being met, as young people with mental health needs are being forced into 'overwhelming' adult mental health

Mental health nursing: education revamp is boost to profession

04 Jan 2024 - RCNi

Mental health nurses recognise that psychosocial interventions are among the priorities for the profession, as well as for patients, service users and their families. In 2022 Health Education England published its review of mental health nursing Commitment and Growth: Advancing Mental Health Nursing Now and for the Future, which emphasises

Benefits of developing long-term relationships between trainee nursing associates and mental health experts by experience

04 Jan 2024 - RCNi

Stigma around mental illness persists in healthcare practice and education. This article details a project undertaken to develop long-term relationships and facilitate learning between trainee nursing associates and mental health experts by experience (EBEs). The project was evaluated using questionnaires and feedback from the students and EBEs involved. The relationships

What is the therapeutic relationship in mental health practice?

04 Jan 2024 - RCNi

The therapeutic relationship was described by Peplau (1952) as the foundation of mental health nursing. The therapeutic relationship continues to be the bedrock for achieving good outcomes with patients who have mental health issues (Sosnowska et al 2013), more so than the actual intervention or therapy used (Hartley et al

Award winners in the mental health and student categories

04 Jan 2024 - RCNi

Recipients of the prestigious RCN Nursing Awards 2023 were revealed at a ceremony at Liverpool Cathedral on 10 November. The awards attracted their highest-ever number of entries, and the judges commended the finalists for their dedication and compassion.

Role of psychedelic drugs in treating mental illness

04 Jan 2024 - RCNi

Growing interest in the use of psychedelic drugs to treat mental illness is reflected in trials being held worldwide. And last year Australia become the first country in the world to legalise their use as a mental health treatment.

'Frightening' mental health crisis looming among nursing staff

04 Jan 2024 - RCNi

Nursing leaders are warning of a 'frightening' mental health crisis emerging among nursing staff as new data show calls to a helpline regarding suicidal thoughts have doubled since 2022.

Warning of mental health nurses substituted on wards

04 Jan 2024 - RCNi

Mental health and learning disability nurses are reportedly being unlawfully replaced with adult or children's nurses due to staff shortages, prompting warnings of an NHS 'on the cusp of a national crisis'.

The role of basic psychological needs in the relationships between identity orientations and adolescent mental health: A protocol for a longitudinal study

02 Jan 2024 - PLOS ONE

by Veljko Jovanovi?, Aleksandar Toma?evi?, Du?ana ?akan, Milica Lazi?, Vesna Gavrilov-Jerkovi?, Marija Zotovi?-Kosti?, Vojana Obradovi? Research into the role of identity orientations (the relative importance an individual places on different personal and social attributes and characteristics when defining her or his identity) in adolescent mental health is extremely limited

Climate Events, Displacement, and Mental Health—Uprooted

01 Jan 2024 - The JAMA Network

This Viewpoint discusses the implications of climate event–related disasters and displacement as well as strategies for mitigating their mental health effects.

[\[back to top\]](#)

Prevention and mental well-being

Prospective associations between adherence to 24-hour movement guidelines and mental well-being in Chinese adolescents

08 Jan 2024 - National Institutes of Health (NIH)

Most evidence regarding the relationships between adherence to 24-hour movement guidelines and adolescent mental health have been derived from cross-sectional studies or have ignored positive mental health indicators. The current prospective study examined the associations between adherence to 24-hour movement guidelines and changes in mental well-being among Chinese adolescents over three months

Effectiveness of multi-disciplinary structured training program on mentoring and mental well-being for officers and instructors in the Indian Air Force

01 Jan 2024 - National Institutes of Health (NIH)

CONCLUSION: Mentorship and mental well-being training for officers and instructors in the IAF improved mental health knowledge and self-perceived competence. Therefore, administration of regular and in-depth structured mental health-related training interventions could be beneficial not only to the officers but also to the new recruits/mentees in the IAF.

[\[back to top\]](#)

Psychiatry

Personality and character – Psychiatry in literature

24 Jan 2024 - BJPsych

Aftersun – Psychiatry in film

24 Jan 2024 - BJPsych

The American Journal of Geriatric Psychiatry Disclosure of Competing Interests for 2023

21 Jan 2024 - Elsevier

[Comment] Engaging forensic psychiatry patients in health-care decision making

15 Jan 2024 - The Lancet

The forensic psychiatric system is a pivotal intersection between the criminal justice and psychiatry systems. When individuals commit criminal acts and are found not criminally responsible for their actions due to mental illness, or unfit to stand trial, they often receive psychiatric care in specialised hospitals or units

Embracing evolutionary theories of autism: Implications for psychiatry

15 Jan 2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, Volume 149, Issue 2, Page 85-87, February 2024.

PPI in psychiatry and the problem of knowledge

15 Jan 2024 - Biomed Central

This article begins by locating Patient and Public involvement ((PPI) historically and argues that ‘mental health’ was a special case. This movement held promise for service users in repositioning them as rese...

The interplay between mentalization, personality traits and burnout in psychiatry training: Results from a large multicenter controlled study

03 Jan 2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView.

Machine Learning Prediction in Psychiatry Needs the Right Information

01 Jan 2024 - The JAMA Network

This Viewpoint discusses the type and amount of data needed for machine learning models to accurately predict diagnoses and treatment outcomes at the individual patient level.

Notice of Retraction: Worthington MA, et al. Dynamic Prediction of Outcomes for Youth at Clinical High Risk for Psychosis: A Joint Modeling Approach. JAMA Psychiatry. 2023;80(10):1017-1025.

01 Jan 2024 - The JAMA Network

To the Editor In consulting with another group attempting to replicate our analyses, we have identified a coding error in the joint modeling analyses in our article, “Dynamic Prediction of Outcomes for Youth at Clinical High Risk for Psychosis: A Joint Modeling Approach,” published online on August 2, 2023, and in the October 2023 issue of JAMA Psychiatry

JAMA Psychiatry

01 Jan 2024 - The JAMA Network

Mission Statement: JAMA Psychiatry strives to publish original, state-of-the-art studies and commentaries of general interest to clinicians and researchers in psychiatry, mental health, behavioral science, and allied fields

[Algorithmic fairness in precision psychiatry: analysis of prediction models in individuals at clinical high risk for psychosis](#)

08 Nov 2023 - BJPsych

Background Computational models offer promising potential for personalised treatment of psychiatric diseases. For their clinical deployment, fairness must be evaluated alongside accuracy. Fairness requires predictive models to not unfairly disadvantage specific demographic groups. Failure to assess model fairness prior to use risks perpetuating healthcare inequalities

[\[back to top\]](#)

Depression

[Association between breastfeeding cessation among under six-month-old infants and postpartum depressive symptoms in Nevada](#)

26 Jan 2024 - PLOS ONE

by Smriti Neupane, Clariana Vit?ria Ramos de Oliveira, Cl?udia Nery Teixeira Palombo, Gabriela Buccini Background Postpartum depression affects 13% of women after childbirth in the United States. Mothers who experience depression are less likely to breastfeed than those who do not experience depression. On the other hand, breastfeeding may have a positive effect on maternal mental health

[Associations between Vitamin D Deficiency/Insufficiency and Depression Expose Health Disparities in Older Rural West Texans: A Project FRONTIER Study](#)

26 Jan 2024 - Elsevier

By 2030, major depression is projected to rise in prevalence in the aging population [1,2]. The elderly exhibit more moderate to severe depressive symptoms compared to younger individuals, accompanied with a higher risk of suicidality, work-life disability, psychosis, substance abuse, and mood disorder comorbidities [3,4]

[Untangling depression, antidepressant use, and symptom severity: A commentary on “The Association of Antidepressant Use and Impulse Control Disorder in Parkinson's Disease”](#)

26 Jan 2024 - Elsevier

Impulse control disorder (ICD) is common in Parkinson's disease (PD) and the consequences of ICD can be devastating. While classically considered to be secondary to dopaminergic medication exposure, research has identified several other risk factors for ICD in PD including male sex, longer disease duration, earlier age of onset, smoking, and depression.¹

[Supporting Older Adults Unmet Needs, Social Determinants of Health, and Depression Care within the Strained Landscape of Primary Care: The Care Partners Initiative](#)

26 Jan 2024 - Elsevier

Unützer et al. examined the feasibility of partnering with community-based organizations to enhance standard collaborative care and the impact on older adults with depression. Collaborative care has demonstrated effectiveness in improving late-life depression within primary care settings

Effect of mindfulness-based stress reduction (MBSR) program on depression, emotion regulation, and sleep problems: A randomized controlled trial study on depressed elderly

23 Jan 2024 - Biomed Central

Entering old age is associated with various physical and psychological disabilities. Therefore, the aim of this study is to determine the effect of mindfulness-based stress reduction program on emotion regulat...

Prevalence and risk factors for psychotic symptoms in young, first-episode and drug-naïve patients with major depressive disorder

23 Jan 2024 - Biomed Central

Major depressive disorder (MDD) is a common psychiatric disorder worldwide. Psychotic depression has been reported to be frequently under-diagnosed due to poor recognition of psychotic features. Therefore, the...

Decomposing the rural–urban differences in depression among multimorbid older patients in India: evidence from a cross-sectional study

22 Jan 2024 - Biomed Central

In India, the prevalence of depression among older adults dealing with multiple health conditions varies between rural and urban areas due to disparities in healthcare access and cultural factors. The distinct...

Sustained Mood Improvement with Laughing Gas Exposure (SMILE): Study protocol for a randomized placebo-controlled pilot trial of nitrous oxide for treatment-resistant depression

19 Jan 2024 - PLOS ONE

by Karim S. Ladha, Jiwon Lee, Gabriella F. Mattina, Janneth Pazmino-Canizares, Duminda N. Wijesundera, Fatemeh Gholamali Nezhad, Kaylyssa Philip, Vanessa K. Tassone, Fathima Adamsahib, Venkat Bhat, on behalf of the SMILE Study Investigators Background Nitrous oxide has shown potentially as an efficacious intervention for treatment-resistant depression, yet there remains insufficient evidence

Assessment and determinants of depression and anxiety on a global sample of sexual and gender diverse people at high risk of HIV: a public health approach

18 Jan 2024 - Biomed Central

Sexual and gender diverse people face intersecting factors affecting their well-being and livelihood. These include homophobic reactions, stigma or discrimination at the workplace and in healthcare facilities,...

A comparison of the original major depression inventory with a modified version: A Danish validation study

17 Jan 2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView.

Digital cognitive behavioural therapy for patients with insomnia and depression: A systematic review and meta-analysis

16 Jan 2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView.

Novel MRI technique improves treatment for severe depression

16 Jan 2024 - National Institute for Health Research (NIHR)

Using MRI and tracking to guide the delivery of magnetic stimulation to the brains of people with severe depression will see their symptoms ease for at least 6 months: NIHR and MRC-funded trial

Levels of depression, anxiety and subjective happiness among health sciences students in Croatia: a multi-centric cross-sectional study

13 Jan 2024 - Biomed Central

Previous studies have shown that symptoms of depression and anxiety were highly prevalent among health sciences students. This may lead to other professional and personal difficulties and a decrease in individ...

The relationship between academic stress and depression among college students during the COVID-19 pandemic: a cross-sectional study from China

12 Jan 2024 - Biomed Central

The COVID-19 pandemic is a global public health crisis. During the COVID-19 pandemic, mental health has attracted great attention. However, there is a lack of research on the relationship between academic stre...

Serum levels of interleukin-33 and mesencephalic astrocyte derived neurotrophic factors in patients with major depressive disorder: a cross-sectional comparative design

12 Jan 2024 - Biomed Central

Major depressive disorder (MDD) is a debilitating health condition that has significant morbidity and mortality rates. Depression can be caused due to social, biological, environmental, psychological, and gene...

Effects of the enhanced recovery after surgery intervention for preventing postpartum depression: a protocol for systematic review and meta-analysis

10 Jan 2024 - British Medical Journal

Introduction Postpartum depression (PPD), a prevalent public health problem, is a debilitating mental disorder for which preventive interventions could yield dramatic benefits. However, viable approach focusing the prevention of PPD for caesarean section (CS) patients remains limited currently

Aesthetic chills mitigate maladaptive cognition in depression

10 Jan 2024 - Biomed Central

Depression is a major global health challenge, affecting over 300 million people worldwide. Current pharmacological and psychotherapeutic interventions have limited efficacy, underscoring the need for novel ap...

Adolescents' electronic devices use during the COVID-19 pandemic and its relationship to anxiety and depression levels: a cross-sectional study

10 Jan 2024 - Biomed Central

The aim of this study is to assess the prevalence of anxiety and depression symptoms among adolescent students in the West Bank region of Palestine, with a particular focus on the impact of electronic device u...

A randomized sham-controlled trial of high-dosage accelerated intermittent theta burst rTMS in major depression: study protocol

08 Jan 2024 - Biomed Central

Intermittent theta burst stimulation (iTBS), a novel form of repetitive transcranial magnetic stimulation (rTMS), can be administered in 1/10th of the time of standard rTMS (~ 3 min vs. 37.5 min) yet achieves ...

Cancer worry and its impact on self-reported depressive symptoms among adult males and females in the US: a nationwide sample study

08 Jan 2024 - Biomed Central

With cancer the second deadliest disease in the world, worry about cancer can have mental health or psychiatric implications. This study examines the prevalence, differences, and influence of cancer worry (CW)...

Prevalence and short-term change in symptoms of anxiety and depression following bariatric surgery: a prospective cohort study

03 Jan 2024 - British Medical Journal

Objectives Bariatric surgery is an effective treatment for severe obesity that leads to significant physical health improvements. Few studies have prospectively described the short-term impact of surgery on mental health using standardised case-finding measures for anxiety or depressive disorders. This study describes the prevalence and short-term course of these conditions following surgery

Chronotherapy for patients with a depressive episode treated in a public outpatient mental healthcare clinic in Norway: protocol for a randomised controlled trial

03 Jan 2024 - British Medical Journal

Introduction Depression is highly prevalent in outpatients receiving treatment for mental disorders. Treatment as usual (TAU) usually consists of either psychotherapy and/or antidepressant medication and often takes several weeks before clinical effect

Dissecting sexual minority subgroup differences in the association between depression, anxiety, and cognitive difficulties

03 Jan 2024 - PLOS ONE

by Ethan Morgan, Christina Dyar, Karen Rose Introduction A growing body of research has demonstrated extensive mental health disparities affecting sexual minority populations, yet little research has assessed how these disparities may affect cognitive functioning among subgroups of sexual minorities. Methods Data come from the 2021 National Health Information Survey (NHIS)

Depressive disorder, bipolar disorder, and associated factors among adults, in the Eastern part of Ethiopia

03 Jan 2024 - Biomed Central

Depressive disorder is one of the severe and common mental illnesses in the general population. Bipolar disorder is a severe, persistent mental illness associated with significant morbidity and mortality. Howe...

Ketamine cystitis following ketamine therapy for treatment-resistant depression – case report

02 Jan 2024 - Biomed Central

Ketamine is a novel and exciting putative antidepressant medication for patients with treatment-resistant depression. A complication commonly seen in frequent and heavy recreational use of ketamine is ulcerati...

Use of Lysergic Acid Diethylamide by Major Depression Status

01 Jan 2024 - The JAMA Network

This survey study assesses time trends in the prevalence of past-year nonmedical lysergic acid diethylamide use by past-year major depression status and the variation in this association by sociodemographic characteristics.

Risk Factors in Randomized Clinical Trials of Face-to-Face and Internet-Based Psychotherapy for Depression

01 Jan 2024 - The JAMA Network

This systematic review and meta-regression analysis compares the prognostic risk factors in patient samples reported in 105 randomized clinical trials of face-to-face and internet-based psychotherapy for treating depression.

Metabolomic Biomarker Signatures for Bipolar and Unipolar Depression

01 Jan 2024 - The JAMA Network

This diagnostic study evaluates a reproducible metabolomic biomarker signature in patient dried blood spots that differentiates bipolar disorder from major depressive disorder during depressive episodes and assesses its added value when combined with self-reported patient information.

Prenatal Exposure to Nonpersistent Environmental Chemicals and Postpartum Depression

01 Jan 2024 - The JAMA Network

This cohort study investigates the association between prenatal exposure to nonpersistent environmental chemicals and postpartum depression symptoms.

Antidepressant Use and Risk of Manic Episodes in Children and Adolescents With Depression

01 Jan 2024 - The JAMA Network

This cohort study examines the risks for and incidence of mania episodes after 12 and 52 weeks in children and adolescents with unipolar depression who are prescribed antidepressants.

Association of hippocampal subfield volumes with prevalence, course and incidence of depressive symptoms: The Maastricht Study

23 Nov 2023 - BJPsych

BackgroundLate-life depression has been associated with volume changes of the hippocampus. However, little is known about its association with specific hippocampal subfields over time.AimsWe investigated whether hippocampal subfield volumes were associated with prevalence, course and incidence of depressive symptoms

[\[back to top\]](#)

Anxiety

[Coping, health anxiety, and stress among health professionals during Covid-19, Cape Coast, Ghana](#)

29 Jan 2024 - PLOS ONE

by Anthony K. Nkyi, Bridgette Baaba The aim of this study is to investigate coping strategies, health anxiety and stress among healthcare professionals in selected hospitals in the Cape Coast Metropolis during the Covid 19 pandemic. This study adopted the Descriptive survey design. The Multistage sampling technique was used to select 322 health professionals

[Study on the positivity rate and influencing factors of anxiety in pregnant women during the first fetal magnetic resonance examination: A cross-sectional study](#)

22 Jan 2024 - PLOS ONE

by Yuping Zheng, Yun Wang, Xue Liu, Li Zhang, Hui Zhang, Juan Liu, Yang Liu, Xuesheng Li, Gang Ning Objective This study investigated the positive rate and related influencing factors of anxiety screening in pregnant women during the first fetal magnetic resonance examination

[Evaluating the effect of action-like video game play and of casual video game play on anxiety in adolescents with elevated anxiety: protocol for a multi-center, parallel group, assessor-blind, randomized controlled trial](#)

19 Jan 2024 - Biomed Central

Adolescence is a critical period for the onset and maintenance of anxiety disorders, which raises the importance of intervening early; one possibility of doing so is via digital interventions. Within that rese...

[\[Comment\] Why health anxiety needs NICE clinical guidelines](#)

10 Jan 2024 - The Lancet

Health anxiety, or hypochondriasis, is a psychological disorder that is characterised by specific worries and convictions about having or developing a serious illness, despite medical reassurance and the absence of illness

[Predictors of nonresponse to treatment and low adherence to internet-based cognitive behavioral therapy in depressed/anxious women facing the couple's fertility problems: a secondary analysis of a randomized control trial](#)

10 Jan 2024 - Biomed Central

The study aimed to examine the predictors of treatment nonresponse and low adherence to Internet-based cognitive behavioral therapy and face-to-face therapy for treating depression and anxiety in women facing ...

Severe COVID anxiety among adults in the United Kingdom: cohort study and nested feasibility trial

06 Jan 2024 - Biomed Central

People with severe COVID anxiety have poor mental health and impaired functioning, but the course of severe COVID anxiety is unknown and the quality of evidence on the acceptability and impact of psychological...

Peer victimization and non-suicidal self-injury among high school students: the mediating role of social anxiety, mobile phone addiction, and sex differences

04 Jan 2024 - Biomed Central

Peer victimization (PV) is one of the major causes of non-suicidal self-injury. Non-suicidal self-injury (NSSI), peer victimization, social anxiety, and mobile phone addiction are significantly related; howeve...

Relationship between self-esteem and quality of life in middle-aged and older patients with chronic diseases: mediating effects of death anxiety

02 Jan 2024 - Biomed Central

Many studies have explored the relationship between self-esteem and quality of life. However, few studies have elucidated the mechanisms underlying the relationship between self-esteem and quality of life in m...

[\[back to top\]](#)

Personality disorder

Differences in diagnostic rules used to determine borderline personality disorder impact prevalence and associations with clinically relevant variables: Findings from the National Epidemiologic Survey on Alcohol and Related Conditions-III.

11 Jan 2024 - American Psychological Association

Borderline personality disorder (BPD) is a serious and understudied mental health condition associated with profound personal and public health consequences. Methodological differences in characterizing BPD may limit understanding the scope of the disorder's prevalence and effect

[\[back to top\]](#)

Psychosis

Study protocol for RUFUS—A randomized mixed methods pilot clinical trial investigating the relevance and feasibility of rumination-focused cognitive behavioral therapy in the treatment of patients with emergent psychosis spectrum disorders

25 Jan 2024 - PLOS ONE

by Lars Clemmensen, Christin Nymann Lund, Birgitte S Andresen, Julie Midtgaard, Louise Birkedal Glenth?j Introduction Psychosis spectrum disorders are characterized by both positive and negative symptoms, but whereas there is good effect of treatment on positive symptoms, there is still a scarcity of effective interventions aimed at reducing negative symptoms

Umbrella Review: Early-Onset Psychosis: Atlas of the Meta-Analytical Evidence

25 Jan 2024 - Elsevier ScienceDirect

Publication date: Available online 25 January 2024Source: Journal of the American Academy of Child & Adolescent PsychiatryAuthor(s): Gonzalo Salazar de Pablo, Victoria Rodriguez, Filippo Besana, Serena Chiara Civardi, Vincenzo Arienti, Laura Maraña Garceo, P. Andrés-Camazón, Ana Catalan, Maria Rogdaki, Chris Abbott, Marinos Kyriakopoulos, Paolo Fusar-Poli, Christoph U. Correll, Celso Arango

Factor structure of psychosis screening questionnaire in Ugandan adults

09 Jan 2024 - Biomed Central

Psychotic disorders are common and contribute significantly to morbidity and mortality of people with psychiatric diseases. Therefore, early screening and detection may facilitate early intervention and reduce...

Resilience buffers the association between psychotic-like experiences and suicide risk: a prospective study from a non-clinical sample

08 Jan 2024 - Biomed Central

Several studies have reported that psychotic-like experiences are associated with low levels of resilience and increased suicide risk. However, it remains unknown as to whether resilience mediates or moderates...

Deprescribing antipsychotics in adults with psychotic disorders – a literature review

04 Jan 2024 - RCNi

Despite evidence of adverse effects, continuous antipsychotic maintenance treatment is still often the preferred intervention for people with a long-term psychotic disorder. Antipsychotic treatment should be discussed with patients and the option of deprescribing should be explored. There is, however, a lack of guidance on antipsychotic deprescribing as well as

Moderating effect of alexithymia between problem gambling and psychotic experiences in university students

03 Jan 2024 - Biomed Central

Most of the young individuals with problem gambling (PG) or psychotic experiences (PEs) are less prone to seek medical help. Therefore, community-based studies investigating the relationship between these enti...

Emotional Experience of People With Schizophrenia and People at Risk for Psychosis

01 Jan 2024 - The JAMA Network

This systematic review and meta-analysis investigates the momentary emotional experience of people with schizophrenia and those at risk for psychosis compared with that of healthy individuals.

Concerns Regarding Strength of Conclusions in Systematic Review and Meta-Analysis of Neuroradiological Abnormalities in First-Episode Psychosis

01 Jan 2024 - The JAMA Network

To the Editor I recently cared for a patient with first-episode psychosis (FEP) with an otherwise normal neurological examination. The provocative meta-analysis by Blackman et al prompted me to reflect on the role of magnetic resonance imaging (MRI) in such cases

Normative Modeling of Brain Morphometry in Clinical High Risk for Psychosis

01 Jan 2024 - The JAMA Network

This case-control study assesses the association of brain morphometric changes that deviate from the normative range and with positive symptoms, cognition, and conversion to a psychotic disorder among individuals at high risk for psychosis.

Concerns Regarding Strength of Conclusions in Systematic Review and Meta-Analysis of Neuroradiological Abnormalities in First-Episode Psychosis—Reply

01 Jan 2024 - The JAMA Network

In Reply We agree with Forbes et al that one of the key reasons for magnetic resonance imaging (MRI) scanning in people with first-episode psychosis (FEP) is to exclude an organic cause. However, we do not agree that radiologic findings are only clinically significant if they are causal

[\[back to top\]](#)

Schizophrenia

Insights and improvements: A critical analysis of methodological limitations in the investigation of smoking and valproic acid in treatment-resistant schizophrenia

24 Jan 2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView.

Stakeholder perspectives of family interventions for schizophrenia in Indonesia: a qualitative study

22 Jan 2024 - Biomed Central

Mental illnesses comprise the single largest source of health-related economic burden globally and low-and middle-income countries (LMICs) are disproportionately affected. Many individuals with schizophrenia d...

Characteristics of patients with schizophrenia switching from oral antipsychotics to once-monthly paliperidone palmitate (PP1M): a systematic review

19 Jan 2024 - Biomed Central

The utilization of once-monthly paliperidone palmitate (PP1M) in schizophrenia treatment has increased due to its enhanced adherence and convenience. However, there is limited evidence on patient characteristi...

Systemic inflammatory biomarkers in Schizophrenia are changed by ECT administration and related to the treatment efficacy

17 Jan 2024 - Biomed Central

Immune inflammation has long been implicated in the pathogenesis of schizophrenia. Despite as a rapid and effective physical therapy, the role of immune inflammation in electroconvulsive therapy (ECT) for schi...

Investigation of carotid intima-media thickness in patients with schizophrenia

17 Jan 2024 - Biomed Central

Patients with schizophrenia (SCZ) have a higher risk of cardiovascular diseases than the average population. Early diagnosis of SCZ patients with subclinical atherosclerosis is great importance in reducing car...

Pseudoneurotic Symptoms in the Schizophrenia Spectrum: A Longitudinal Study of Their Relation to Psychopathology and Clinical Outcomes

16 Jan 2024 - Schizophrenia Bulletin

AbstractBackground and HypothesisNonpsychotic symptoms (depression, anxiety, obsessions, etc.) are frequent in schizophrenia-spectrum disorders and are usually conceptualized as comorbidity or transdiagnostic symptoms

Immune dysregulation is associated with symptom dimensions and cognitive deficits in schizophrenia: accessible evidence from complete blood count

12 Jan 2024 - Biomed Central

Schizophrenia (SCZ) is a psychotic disorder with an unknown pathogenesis accompanied by varying degrees of cognitive deficits. Recent studies have shown that immune dysregulation plays an important role in dev...

Hypothalamic Subunit Volumes in Schizophrenia and Bipolar Spectrum Disorders

11 Jan 2024 - Schizophrenia Bulletin

AbstractBackgroundThe hypothalamus is central to many hormonal and autonomous nervous system pathways. Emerging evidence indicates that these pathways may be disrupted in schizophrenia and bipolar disorder. Yet, few studies have examined the volumes of hypothalamic subunits in these patient groups

Risperidone plasma level, and its correlation with CYP2D6 gene polymorphism, clinical response and side effects in chronic schizophrenia patients

10 Jan 2024 - Biomed Central

To explore the influence of CYP2D6 genetic polymorphism on risperidone metabolism, thereby affecting risperidone's effects and safeties in patients with chronic schizophrenia.

[Articles] Efficacy and effectiveness of antipsychotics in schizophrenia: network meta-analyses combining evidence from randomised controlled trials and real-world data

09 Jan 2024 - The Lancet

LAI antipsychotics perform slightly better in the real world than according to RCTs. Otherwise, RCT evidence was in line with real-world evidence for most between-drug comparisons, but RCTs might overestimate effectiveness of antipsychotics observed in routine care settings

[Comment] Combining randomised and observational evidence in schizophrenia: how real is the real world?

09 Jan 2024 - The Lancet

In The Lancet Psychiatry, Orestis Efthimiou and colleagues present an innovative methodology to compare and aggregate randomised and observational data on the efficacy of antipsychotics for relapse prevention in schizophrenia.¹

Parenting and family life experiences of mothers diagnosed with schizophrenia within Chinese cultural context

09 Jan 2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView.

Fronto-temporal cortical grey matter thickness and surface area in the at-risk mental state and recent-onset schizophrenia: a magnetic resonance imaging study

09 Jan 2024 - Biomed Central

Studies to date examining cortical thickness and surface area in young individuals At Risk Mental State (ARMS) of developing psychosis have revealed inconsistent findings, either reporting increased, decreased...

Effects of electroconvulsive therapy on functional brain networks in patients with schizophrenia

08 Jan 2024 - Biomed Central

Schizophrenia is a kind of intractable brain disorder. Electroconvulsive therapy (ECT) has been used to rapidly improve the clinical symptoms of patients with schizophrenia, but the effect of ECT on topologica...

Cancer mortality and morbidity among patients with schizophrenia: A hospital-based cohort study, 1992–2020

04 Jan 2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView.

Factors associated with death, hospitalization, resignation, and sick leave from work among patients with schizophrenia in Japan: a nested case–control study using a large claims database

03 Jan 2024 - Biomed Central

Premature mortality, frequent relapse that easily leads to hospitalization, and discontinuous employment are key challenges for the treatment of schizophrenia. We evaluated risk factors for important clinical ...

'Let's Talk About Children' family focused practice for children of parents with schizophrenia and bipolar disorder: protocol for a randomized controlled trial

02 Jan 2024 - Biomed Central

'Let's Talk About Children' is a brief family focused intervention developed to improve mental health outcomes of children of parents with mental illness (COPMI). This study aims to assess the efficacy of LTC ...

[\[back to top\]](#)

Self-harm

[Can digital self-harm relate to suicidal thoughts and behaviors beyond physical self-harm?](#)

23 Jan 2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView.

[Enhancing emotion regulation with an in situ socially assistive robot among LGBTQ+ youth with self-harm ideation: protocol for a randomised controlled trial](#)

09 Jan 2024 - British Medical Journal

Introduction Purrble, a socially assistive robot, was codesigned with children to support in situ emotion regulation. Preliminary evidence has found that LGBTQ+ youth are receptive to Purrble and find it to be an acceptable intervention to assist with emotion dysregulation and their experiences of self-harm

[Profiles of vulnerability for suicide and self-harm in UK prisoners: Neurodisability, mood disturbance, substance use, and bullying](#)

03 Jan 2024 - PLOS ONE

by Hope Kent, Bella Magner-Parsons, George Leckie, Tuna Dulgar, Anggita Lusiandari, Lee Hogarth, Huw Williams, Amanda Kirby Screening for vulnerability factors associated with historic suicidality and self-harm on entry to prison is critical to help prisons understand how to allocate extremely limited mental health resources

[\[back to top\]](#)

Suicide

[Suicide after partner's death in the elderly population: results from a nationwide cohort study in Italy](#)

26 Jan 2024 - Elsevier

Suicide mortality among older adults decreased over the last decades. However, this group of the population still faces a higher risk of suicide compared to younger age groups.^{1,2}

[Editorial: Progress and Challenges in Characterizing Psychiatric Symptoms and Behaviors in Suicidal Preadolescent Children](#)

25 Jan 2024 - Elsevier ScienceDirect

Publication date: Available online 25 January 2024
Source: Journal of the American Academy of Child & Adolescent Psychiatry
Author(s): Richard T. Liu

Factors Associated With Discharge Against Medical Advice in US Adolescents Hospitalized for Suicidal Ideation or Suicide Attempt

25 Jan 2024 - Elsevier ScienceDirect

Publication date: Available online 25 January 2024
Source: Journal of the American Academy of Child & Adolescent Psychiatry
Author(s): Stacy B. Pierson, Deepa Dongarwar, Thomas Bini, Jennifer T. Onwukwe, Kayla House, Felicia O. Rosiji, Hamisu M. Salihu

Editorial: Factors Associated With Discharge Against Medical Advice in US Adolescents Hospitalized for Suicidal Ideation or Suicide Attempt

25 Jan 2024 - Elsevier ScienceDirect

Publication date: Available online 25 January 2024
Source: Journal of the American Academy of Child & Adolescent Psychiatry
Author(s): Andrés Martin

Best practice for integrating digital interventions into clinical care for young people at risk of suicide: a Delphi study

24 Jan 2024 - Biomed Central

Digital tools have the capacity to complement and enhance clinical care for young people at risk of suicide. Despite the rapid rise of digital tools, their rate of integration into clinical practice remains lo...

Why is it important to distinguish early life onset from late life onset of suicidal behavior?

13 Jan 2024 - Elsevier

Szanto and associates' "Is late-onset suicidal behavior a distinct subtype?" in this issue of the Journal is a welcome summary distinguishing early age from old age suicidality. It follows their recently published study of "Trauma in Childhood: Therapeutic Implications of the Differences Between Early-life and Late-life Suicidal Behavior"

A Relational Approach to Understanding Psychosocial Wellbeing, Including Suicidal Ideation, among MENA-background Adolescents

12 Jan 2024 - Sage Journals

Society and Mental Health, Ahead of Print. Adolescent refugees from the Middle East and North Africa (MENA) region face significant acculturation challenges and stressors in the United States. This qualitative study draws upon the integrated motivational-volitional model to understand MENA-background adolescents' psychosocial wellbeing and suicide risk in three U.S. cities

The patterns, trends and major risk factors of suicide among Indian adolescents – a scoping review

09 Jan 2024 - Biomed Central

Adolescence is an essential stage for the development of mental health, and suicide is among the leading cause of mortality for adolescents around the world. In India, the suicide rate among adolescents has be...

Trends in suicide mortality among prostate cancer survivors in the United States, 1975–2019

05 Jan 2024 - Biomed Central

Suicide was an important cause of death in prostate cancer. This study intended to investigate trends in suicide mortality among prostate cancer (PCa) survivors from 1975 to 2019 in the United States.

[Coping strategies to help you deal with patient suicide](#)

04 Jan 2024 - RCNi

Nurses say they have been changed forever after a patient in their care died by suicide, yet what have been described as toxic workplace attitudes mean that some are blamed and scapegoated for the incidents, despite being left with serious mental health problems themselves.

[Needs for mobile and internet-based psychological intervention in patients with self-injury and suicide-related behaviors: a qualitative systematic review](#)

04 Jan 2024 - Biomed Central

In recent years, mobile psychological interventions have proven effective in reducing self-injury and suicide-related behaviors. Therefore, it is essential to continually enhance the user experience and address...

[Experiences of general home visiting nurses regarding patients with suicidal ideation in Japan: Results from semi-structured interviews](#)

03 Jan 2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView.

[Engagement in meaningful activities post suicide loss: A scoping review protocol](#)

02 Jan 2024 - PLOS ONE

by Monique Gill, Meera Premnazeer, Orianna Scali, Sakina Rizvi, Alex Schendelman, Helene Polatajko, Jill I. Cameron Rationale Each day, more than 10 Canadians die by suicide. Each suicide leaves entire communities to manage the traumatic aftermath of this loss. Individuals bereaved by suicide loss are at a higher risk of experiencing negative mental health outcomes

[Euthanasia of animals – association with veterinarians' suicidal thoughts and attitudes towards assisted dying in humans: a nationwide cross-sectional survey \(the NORVET study\)](#)

02 Jan 2024 - Biomed Central

Veterinarians are an occupational group with an increased suicide risk. Euthanasing animals may influence both veterinarians' views on assisted dying in humans and their suicide risk. We investigated (1) attit...

[\[back to top\]](#)

Post Traumatic Stress Disorder

[Effect of three modalities on emergence agitation among post-traumatic stress disorder patients undergoing laparoscopy: a randomized controlled study](#)

29 Jan 2024 - Biomed Central

Emergence agitation (EA) after general anesthesia is common in patients with post-traumatic stress disorder (PTSD). Due to the recent worldwide events such as the Covid-19 pandemic and wars, PTSD is not rare. ...

[\[Articles\] The efficacy of psychological interventions for adult post-traumatic stress disorder following exposure to single versus multiple traumatic events: a meta-analysis of randomised controlled trials](#)

11 Jan 2024 - The Lancet

Contrary to our hypothesis, we found strong evidence that psychological interventions are highly effective treatments for PTSD in patients with a history of multiple traumatic events. Results are encouraging for clinical practice and could counteract common misconceptions regarding treatment and treatment barriers.

[\[Comment\] Rethinking the effectiveness of trauma-focused psychological treatments for PTSD](#)

11 Jan 2024 - The Lancet

Trauma-focused psychological treatment—notably trauma-focused cognitive behavioural therapy and eye movement desensitisation and reprocessing—are considered first-line treatment for post-traumatic stress disorder (PTSD)

[Effects of MDMA-assisted therapy for PTSD on self-experience](#)

10 Jan 2024 - PLOS ONE

by Bessel A. van der Kolk, Julie B. Wang, Rachel Yehuda, Leah Bedrosian, Allison R. Coker, Charlotte Harrison, Michael Mithoefer, Berra Yazar-Klosinski, Amy Emerson, Rick Doblin Introduction There is a resurgence of interest in the therapeutic potential of psychedelic substances such as 3,4-methylenedioxymethamphetamine (MDMA)

[Recurrence of post-traumatic stress disorder: systematic review of definitions, prevalence and predictors](#)

09 Jan 2024 - Biomed Central

Many people will experience a potentially traumatic event in their lifetime and a minority will go on to develop post-traumatic stress disorder (PTSD). A wealth of literature explores different trajectories of...

[\[back to top\]](#)

Attention Deficit Hyperactivity Disorder

[Cross-Sectional and Longitudinal Relations Among Irritability, Attention-Deficit/Hyperactivity Disorder Symptoms, and Inhibitory Control](#)

23 Jan 2024 - Elsevier ScienceDirect

Publication date: Available online 23 January 2024 Source: Journal of the American Academy of Child & Adolescent Psychiatry Author(s): Cameron C. McKay, Alethea Vittali De Jesus, Olivia Peterson, Ellen Leibenluft, Katharina Kircanski

Editorial: Neuropsychological Correlates of Irritability Accompanying Symptoms of Attention-Deficit/Hyperactivity Disorder: Clues and Pitfalls

23 Jan 2024 - Elsevier ScienceDirect

Publication date: Available online 23 January 2024Source: Journal of the American Academy of Child & Adolescent PsychiatryAuthor(s): Ali Evren Tufan

[\[back to top\]](#)

Generated by Vable | [Privacy Policy](#)