



Mental Health Current Awareness Update

28 Apr 2024

Welcome to the monthly Mental Health Current Awareness Alert, produced by **UKHSA Knowledge and Library Services**. The purpose of this update is to provide you with the latest, best evidence about mental health, to help you make informed decisions.

If you have any queries, please contact us at libraries@ukhsa.gov.uk.

Please note that not all the articles and resources referred to in this alert are freely available. Some articles may require an Athens username and password. For further information on Athens accounts please visit [here](#). If you are not eligible to access our library services, then you may want to approach your **local health library service**.

Disclaimer

This document and the content herein is not government official policy. We do not give any guarantees, conditions or warranties about the accuracy or completeness of any content within this document and we are not liable for any loss or damage that may come from your use of these products. Any wording, inclusion or omission should not be viewed as an endorsement or rejection by UK Health Security Agency. This document is for information purposes only and is not to be added to any websites or repositories.

CONTENTS

Mental health

- **Mental health**

Prevention and mental well-being

- **Prevention and mental well-being**

Ageing and mental health

- **Ageing and mental health**

Child and infant mental health

- **Child and adolescent mental health**

Psychiatry

- **Psychiatry**

Psychology

- Psychology

Depression

- Depression

Anxiety

- Anxiety

Post Traumatic Stress Disorder

- Post Traumatic Stress Disorder

Psychosis

- Psychosis

Schizophrenia

- Schizophrenia

Personality disorder

- Personality disorder

Attention Deficit Hyperactivity Disorder

- Attention Deficit Hyperactivity Disorder

Eating disorders

- Eating disorders

Self-harm

- Self-harm

Suicide

- Suicide

Addiction

- Addiction

Abuse and Neglect

- Abuse and neglect

Mental health

Mental health

1. Exploring the association between internalized weight bias and mental health among Canadian adolescents

27-04-2024 - National Library of Medicine

CONCLUSION: IWB interventions should be tailored to gender subgroups that may be particularly vulnerable to maladaptive mental health outcomes associated with IWB. System-level changes that mitigate perpetuation of weight bias and

discrimination which lead to IWB are also essential, particularly for girls. [Read more...](#)

2. Body Image, Nutrition, and Mental Health

27-04-2024 - *National Library of Medicine*

Classical examples of disorders associated with body image disturbances are eating disorders (EDs) such as anorexia nervosa (AN) and bulimia nervosa (BN), as well as body dysmorphic disorder (BDD) [...]. [Read more...](#)

3. Effect of Physical Exercise Programs Based on Mobile Health and Ecological Momentary Assessment on the Physical and Mental Health, Cognitive Functions, and Social Environment of Adults in Developing Countries: A Systematic Review

27-04-2024 - *National Library of Medicine*

Background and Objectives: Although there is strong evidence of the positive effects of physical exercise on health, adherence to face-to-face exercise programs in the adult population is low, identifying several barriers that hinder their practice. There is research that demonstrates the viability of physical exercise programs with the use of Mobile Health in Ecological Momentary Assessment ... [Read more...](#)

4. Implementation of Research in Community Mental Health Centers: The Challenge of Provider Engagement

26-04-2024 - *National Library of Medicine*

Conducting clinical research in public sector community mental health centers (CMHCs) can be challenging. The purpose of this report is to describe the challenges our research team encountered in engaging CMHC providers in a clinical trial aimed at testing an intervention to improve parent activation and engagement in their child's behavioral healthcare. We discuss the intervention we aimed ... [Read more...](#)

5. Effectiveness of Digital Learning in Community Mental Health Care Among Nurses in India

26-04-2024 - *National Library of Medicine*

CONCLUSION: It can be concluded that conducting Continuing Nursing Education (CNE) through a digital learning program is an effective teaching-learning method in the nursing curriculum. [Read more...](#)

6. Structures, aims and needs of early career scientists at the German Center for Mental Health

26-04-2024 - *National Library of Medicine*

CONCLUSION: The DZPG will contribute to fostering ECS training programs for student and academic exchanges, collaborative research, and pooling of resources to acquire grants and scholarships. It will also support the establishment of hubs for ECS networks and promote the expansion of international competence of ECS in Germany. [Read more...](#)

7. Physical activity and mental health of medical students

26-04-2024 - *National Library of Medicine*

CONCLUSION: A high percentage of medical faculty students (86.6%) are physically active. Differences in the level of physical activity were observed between students of these five universities as well as between students with different levels of physical activity. [Read more...](#)

8. Co-producing digital mental health interventions: A systematic review

26-04-2024 - National Library of Medicine

CONCLUSIONS: Variation in approaches to co-producing digital mental health interventions is evident, with inconsistencies between stakeholder groups involved, stage of involvement, stakeholders' roles and methods employed. [Read more...](#)

9. Prevalence of stress and its relevance on psychological well-being of the teaching profession: A scoping review

26-04-2024 - National Library of Medicine

CONCLUSIONS: The findings from the current scoping review will reveal the different stressors which impact psychological well-being. Focus on the most used interventions to overcome stress among schoolteachers. This will also provide recommendations to regulators and management to identify the factors causing stress among teachers and their relevance to their psychological well-being, ... [Read more...](#)

10. Sensitivity to intrinsic rewards is domain general and related to mental health

26-04-2024 - National Library of Medicine

Humans frequently engage in intrinsically rewarding activities (for example, consuming art, reading). Despite such activities seeming diverse, we show that sensitivity to intrinsic rewards is domain general and associated with mental health. In this cross-sectional study, participants online (N = 483) were presented with putative visual, cognitive and social intrinsic rewards as well as ... [Read more...](#)

11. The Nexus of Training Duration, Body Image, Nutritional Practices, and Mental Health: Insights from a Strength Training Cohort

26-04-2024 - National Library of Medicine

This study investigated the intricate relationship between strength training and its effects on body image, psychological health, and nutritional habits. By examining 605 participants, divided into two groups based on training frequency, the research aimed to discern how varying intensities of training influenced different wellness facets. The investigation employed a comprehensive survey, ... [Read more...](#)

12. Palliative Care and Mental Health among Pancreatic Cancer Patients in the United States: An Examination of Service Utilization and Health Outcomes

26-04-2024 - National Library of Medicine

INTRODUCTION: Palliative care (PC) utilization remains low among pancreatic cancer patients. This study explores the association of PC with mental health service and pharmacotherapy utilization among pancreatic cancer patients. [Read more...](#)

13. The association between cataract surgery and mental health in older adults: a review

26-04-2024 - National Library of Medicine

CONCLUSION: Vision impairment in older adults is closely associated with increased symptoms of depression and anxiety. While surgical intervention for cataracts improves these symptoms, it might be less effective for mental disorders with multifactorial causes. Notably, anxiety or depression poses challenges to successful preoperative and intraoperative cataract surgeries. [Read more...](#)

14. Physical activity and sedentary behavior levels among individuals with mental illness: A cross-sectional study from 23 countries

26-04-2024 - National Library of Medicine

People with mental illness tend to present low levels of physical activity and high levels of sedentary behavior. The study aims to compare these levels in mental illness patients, exploring the role of socioeconomic development and treatment setting. This cross-sectional study used accelerometers and the Simple Physical Activity Questionnaire (SIMPAQ) to assess physical activity and ... [Read more...](#)

15. Perceptions of Mental Health Professionals on Nutritional Psychiatry as an Adjunct Treatment in Mainstream Psychiatric Settings in New South Wales, Australia

26-04-2024 - National Library of Medicine

Background Nutritional psychiatry refers to the practice of using food, or nutrition, as alternative or complementary treatment for mental health disorders. It is a growing area of research that has shown links between the biological processes in the gut and how the food we consume can impact cognitive function, which then can impact our mood and behaviour. However, ... [Read more...](#)

16. A pilot randomized control trial on the feasibility, acceptability, and initial effects of a digital-assisted parenting intervention for promoting mental health in Malaysian adolescents

26-04-2024 - National Library of Medicine

OBJECTIVE: Online parenting interventions for enhancing child development, specifically mental health is relatively new in Malaysia. This pilot study tests the feasibility, acceptability, and initial effects of a universal digital-assisted parenting intervention (DaPI) in promoting mental health in adolescents by improving parental behaviors and self-efficacy. [Read more...](#)

17. Mental Health Disorders among Children and Associated Parental Stress: A Cross-Sectional Study in Pediatric OPD of Burdwan Medical College, West Bengal

26-04-2024 - National Library of Medicine

CONCLUSION: The magnitude of AMHD was high in this study, indicating toward the necessity of implementing opportunistic screening and appropriate public health action. [Read more...](#)

18. Substance Use and Mental Health as Mediators of the Association Between Intimate Partner Violence Victimization and Condomless Sex with Serodiscordant Partners Among Black Sexual Minority Men Living with HIV

26-04-2024 - National Library of Medicine

Black sexual minority men (SMM) are disproportionately impacted by HIV in the United States. Intimate partner violence (IPV), substance use, and depression are associated with HIV risk behavior such as condomless sex. In this study, we assessed cross-sectional associations between multiple types of IPV victimization and condomless sex with serodiscordant partners. [Read more...](#)

19. Effects of the COVID-19 pandemic on the mental health of patients with pre-existing psychopathology

26-04-2024 - National Library of Medicine

CONCLUSIONS: The psychological state of patients with pre-existing psychopathology attended at the Mental Health Center is negatively affected by the COVID-19 pandemic up to a year and a half after its onset. [Read more...](#)

20. Strength and resilience of developing brain circuits predict adolescent emotional and stress responses during the COVID-19 pandemic

26-04-2024 - *National Library of Medicine*

The COVID-19 pandemic has had profound but incompletely understood adverse effects on youth. To elucidate the role of brain circuits in how adolescents responded to the pandemic's stressors, we investigated their prepandemic organization as a predictor of mental/emotional health in the first ~15 months of the pandemic. We analyzed resting-state networks from $n = 2, \dots$ [Read more...](#)

21. Empathy and mental health in veterinary medicine

26-04-2024 - *National Library of Medicine*

In veterinary medicine, the relationship between empathy and mental health presents a complex and important aspect of professional well-being. Veterinarians are frequently exposed to numerous work-related stressors and are therefore more likely to experience mental health disorders and commit suicide. Due to the specific nature of the profession, veterinarians deal with negative patient ... [Read more...](#)

22. The Role of Vibrators in Women's Pelvic Health: An Alluring Tool to Improve Physical, Sexual, and Mental Health

26-04-2024 - *National Library of Medicine*

CONCLUSIONS: Vibrator use was associated with improved sexual, genitourinary, and mental health. [Read more...](#)

23. Mental Health in First- and Second-Division Soccer Players: A Cross-Sectional Study

26-04-2024 - *National Library of Medicine*

CONCLUSION: The low values obtained in the clinical scales, together with the reported psychopathological histories, suggested that the Villareal players showed better mental health than the general population. [Read more...](#)

24. Exploring a multimodal approach for utilizing digital biomarkers for childhood mental health screening

26-04-2024 - *National Library of Medicine*

CONCLUSION: This study confirmed the potential use of multimodal digital biomarkers for children's mental health screening, serving as foundational research. [Read more...](#)

25. Obstructive Sleep Apnea and Mental Health Disorders in the Pediatric Population: A Retrospective Population-based Cohort Study

26-04-2024 - *National Library of Medicine*

CONCLUSION: In this large population-based study of children who underwent PSG for sleep disorder assessment, OSA diagnosis/treatment was associated with an improvement in some mental health indicators, such as fewer new mental healthcare encounters compared to no OSA, and lower odds of mental healthcare encounters compared to pre-OSA treatment. [Read more...](#)

26. Using Adaptive Bandit Experiments to Increase and Investigate Engagement in Mental Health

26-04-2024 - *National Library of Medicine*

Digital mental health (DMH) interventions, such as text-message-based lessons and activities, offer immense potential for accessible mental health support. While these interventions can be effective, real-world experimental testing can further enhance their design and impact. Adaptive experimentation, utilizing algorithms

like Thompson Sampling for (contextual) multi-armed bandit (MAB) ... [Read more...](#)

27. Mental health practices in rehabilitation for youth with physical disabilities: a chart review study

26-04-2024 - *National Library of Medicine*

CONCLUSION: Many had more than one mental health problem, suggesting the complexity of their condition. While some mental health goals/interventions are documented, problems may often not be reported or addressed in this context. [Read more...](#)

28. Correction to: Impact of COVID-19 pandemic outbreak on mental health of the hospital front-line healthcare workers in Chile: a difference-in-differences approach

26-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

29. Stress and Coping in Patients With Cancer With Depression and Sleep Disturbance

26-04-2024 - *National Library of Medicine*

OBJECTIVES: To evaluate for differences in global, cancer-specific, and cumulative life stress, as well as resilience and use of various coping strategies among five groups (no depression or sleep disturbance, no depression and moderate sleep disturbance, subsyndromal depression and very high sleep disturbance, moderate depression and moderate sleep disturbance [Both Moderate] and high ... [Read more...](#)

30. "A Feeling of Safeness and Freedom": The Promotion of Mental Health Recovery Through Co-Production in an Italian Community Organization

26-04-2024 - *National Library of Medicine*

In mental health promotion, recovery is a process that leads to personal strengthening, control over crucial life decisions, and participation in communities through relevant professional, educational, or family social roles. Co-production, a key aspect of the recovery-oriented approach, emphasizes collaboration and active participation of people with mental health first-hand experience, ... [Read more...](#)

31. The Research on Risk Factors for Adolescents' Mental Health

26-04-2024 - *National Library of Medicine*

There is a growing tendency for mental health disorders to emerge during adolescence. These disorders impair emotional, cognitive, and behavioral functioning, such as unsatisfying peer relationships, disruptive behavior, and decreased academic performance. They also contribute to vulnerability in later adulthood which negatively influences life-long well-being. [Read more...](#)

32. Access to Mental Health and Substance Use Treatment in Comprehensive Primary Care Plus

26-04-2024 - *National Library of Medicine*

CONCLUSIONS AND RELEVANCE: Findings of this cohort study suggest that individuals with an OUD who received care at a CPC+ practice filled more buprenorphine and anxiolytics prescriptions compared with patients who received care at a non-CPC+ practice. As the Centers for Medicare & Medicaid Innovation invests in advanced primary care demonstrations, it is critical to understand whether these ... [Read more...](#)

33. Links between Couples' Cynical Hostility and Mental Health: A Dyadic Investigation of Older Couples

26-04-2024 - *National Library of Medicine*

Whereas sharing a life with someone with high cynical hostility can be straining, little is known about how partner's cynical hostility is associated with one's mental health. In this paper, we report the findings from a longitudinal dyadic study using two waves of a large and representative American sample of older adults and their spouses to examine how one's own and their spouse's cynical ... [Read more...](#)

34. The Role of Mental Health Conditions in Early Detection and Treatment of Veterans With Alzheimer's Dementia

26-04-2024 - *National Library of Medicine*

CONCLUSIONS: Mental health conditions were more likely in veterans with UD vs. AD diagnoses comorbid MHC may contribute to delayed AD diagnosis. [Read more...](#)

35. How institutional logics shape the adoption of virtual reality in mental health care: A qualitative study

26-04-2024 - *National Library of Medicine*

CONCLUSIONS: By taking institutional logics as our theoretical and analytical point of departure, this study demonstrates how the meaning of virtual reality and its adoption in mental health care is grounded in multiple and sometimes conflicting institutional logics. Acknowledging the existence and influence of often multiple institutional logics in the adoption process is crucial to guide ... [Read more...](#)

36. Mental health status in healthcare workers during COVID-19 pandemic: An online questionnaire study in the southwest Iran

26-04-2024 - *National Library of Medicine*

CONCLUSIONS: The present study revealed that medical and health workers suffer from mental health problems. In this study, up to one-fifth of medical staff had stress, anxiety, or depression symptoms, and more than half had psychological distress. Low educational level, lack of family support, lack of colleague's support, and being a female were the significant risk factors for stress, ... [Read more...](#)

37. The role of sociodemographic factors on the acceptability of digital mental health care: A scoping review protocol

26-04-2024 - *National Library of Medicine*

INTRODUCTION: Many individuals experiencing mental health complications face barriers when attempting to access services. To bridge this care gap, digital mental health innovations (DMHI) have proven to be valuable additions to in-person care by enhancing access to care. An important aspect to consider when evaluating the utility of DMHI is perceived acceptability. [Read more...](#)

38. Caring for Refugees with Mental Health Problems: Difficulties Encountered by Providers Requesting Exemptions from United States Citizenship Examinations

25-04-2024 - *National Library of Medicine*

Mental health providers caring for refugees should be aware that obtaining citizenship is critical to stability and safety for their patients. In the United States (U.S.), obtaining citizenship requires applicants to pass an examination exhibiting

working knowledge of English and foundational knowledge of U.S. civics. For refugees with mental health disorders that impair cognition, ... [Read more...](#)

39. Sustainable action is needed more than ever: the European Society for Child and Adolescent Psychiatry welcomes the efforts of the European Commission and the decisions of the European Parliament on mental health care for children, adolescents and young people and calls on the Member States to act quickly

25-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

40. Combined Effects of Early Life Stress and Prolonged Exposure to Western Diet on Emotional Responses and Gut Microbiota

25-04-2024 - *National Library of Medicine*

CONCLUSIONS: The effects of exposure to early life stress and a HFS diet independently are partially reversed after the combination of both factors. These results suggest that ELS and diet interact to modulate adult stress response and gut microbiota. [Read more...](#)

41. Editorial: Women in science: public mental health 2023

25-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

42. Modeling the relationship between depression in people with cancer and perceived stress, with the mediating role of eating problems, sexual satisfaction, emotion regulation and self-compassion

25-04-2024 - *National Library of Medicine*

CONCLUSION: In conclusion, this study sheds light on the interplay between depression and perceived stress in individuals with cancer, revealing a significant positive association. Eating problems emerged as a mediating factor, directly influencing the manifestation of depressive symptoms. However, the mediation pathway through sexual satisfaction was found to be statistically insignificant. [Read more...](#)

43. Mindfulness training in medical education as a means to improve resilience, empathy, and mental health in the medical profession

25-04-2024 - *National Library of Medicine*

The high rates of depression, burnout, and increased risk of suicide among medical students, residents, and physicians in comparison with other careers signal a mental health crisis within our profession. We contend that this crisis coupled with the inadequate acquisition of interpersonal skills during medical education results from the interaction between a challenging environment and the ... [Read more...](#)

44. Cultural Dimensions Moderate the Association between Loneliness and Mental Health during Adolescence and Younger Adulthood: A Systematic Review and Meta-Analysis

25-04-2024 - *National Library of Medicine*

Cultural factors, such as country or continent, influence the relationship between loneliness and mental health. However, less is known about how cultural dimensions moderate this relationship during adolescence and younger adulthood, even if these dimensions manifest as country or continent differences. This study aims to examine the potential influence of Hofstede's cultural dimensions on ... [Read more...](#)

45. Soldiers of the Invisible Front: How Ukrainian Therapists Are Fighting for the Mental Health of the Nation Under Fire

25-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

46. "It is not all glowing and kale smoothies": An exploration of mental health difficulties during pregnancy through women's voices

25-04-2024 - *National Library of Medicine*

CONCLUSIONS: These themes highlight the need for greater awareness and acceptance of mental health difficulties during pregnancy as well as postnatally. While perinatal mental health services are evolving, there is still an urgent requirement for services to continue to develop to meet women's needs, as well as to develop the role of clinicians as facilitators of engagement with needs-matched ... [Read more...](#)

47. Follow-up and Mediation Outcomes of a Movement-Based Mental Health Promotion Intervention for Refugee Children in Uganda

25-04-2024 - *National Library of Medicine*

CONCLUSION: This study shows sustained benefits of a mental health promotion intervention 5 months postintervention. Prolonged benefits are explained by an increase in social connectedness. [Read more...](#)

48. Trajectories of job insecurity and the probability of poorer mental health among prime working-age Australian women and men

25-04-2024 - *National Library of Medicine*

Precarious and insecure employment arrangements are important social determinants of health. Prior evidence has consistently found perceived job insecurity to be associated with poorer mental health. Nonetheless, several key under-researched areas remain in the existing evidence base. This study addresses some of these gaps by examining trajectories of job (in)security and assessing the ... [Read more...](#)

49. A Community Health Center Childhood Obesity Program for Latino Families from an Agricultural Community: Mental Health and Physical Activity Outcomes

25-04-2024 - *National Library of Medicine*

The purpose of this study was to evaluate the impact of an ongoing multidisciplinary childhood obesity intervention, within a federally qualified health center, on mental health and physical activity outcomes with Latino children from an agricultural community. The program was evaluated using attendance and parent-reports of child mental health and physical activity levels. [Read more...](#)

50. Prairie Madness: Mental Illness and Norwegian Immigration to North America in the Late Nineteenth and Early Twentieth Centuries

25-04-2024 - *National Library of Medicine*

In the late nineteenth and twentieth centuries, there was widespread concern about the fate of immigrants to the United States. One area of particular concern was mentally ill immigrants, as illustrated in contemporaneous screening procedures, asylum reports, government commissions, popular media, fiction, and scientific studies. This article examines the depiction of one mentally ill ... [Read more...](#)

51. Survey dataset on mental health in tech professionals from open sourcing mental health surveys (2017-2021)

25-04-2024 - *National Library of Medicine*

The dataset presented here was created by combining surveys conducted by Open Sourcing Mental Illness, a non-profit organization, from 2017 to 2021. The primary objective of the surveys was to assess the prevalence of mental health concerns among individuals employed in the technology sector and to gauge their attitudes toward mental health in the workplace. The dataset is filtered to include ... [Read more...](#)

[52. The role of alexithymia in suicide ideation among Taiwanese army military personnel: A serial mediation model investigating the effects of perceived stress and depression](#)

25-04-2024 - National Library of Medicine

Maintaining the good mental health of Taiwanese military personnel is crucial, especially in light of incidents such as the Taiwan Strait crisis. Suicide is a leading cause of death among military personnel and alexithymia is a significant risk factor for suicidal ideation. However, the mechanisms linking alexithymia and suicidal ideation in this psychologically burdened population remain ... [Read more...](#)

[53. Psychiatric outcomes in outpatients affected by long COVID: A link between mental health and persistence of olfactory complaint](#)

25-04-2024 - National Library of Medicine

CONCLUSION: The presence of a psychiatric history may constitute a potential risk factor for the development of long COVID due to persistent anosmia. It therefore seems important to establish reinforced health monitoring after a COVID 19 infection in at-risk patients. Further prospective, translational, and collaborative studies are needed to extrapolate these results to the general population. [Read more...](#)

[54. Joint observation in NICU \(JOIN\): A randomized controlled trial testing an early, one-session intervention during preterm care to improve perceived maternal self-efficacy and other mental health outcomes](#)

25-04-2024 - National Library of Medicine

CONCLUSIONS: The joint observation was not associated with improved perceived maternal self-efficacy or other mental health outcomes, but may constitute an additional supportive measure offered to parents in a vulnerable situation during the NICU stay. [Read more...](#)

[55. Using Linkage-enhancement Strategies to Bridge Treatment Gap among Inmates and Former Inmates in Correctional Settings with Inadequate Mental Health Care](#)

25-04-2024 - National Library of Medicine

Service linkage and skill enhancement strategies were devised in Nigerian prisons with inadequate mental health resources to support the provision of psycho-legal services, including the assessments, identification, and care of inmates and former inmates with mental illness. Over the study period, 74 individuals, consisting of 64 (86.5%) males with a mean age of 33.25 (SD=11). [Read more...](#)

[56. Improving parental mental health in the perinatal period: A review and analysis of quality improvement initiatives](#)

25-04-2024 - National Library of Medicine

Parental mental health is an essential sixth vital sign that, when taken into consideration, allows clinicians to improve clinical outcomes for both parents and infants. Although standards exist for screening, referral, and treatment for

perinatal mood and anxiety disorders (PMADs), they are not reliably done in practice, and even when addressed, interventions are often minimal in scope. [Read more...](#)

57. Community Health Workers Deliver Mental Health Intervention to Uninsured Latinx in Baltimore: Evaluation and Lessons Learned in a Pilot Program

25-04-2024 - *National Library of Medicine*

CONCLUSIONS: Further implementation studies of depression care interventions using CHWs for underserved Latinx is needed. [Read more...](#)

58. Associations of humor, morale, and unit cohesion on posttraumatic stress disorder symptoms

25-04-2024 - *National Library of Medicine*

Military personnel experience many stressors during deployments that can lead to symptoms of posttraumatic stress disorder (PTSD). However, not all military personnel who are exposed to deployment stressors develop PTSD symptoms. Recent research has explored factors that contribute to military personnel resilience, a multifaceted and multidetermined construct, ... [Read more...](#)

59. Preceptor's experience in supervising undergraduate nursing students in mental health: A qualitative study

25-04-2024 - *National Library of Medicine*

Preceptorship is considered an essential component in undergraduate nursing student's clinical placement, especially those in speciality units such as mental health. During the preceptorship relationship students are granted the opportunity to work alongside experienced nurses in the ward observing their interactions with patients and other professionals. In addition, ... [Read more...](#)

60. Minority Stress and Intersectionality in LGBTQIA+ Youth Mental Health Disparities

25-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

61. Mental health implications and psychologic factors in workers' compensation cases

25-04-2024 - *National Library of Medicine*

Work-related injuries can harm mental health and affect other facets of injured workers' lives. Clinicians must be aware of the problem of emotional distress and treat the whole patient after a workplace injury. More education and information are needed for clinicians, employers, and workers' compensation carriers so that injured workers can be properly screened for mental health issues and ... [Read more...](#)

62. The CRPD and mental health law reform in Scotland

25-04-2024 - *National Library of Medicine*

Scotland's mental health and capacity legislation and its implementation is underpinned by European Convention on Human Rights (ECHR) informed principles, and such legislation and its implementation has remained largely ECHR compliant. It is designed to protect individuals' autonomy from inappropriate and disproportionate nonconsensual intrusions but its scope is largely limited to this. [Read more...](#)

63. Psychological Predictors of Mental Health Difficulties after Pediatric Concussion

25-04-2024 - National Library of Medicine

Children often experience mental health difficulties after a concussion. Yet, the extent to which a concussion precipitates or exacerbates mental health difficulties remains unclear. This study aimed to examine psychological predictors of mental health difficulties after pediatric concussion. Children (aged 5 to <18 years, M=11.7, SD=3.3) with concussion were recruited in a single-site ... [Read more...](#)

64. Psychiatric Symptoms, Treatment Uptake, and Barriers to Mental Health Care Among US Adults With Post-COVID-19 Condition

25-04-2024 - National Library of Medicine

CONCLUSIONS AND RELEVANCE: The findings of this study suggest that people with PCC have a higher prevalence of psychiatric symptoms than other adults but are more likely to experience cost-related barriers to accessing therapy. Care pathways for PCC should consider prioritizing mental health screening and affordable treatment. [Read more...](#)

65. The rostral ventromedial medulla modulates pain and depression-related behaviors caused by social stress

25-04-2024 - National Library of Medicine

The rostral ventromedial medulla (RVM) is a crucial structure in the descending pain modulatory system, playing a key role as a relay for both the facilitation and inhibition of pain. The chronic social defeat stress (CSDS) model has been widely used to study stress-induced behavioral impairments associated with depression in rodents. Several studies suggest that CSDS also causes changes ... [Read more...](#)

66. A pilot study on AI-driven approaches for classification of mental health disorders

25-04-2024 - National Library of Medicine

The increasing prevalence of mental disorders among youth worldwide is one of society's most pressing issues. The proposed methodology introduces an artificial intelligence-based approach for comprehending and analyzing the prevalence of neurological disorders. This work draws upon the analysis of the Cities Health Initiative dataset. It employs advanced machine learning and deep learning ... [Read more...](#)

67. Pay attention to the mental health of children with short stature

25-04-2024 - National Library of Medicine

In the clinical diagnosis and treatment of children with short stature, mental health issues merit special attention. It is widely acknowledged that the psychological well-being of children with short stature is lower than that of their peers with normal height. Therefore, during the diagnosis, treatment, and care of short stature, it is crucial to actively monitor the mental health of these ... [Read more...](#)

68. The Impact of Social Determinants of Maternal Mental Health in Marginalized Mothers

25-04-2024 - National Library of Medicine

Background: A deeper understanding of the key determinants of maternal mental health is important for improving care for women, especially women who are at an economic disadvantage. **Objectives:** To explore the associations of select social determinants: access, social support, and stress, with the onset of antepartum depression in low-income mothers. **Participants:** The Pregnancy Risk Assessment ... [Read more...](#)

69. Psychiatrists, outmigration, and the sustainability of the mental health workforce: Insights from a source country - The Philippines

25-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

70. Disputing Darwin: On Piloerection and Mental Illness

25-04-2024 - *National Library of Medicine*

Most of Charles Darwin's ideas have withstood the test of time, but some of them turned out to be dead ends. This article focuses on one such dead end: Darwin's ideas about the connection between piloerection and mental illness. Piloerection is a medical umbrella term to refer to a number of phenomena in which our hair tends to stand on end. Darwin was one of the first scientists to study it ... [Read more...](#)

71. Job stress and burnout among Finnish municipal employees without depression or anxiety

25-04-2024 - *National Library of Medicine*

CONCLUSIONS: Our results indicate that job burnout is also strongly associated with job stress in employees who do not have depressive or anxiety symptoms. As job burnout may precede clinical depression or reduce productivity and well-being at work, it is essential to perform surveys to monitor burnout symptoms among the workforce, and design interventions to prevent remarkable job strain. [Read more...](#)

72. Screening for serious mental illness in a correctional setting

25-04-2024 - *National Library of Medicine*

CONCLUSION: The BJMHS flagged a higher number of possible instances of SMI than the jail's SMQ, potentially signifying its screening superiority. Identification of SMI leads to better care for individuals who are incarcerated, and it increases safety for the individual with SMI, the greater jail population, and jail staff. Findings from this study were shared with system leadership, ... [Read more...](#)

73. The Risk and The Course of Cancer Among People with Severe Mental Illness

25-04-2024 - *National Library of Medicine*

The paucity of data regarding patients with Serious Mental Illness (SMI) and cancer is alarming given the fact that people with SMI, especially schizophrenia, bipolar disorders and severe depressive disorders, have in general poorer access to physical health care and higher morbidity and mortality because of physical illnesses. The aims of this review were to examine the current evidence from ... [Read more...](#)

74. The impact of adverse childhood experiences on mental health, sexual risk behaviors, and alcohol consumption in adulthood

25-04-2024 - *National Library of Medicine*

The purpose of the study was to determine how Adverse Childhood Experiences (ACE) relate to adulthood flourishing, symptoms of depression, anxiety, somatization, self-reported health, sexual risk behaviors, and alcohol consumption. A quantitative cross-sectional methodology was used. A total of 452 adults completed the survey. The most prevalent ACE include physical abuse (44. [Read more...](#)

75. Mental health among adolescents exposed to social inequality in Latin America and the Caribbean: a scoping review

25-04-2024 - National Library of Medicine

CONCLUSION: The scientific evidence reveals that social inequality is related to impaired well-being and mental ill health on the one hand and a lack of access to mental health care on the other hand. [Read more...](#)

76. Latinx Youth's Mental Health Needs and Socioeconomic Factors Associated with Service Utilization

25-04-2024 - National Library of Medicine

This study examined mental health needs and risk factors associated with service use among Latinx high school students in two cities in the United States. We explored how socioeconomic characteristics, school location, youth and parental nativity, and self-perceived clinical needs were associated with the odds of youths seeing a mental health provider. Data were collected from 306 Latinx ... [Read more...](#)

77. Path Analysis Between Family Functioning and Mental Health in People With Neuropathic Pain: Roles of Pain Intensity, Self-Perceived Burden, Pain Catastrophizing, and Functional Status

25-04-2024 - National Library of Medicine

CONCLUSIONS: Better family functioning was associated with better mental health, as explained by reduced self-perceived burden, reduced pain catastrophizing, and improved functional status. However, this benefit may be partially masked by the relationship that better family functioning explains higher pain intensity. [Read more...](#)

78. Understanding University Students' Perspectives towards Digital Tools for Mental Health Support: A Cross-country Study

25-04-2024 - National Library of Medicine

CONCLUSION: Although considering some specific features, digital tools could be a useful instrument to support the mental health needs of students. Since personal contact remains crucial, digital tools should be integrated with face-to-face interventions through a multi-modal approach. [Read more...](#)

79. Combat and operational stress programs and interventions: A scoping review using a tiered prevention framework

25-04-2024 - National Library of Medicine

Beginning in 1999, Department of Defense policy directed the military services to develop Combat and Operational Stress Control (COSC) programs to address prevention, early identification, and management of the negative effects of combat and operational stress. The aim of this study is to provide a narrative review of COSC programs and organize them into a prevention framework to clarify gaps ... [Read more...](#)

80. 'I thought we would be cherished and safe here': understanding the multi-faceted nature of mental health among Arab immigrants/refugees in Ontario, Canada- the CAN-HEAL study

25-04-2024 - National Library of Medicine

CONCLUSIONS: MH needs among AIR are distinct and intersectionality aggravated inequities. Culturally and structurally competent healthcare and structural/policy reformation are required to tackle MH inequities. This can be

fulfilled through intersectoral cooperation and including AIR in decision-making.
[Read more...](#)

81. Therapeutic Uses of Gaming in Mental Health: An Untapped Potential

25-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

82. Introduction to special issue section: Resilience to stress and trauma within the military environment

25-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

83. Less is more: Smaller hippocampal subfield volumes predict greater improvements in posttraumatic stress disorder symptoms over 2 years

25-04-2024 - *National Library of Medicine*

Posttraumatic stress disorder (PTSD) is a heterogeneous disorder, and symptom severity varies over time. Neurobiological factors that predict PTSD symptoms and their chronicity remain unclear. This study investigated whether the volume of the hippocampus and its subfields, particularly cornu ammonis (CA) 1, CA3, and dentate gyrus, are associated with current PTSD symptoms and whether they ...

[Read more...](#)

84. Predictive modeling of initiation and delayed mental health contact for depression

25-04-2024 - *National Library of Medicine*

CONCLUSIONS: Having VA disability benefits was the strongest predictor of treatment initiation after a depression diagnosis and a history of mental health treatment was the strongest predictor of delayed initiation of treatment. The complexity of the relationship between VA benefits and history of mental health care with treatment initiation after a depression diagnosis is further discussed.

[Read more...](#)

85. Editorial: The genetics and epigenetics of mental health

24-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

86. The impact of diabetes on physical and mental health status and patient satisfaction after total hip and knee arthroplasty

24-04-2024 - *National Library of Medicine*

CONCLUSIONS: Findings support that diabetes has a negative impact on improvements in physical health after TJA. Considering the growing prevalence of OA and diabetes in the population, our findings support the importance of perioperative screening and management of diabetes in patients undergoing TJA.

[Read more...](#)

87. Mental health stigma and internship nursing students' attitudes toward seeking professional psychological help: a cross-sectional study

24-04-2024 - *National Library of Medicine*

CONCLUSION: This study concluded that more than three-fifths of internship nursing students hadn't stigma towards seeking professional psychological help while the vast majority had a positive attitude towards seeking professional psychological help. However, the majority of students reported that financial barriers, specifically the high cost of therapy, prevent them from seeking ...

[Read more...](#)

88. Parenting style and child mental health at preschool age: evidence from rural China

24-04-2024 - National Library of Medicine

CONCLUSION: Different parenting styles (including authoritative, authoritarian, and combination of authoritative and authoritarian) of the sample caregivers had different associations with the mental health problems of the sample children. Parenting programs that aim to improve the parenting styles (favoring authoritative parenting styles) should be promoted in an effort to improve the status ... [Read more...](#)

89. Coronavirus Anxiety, COVID Anxiety Syndrome and Mental Health: A Test Among Six Countries During March 2021

24-04-2024 - National Library of Medicine

The negative impact of the COVID-19 pandemic on mental health outcomes is widely documented. Specifically, individuals experiencing greater degrees of severity in coronavirus anxiety have demonstrated higher levels of generalized anxiety, depression and psychological distress. Yet the pathways in which coronavirus anxiety confers vulnerability are not well known. [Read more...](#)

90. Structural equation modeling for the effects of family dysfunctions and communication on perceived mental health status among under/graduate students in the U.S

24-04-2024 - National Library of Medicine

CONCLUSIONS: Practitioners should recognize that improving positive communication skills within the family unit can be a realistic approach to supporting the perceived mental health of under/graduate students. Colleges/universities should offer regular education programs to promote an understanding of the relationship between family communication strategies and the mental health of ... [Read more...](#)

91. Taking a trauma and adversity perspective to climate change mental health

24-04-2024 - National Library of Medicine

The European Journal of Psychotraumatology has had a long interest in advancing the science around climate change and traumatic stress. In this special issue, we include papers that responded to a special call in this area. Six major themes emerge from these papers and together they contribute to trauma and adversity model of the mental health impacts of climate change. [Read more...](#)

92. The Impact of Video-Based Microinterventions on Attitudes Toward Mental Health and Help Seeking in Youth: Web-Based Randomized Controlled Trial

24-04-2024 - National Library of Medicine

CONCLUSIONS: Interventions to promote help seeking for MH problems may require disorder-specific approaches. The study results can inform future research and public health campaigns addressing adolescents and young adults. [Read more...](#)

93. Primary care-based screening and recruitment for an adolescent depression prevention trial: Contextual considerations during a youth mental health crisis

24-04-2024 - National Library of Medicine

CONCLUSION: Our findings emphasize the need for ongoing, comprehensive assessment of dynamic inner and outer setting contexts prior to and during implementation of clinical trials, as well as flexibility for adaptation to unique

clinical contexts. The CFIR is useful for assessing determinants during times of rapid inner and outer setting change, such as those brought on by the COVID-19 ... [Read more...](#)

94. Factors influencing integration of mental health screening and treatment at HIV clinic settings in Cameroon: a qualitative study of health providers' perspectives

24-04-2024 - National Library of Medicine

CONCLUSIONS: Providers reported enthusiasm to integrate mental health services into HIV care but need more support and training to do so in an effective and sustainable manner. [Read more...](#)

95. Longitudinal Associations Between Physical Activity and Depressive Symptoms in Chinese Children: Evidence from the Tongji Mental Health Cohort Study

24-04-2024 - National Library of Medicine

CONCLUSION: Self-reported physical activity is positively associated with improved mental health among Chinese school-aged children, especially when considering parameters such as frequency and duration. The association between vigorous-intensity physical activity and depressive symptoms in children should be cautiously interpreted. Future research should continue to explore the effects of ... [Read more...](#)

96. Mental health during ecological crisis: translating and validating the Hogg Eco-anxiety Scale for Argentinian and Spanish populations

24-04-2024 - National Library of Medicine

CONCLUSIONS: These findings enhance the global initiative to investigate, explore and therefore comprehend eco-anxiety by introducing the first valid and reliable Spanish-language version of this psychometric instrument for its use within Spanish and Argentinian populations. This study augments the body of evidence supporting the robust psychometric properties of the HEAS, ... [Read more...](#)

97. Socio-economic inequities in mental health problems and wellbeing among women working in the apparel and floriculture sectors: testing the mediating role of psychological capital, social support and tangible assets

24-04-2024 - National Library of Medicine

CONCLUSIONS: The RCM can be applied in low-income countries, although in unexpected ways. Similar to findings from high-income countries, PsyCap and size of the financial social support network show significant mediation effects in explaining mental health problems and wellbeing inequities in Ethiopia. These reserves could therefore serve as a buffer for socio-economic inequities in mental ... [Read more...](#)

98. The influence of early diet quality on the mental health of college students: the mediation effects of height and qi-deficiency

24-04-2024 - National Library of Medicine

CONCLUSION: The mediation model and hypotheses were strongly supported, demonstrating that early diet quality exerted an influence on the mental health of college students through two distinct pathways: height and qi-deficiency. Moreover, the mediating effect of qi-deficiency was found to be more pronounced than that of height in the relationship between early diet quality and mental health ... [Read more...](#)

99. A Web-Based and Mobile Intervention Program Using a Spaced Education Approach for Workplace Mental Health Literacy: Cluster Randomized Controlled Trial

24-04-2024 - *National Library of Medicine*

CONCLUSIONS: The mHealth psychoeducation intervention program using this platform had immediate and 3-month medium-term effects of retaining and improving MHL. The platform was evaluated to have satisfactory performance in terms of functionality, aesthetics, information content, and utility in enhancing MHL. It is anticipated that ongoing development in digital health will provide great ... [Read more...](#)

100. Construction of the "Full Path" of restorative effects on older adults' mental health in parks under seasonal differences: taking Changchun as an example

24-04-2024 - *National Library of Medicine*

With the aging and older adults' mental health problems in China, more attention has been paid to the restorative environment. As an important restorative environment in the city, the mental health restorative effect of park environment has been confirmed. However, further exploration is needed to determine whether winter parks have positive effects, their differences from non-winter parks, ... [Read more...](#)

[Back to Top](#)

Prevention and mental well-being

Prevention and mental well-being

1. Experts call for school focused support to overhaul children's mental health services

26-04-2024 - *British Medical Journal*

Badly needed support for children's mental health in England should be focused on schools with the creation of "one stop shop" information hubs, according to experts. A new report¹ calls for a radical overhaul of the system that provides mental health and wellbeing support for children and young people and warns that currently around a fifth of this population may have a mental health condition. [Read more...](#)

2. Analyzing the Prevalence of Depression and Anxiety Symptoms Among Relatives of Cancer Patients in Kuwait

26-04-2024 - *National Library of Medicine*

CONCLUSION: The diagnosis of cancer necessitates mental health screenings for patients' relatives, as findings from our study indicate that these individuals are at a high risk of developing depression and anxiety. Targeted support and referrals to specialists are crucial for mitigating the impact on their well-being. [Read more...](#)

3. A special type of homicide-suicide: A retrospective study of the characteristics of extended suicide

25-04-2024 - *National Library of Medicine*

Extended suicide, a specific type of homicide-suicide event, has severe social consequences yet remains lacking systematic research. This retrospective study investigated 51 cases of extended suicide involving mental disorders in central China with aim of better understanding risk factors for such events and guiding prevention strategies. Over an 8-year period from 2015 to 2022, ... [Read more...](#)

4. Exploring the burden of postpartum depression in urban Bangladesh: Prevalence and its associations with pregnancy-related factors from a cross-sectional study

24-04-2024 - *National Library of Medicine*

CONCLUSION: This study underscores the high prevalence of PPD among urban mothers in Bangladesh. The identified risk factors emphasize the need for targeted mental health initiatives, specifically tailored to support the vulnerable group. Implementing such initiatives can effectively address the challenges posed by PPD and enhance the well-being of postpartum women in urban areas. [Read more...](#)

5. Violence Victimization and Depressive Symptoms Among a Sub-Sample of Sexual and Gender Minority Adults in a Population-Based South African Study

24-04-2024 - *National Library of Medicine*

Sexual and gender minority (SGM) adults in South Africa face high levels of violence and poor mental health outcomes. Interventions to prevent these negative health implications are hampered by a lack of representative data among this population. This study aims to quantify the associations between three forms of violent victimization and depressive symptoms in a sub-sample of SGM drawn from ... [Read more...](#)

6. Prevalence and nature of workplace bullying and harassment and associations with mental health conditions in England: a cross-sectional probability sample survey

24-04-2024 - *National Library of Medicine*

CONCLUSIONS: These findings reinforce a need for more cohesive UK legislation against WBH guidance on recognition of bullying behaviours for employees, managers, and human resources, focusing on prevention and early intervention, and increased awareness of the impact of WBH on mental health among health service practitioners. Limitations include reliance on cross-sectional data collected ... [Read more...](#)

7. Impact of on-call shifts on working memory and the role of burnout, sleep, and mental well-being in trainee physicians

24-04-2024 - *National Library of Medicine*

CONCLUSION: Working more on-call shifts is associated with compromised WM. Trainee physicians who experienced more depressive symptoms and burnout had worse WM. [Read more...](#)

8. Characteristics, outcomes, facilitators and barriers for psychosocial interventions on inpatient mental health dementia wards: a systematic review

23-04-2024 - *National Library of Medicine*

CONCLUSION: This review highlights a striking lack of research and therefore evidence base for the use of psychosocial interventions to reduce distress in this vulnerable population, despite current healthcare guidelines. More research is needed to understand which psychosocial interventions can reduce distress and improve wellbeing on inpatient mental health dementia wards, ... [Read more...](#)

9. Mental health profiles of depressive symptoms and personal well-being among active-duty military families

23-04-2024 - *National Library of Medicine*

Although some research has examined the mental health of individual family members in military families, additional research is needed that considers mental

health among multiple members of the family system simultaneously and that characterizes subsets of families with distinct patterns. Mental health patterns of depressive symptoms and well-being in and among families were identified using ... [Read more...](#)

10. Mental health conditions in patients with systemic lupus erythematosus: A systematic review and meta-analysis

23-04-2024 - *National Library of Medicine*

CONCLUSION: Our study demonstrated a high prevalence of MHCs among patients with SLE. Individuals with pre-existing mental disorders exhibited an elevated susceptibility to developing SLE, and patients presenting with MHCs were at increased risk of experiencing suboptimal health and functional outcomes. Therefore, evaluating and preventing MHCs should be considered as an integral component of ... [Read more...](#)

11. The workplace culture, mental health and wellbeing of early- and mid-career health academics: a cross-sectional analysis

23-04-2024 - *National Library of Medicine*

There are reports of poor working conditions for early and mid-career academics (EMCAs) in universities, however, empirical data using validated tools are scarce. We conducted an online, cross-sectional survey using validated tools to assess workplace satisfaction, exposure to workplace abuse, and mental health. Participants included employees of medical and health faculties of two of the ... [Read more...](#)

12. Prevalence of anxiety, depression, and post-traumatic stress disorder among Omani children and adolescents diagnosed with cancer: a prospective cross-sectional study

23-04-2024 - *National Library of Medicine*

CONCLUSIONS: Omani children and adolescents recently diagnosed with cancer exhibit a high prevalence of anxiety, depression, and PTSD over time. Age-appropriate communication, ongoing support, and mental health services are recommended to help this patient group cope with their diagnosis and manage their emotional wellbeing. There is a need for future research to determine the effectiveness ... [Read more...](#)

13. Knowledge and perception about the welfare and mistreatment of dogs in Brazil

19-04-2024 - *Public Library of Science (PLoS)*

by Gabriela Ferreira Siano, Camila Stefanie Fonseca de Oliveira, Felipe Gaia de Sousa, Suzane Lilian Beier, Adriane Pimenta da Costa-Val Animal welfare encompasses the overall well-being of an animal, spanning both its physical and mental health, assessable through potential measurements. It stands in contrast to mistreatment, which involves actions, direct or indirect, ... [Read more...](#)

14. The Effects of COVID-19 on the Mental Health of Children and Adolescents: A Review

19-04-2024 - *National Library of Medicine*

The COVID-19 pandemic, caused by the SARS-CoV-2 virus, has profoundly affected global health and well-being. As part of the Coronaviridae family, SARS-CoV-2 joins a diverse group of viruses found in both humans and various animal species, including bats, camels, and cats. The pandemic has led to widespread social isolation, reduced physical activity, and significant lifestyle changes, ... [Read more...](#)

15. Maternal and Child Health and Perinatal Mental Health: an area of improvement in Spanish Healthcare

19-04-2024 - National Library of Medicine

Although the right to enjoy the highest level of mental and physical health that can be achieved is a universal human right, it has not been until very recent stages that mental health has begun to gain the relevance it deserves . Attention to maternal and child health exemplifies the limitations of the Spanish Health Service to offer comprehensive care that includes the dimension of mental ...

[Read more...](#)

16. Risk of Pediatric Bipolar Disorder After General Anesthesia in Infants and Toddlers: A Propensity Score-Matched Population-Based Cohort Study

19-04-2024 - National Library of Medicine

CONCLUSIONS: Early childhood exposure to general anesthesia is significantly associated with an increased risk of pediatric BD. This expands understanding of pediatric BD's complex development, informing preventive strategies, and enhancing mental health outcomes for vulnerable young patients and global pediatric healthcare. [Read more...](#)

17. Self-employed and stressed out? The impact of stress and stress management on entrepreneurs' mental health and performance

19-04-2024 - National Library of Medicine

INTRODUCTION: Entrepreneurs play a central role in economic and social stability, yet the start-up rate in Germany has declined in recent years, possibly due to the stress associated with entrepreneurial endeavors. Stressors such as financial uncertainty and time pressure are prevalent among entrepreneurs and negatively affect their psychological well-being. However, ... [Read more...](#)

18. Class I histone deacetylases inhibition reverses memory impairment induced by acute stress in mice

18-04-2024 - Public Library of Science (PLoS)

by Heidi Martínez-Pacheco, Rossana Citlali Zepeda, Ofir Picazo, Gina L. Quirarte, Gabriel Roldán-Roldán While chronic stress induces learning and memory impairments, acute stress may facilitate or prevent memory consolidation depending on whether it occurs during the learning event or before it, respectively. On the other hand, it has been shown that histone acetylation regulates long-term ... [Read more...](#)

19. Editorial: Equity/inequality, diversity and inclusion in child and adolescent mental health - a perspective from the South Asian region

18-04-2024 - National Library of Medicine

Over 1.8 billion people, about a quarter of the world's population live in the seven countries of South Asia: Afghanistan, Bangladesh, Bhutan, India, Nepal, Pakistan, and Sri Lanka. The population is characterized by a significant demographic youth bulge, with over 40% under the age of 18. This young population poses challenges related to ensuring their well-being and development. [Read more...](#)

20. Unpaid caregiving and mental health during the COVID-19 pandemic-A systematic review of the quantitative literature

18-04-2024 - National Library of Medicine

The COVID-19 pandemic imposed additional and specific challenges on the lives and wellbeing of informal unpaid carers. Addressing an important gap in the

existing literature, this systematic review (prospectively registered with PROSPERO CRD42022376012) synthesises and evaluates the quantitative evidence examining the association between unpaid caregiving and mental health (compared to ... [Read more...](#)

21. Risk perception, well-being, depression and anxiety in children and adolescents with rheumatic diseases during the COVID-19 pandemic - results from the prospective multicenter KICK-COVID study in Germany

18-04-2024 - *National Library of Medicine*

CONCLUSION: The perception of health risk due to SARS-CoV2 infection was not paralleled by an impairment of mental health, which were, however, significantly correlated with self-rated health status and functional capacity, highlighting the importance of patient-reported outcome assessment. [Read more...](#)

22. Assessing the mental health and psychosocial wellbeing of Ukrainian pediatric trauma and burn patients and their caregivers amidst the war: insights from a surgical medical mission in Poland

18-04-2024 - *National Library of Medicine*

On a recent surgical medical mission caring for Ukrainian pediatric burn and trauma patients in Poland, an assessment of the mental health and well-being of children and their caregivers was completed. Children living in war zones frequently experience significant distress and mental health problems, but little is known about the impact of co-existing related or unrelated burn injuries or ... [Read more...](#)

23. Zoo professionals and volunteers in the U.S: experiences and prevalence of burnout, mental health, and animal loss

18-04-2024 - *National Library of Medicine*

INTRODUCTION: Burnout and mental health among animal care and health professionals (ACHPs) has received increasing attention in recent years. Despite rapid growth of research in this area, the wellbeing of individuals who work and/or volunteer in zoo settings has received minimal attention. [Read more...](#)

24. Examining the mental health impacts of climate change on young people in Canada: a national cross-sectional survey

18-04-2024 - *National Library of Medicine*

BACKGROUND: Climate change poses a substantial threat to the mental wellbeing of young people. Population-level research is urgently needed to help inform policies and interventions to ensure that young people are not burdened by long-term mental health impacts from climate change. We sought to identify the prevalence, distribution, and factors associated with climate change-related mental ... [Read more...](#)

25. Climate change and mental health: a call for a global research agenda

17-04-2024 - *ClinicalKey (Elsevier)*

Lancet Psychiatry, The, Volume 11, Issue 5, 2024 May, Pages 316-317 | Nori-Sarma, Amruta Galea, Sandro Climate change and associated extreme weather events are leading to poorer mental health and well-being across the globe. A small but growing body of literature has shown the impacts of extreme heat exposure—one of the main environmental concerns ... [Read more...](#)

26. The relationship between maternal-infant bonding and postpartum depression/anxiety: moderating effect of childhood psychological abuse and validation of the Mother-to-Infant Bonding scale (MIBS-8) in Arabic

17-04-2024 - *National Library of Medicine*

CONCLUSION: This study provides, for the first time, a specific Arabic scale to assess mother-infant bonding reliably and validly. Furthermore, our study has suggested the existence of factors that have additive effects in potentiating the risk for depression and anxiety among Lebanese postpartum women, namely a history of psychological child abuse. Therefore, ... [Read more...](#)

27. Mental Health Problems and Social Media Exposure during the COVID-19 Pandemic among Adult Population of Nepal

17-04-2024 - *National Library of Medicine*

Background The COVID-19 pandemic is a significant global health crisis that poses a threat to a person's psychological well-being. A very large number of people got exposed to social network sites during this period which can be hazardous and cause psychological difficulties. There is no prior research or limited studies in this area during emergencies in Nepal. [Read more...](#)

28. It doesn't matter if I feel obliged as long as I enjoy it: The associations between organized leisure-time activities and adolescents' mental health and wellbeing

17-04-2024 - *National Library of Medicine*

CONCLUSIONS: Enjoyment in OLTA plays a pivotal role in the association between OLTA participation and mental health, whereas the role of obligation is far less pronounced. In fact, if adolescents do not enjoy their participation, but feel obliged to participate, their self-assessed mental wellbeing is comparable to their peers not participating in OLTA at all. [Read more...](#)

29. Developmental Trajectories of Mental Health in Chinese Early Adolescents: School Climate and Future Orientation as Predictors

16-04-2024 - *National Library of Medicine*

There is growing support for the dual-continua model of mental health, which emphasizes psychopathology and well-being as related but distinct dimensions. Yet, little is known about how these dimensions co-develop from childhood to early adolescence and what factors predict their different trajectories. The current study aimed to identify distinct patterns of mental health in Chinese early ... [Read more...](#)

30. The impact of parents' stress on parents' and young childrens' mental health- Short- and long-term effects of risk and resilience factors in families with children aged 0-3 in a representative sample

16-04-2024 - *National Library of Medicine*

Stress in parents has a significant impact on parenting and infant's development. However, few studies have examined cross-sectional and longitudinal links on risk and resilience of burdened families. Thus, this study aimed to investigate subjective risk and resilience factors on family well-being. Data stem from the 2015 nationwide study "Children in Germany" ("Kinder in Deutschland" - KiD 0-3). [Read more...](#)

31. Latent Profiles of Disordered Eating Among Veterans: Associations With Mental Health Concerns

16-04-2024 - *National Library of Medicine*

CONCLUSIONS: The identification of unique ED symptom patterns in women veterans can inform prevention and intervention efforts. [Read more...](#)

32. Experiences of help-seeking from professional services for a child or young person's mental health concerns during the pandemic: A qualitative study

16-04-2024 - *National Library of Medicine*

CONCLUSION: Understanding the experiences of seeking mental healthcare during the pandemic can inform improvements to access to services at a time when people are most vulnerable. Accessible provision other than private services needs to be made for those on waiting lists. For those who do not meet service threshold, intermediary support needs to be secured to prevent unnecessary exacerbation ... [Read more...](#)

33. Self-Reported Physical Activity and Mental Health Among Asylum Seekers in a Refugee Camp

15-04-2024 - *National Library of Medicine*

CONCLUSIONS: The findings provide useful insights regarding the link between physical activity and well-being nevertheless, further research examining objectively measured physical activity is warranted to complement these data and further explore the associations between physical activity and mental health. [Read more...](#)

34. The Development of Elder-Governed Adjuvant Cultural Therapy for Aboriginal and/or Torres Strait Islander Young People With Mental Health Conditions

15-04-2024 - *National Library of Medicine*

A 10-year review of the 2008 Council of Australian Governments' (COAG) Close the Gap Strategy identified the lack of involvement of Indigenous people in developing policies as a key reason health disparities persist. It also posits that disconnection from Country and culture have been crucial factors. Physical and mental health cannot be separated from spiritual health and well-being amongst ... [Read more...](#)

35. Challenges in assessing the efficacy of suicide prevention and mental health education initiatives

15-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

36. Motherhood and drinking: The relative importance of mental health and psychosocial factors on maternal alcohol misuse during the postpartum period

15-04-2024 - *National Library of Medicine*

CONCLUSIONS: Maternal anxiety, coping-with-anxiety and social drinking motives, and reduced social support are important factors associated with postpartum alcohol misuse. These modifiable factors are potential targets for screening and intervention for mothers who may need additional support and preventative care. [Read more...](#)

37. Burden of depression in adolescents in the Western Pacific Region from 1990 to 2019: An age-period-cohort analysis of the Global Burden of Disease study

15-04-2024 - *National Library of Medicine*

CONCLUSION: This study found an overall decreasing trend in adolescent depression burden in the Western Pacific Region between 1990 and 2019, with heterogeneity across countries. For 30 years, the 20-24 age group accounted for the majority of depression among adolescents Widening inequality in depression

burden requires policy attention. Further analysis of risk factors contributing to ... [Read more...](#)

38. Covid-19 pandemic? Mental health implications among nurses and Proposed interventions

15-04-2024 - *National Library of Medicine*

CONCLUSIONS: Recent studies clearly show that nurses, especially women, are the most vulnerable subgroup among HCW and are particularly prone to mental health impacts during the COVID-19 pandemic. The documented mental health vulnerability of frontline nursing staff during the COVID-19 pandemic requires preventive nursing management actions to increase resilience and to develop relevant ... [Read more...](#)

39. Psychosocial dimensions of being a child in women's shelters: A phenomenological study on the experiences of battered women - A case study from Turkiye's Northern Region

15-04-2024 - *National Library of Medicine*

CONCLUSION: The study concluded that violence significantly impacted the mental, physical, and social well-being of both women and children, posing challenges to their ability to cope with the aftermath. Women exerted considerable effort in protecting their children from violence, and they needed psychosocial support to ensure the well-being of their children's mental health during their stay ... [Read more...](#)

40. Disability, Discrimination, and Mental Health during the COVID-19 Pandemic: A Stress Process Model

11-04-2024 - *National Library of Medicine*

Drawing on data from a community survey with a sizeable subsample of people with physical, intellectual, and psychological disabilities in the Intermountain West region of the United States (N = 2,043), this investigation examined the association of social stressors stemming from the COVID-19 pandemic with ableism or disability-related discrimination. We further assessed the significance of ... [Read more...](#)

41. "Medication is binary, but gender expressions are often not"--the Hilary Cass interview

09-04-2024 - *British Medical Journal*

Your report describes a very complex situation. But at its heart is a concern for the wellbeing of young people? Children and young people with gender related distress have been poorly served because we've exceptionalised them. Health professionals are nervous to see them in local services and so they have often been bypassed straight through to the Gender Identity Development Service at the ... [Read more...](#)

42. The Impact of Outdoor in Nature Mindfulness on the Mental Well-being of Children and Adolescents. A Mental Health and Cross-cultural Approach

09-04-2024 - *National Library of Medicine*

CONCLUSION: The findings underscore the potential of mindfulness as a cost-effective and accessible intervention to promote mental health across diverse age groups and settings. Further research should explore the specific mechanisms and long-term effects of this integrated approach to optimize its benefits. [Read more...](#)

43. [Comment] Assessing adolescent mental disorders in low-income and middle-income countries

05-04-2024 - Elsevier

Adolescent mental disorders pose a substantial global health challenge,¹ profoundly impacting current and future quality of life.² By intervening at a young age, when most mental disorders emerge, we can prevent a substantial burden on health-care systems and ease long-term suffering for individuals and their families.^{2,3} However, addressing this issue on a population level requires reliable ... [Read more...](#)

44. Exploring the role of psychological assistance hotlines in improving mental health problems among Chinese adult women: A perspective based on social expectations and gender roles

03-04-2024 - National Library of Medicine

This paper looks at how social expectations and gender roles affect the mental health of Chinese women. Traditional Chinese culture, influenced by Confucianism and patriarchy, still has a negative impact on women's mental well-being, despite efforts for gender equality. Women's mental health is vital for both individuals and society, and this study aims to understand these issues better to ... [Read more...](#)

45. Implementing a group-based online mental well-being program for women living with and beyond breast cancer - A mixed methods study

01-04-2024 - National Library of Medicine

CONCLUSION: The BWP has the potential to be an effective intervention to support the mental health and well-being of breast cancer survivors. [Read more...](#)

46. Facilitating childbirth choice for positive postnatal mental health well-being among women: a Namibian case study

01-04-2024 - National Library of Medicine

Childbirth affects women in a myriad of ways including feelings of tiredness, being overwhelmed, stressed, and having baby blues, and if not attended to, this can lead to postpartum depression, which is a mental condition that can have disastrous effects. Childbirth can affect the mental and physical status of a woman and having supportive midwives who guide women by giving adequate ... [Read more...](#)

47. Work-related factors of mental health among Chicago residents two years into the COVID-19 pandemic

01-04-2024 - National Library of Medicine

The COVID-19 pandemic led to widespread consequences for economic, social, and general wellbeing with rates of anxiety and depression increasing across the population and disproportionately for some workers. This study explored which factors were the most salient contributors to mental health through a cross-sectional 68-item questionnaire that addressed topics related to the pandemic. [Read more...](#)

48. Perinatal Mental Health And Well-Being

01-04-2024 - National Library of Medicine

No abstract [Read more...](#)

49. Clinical Analysis and Mental Health Survey of Hemophilia Carriers: a Cross-sectional Study

01-04-2024 - National Library of Medicine

CONCLUSIONS: The detection rate of gene mutations in hemophilia mothers was 90.6%, with a median clotting factor level of 0.74 IU/mL, and 14.3% of HCs had a clotting factor level of 0.40 IU/mL or below. A history of bleeding was present in 41.2% of HCs with low clotting factor levels (less than 0.50 IU/mL). Additionally, given the fragile mental health status of HCs in China, ... [Read more...](#)

50. Patterns of adverse childhood experiences and associations with lower mental well-being among university students

31-03-2024 - National Library of Medicine

CONCLUSIONS: These findings underscore the relationship between childhood adversity and mental health, offering insights for future prevention efforts and enriching our understanding of ACEs and their impact on well-being. [Read more...](#)

51. Parental stress and mental health outcomes following very preterm birth: A systematic review of recent findings

31-03-2024 - National Library of Medicine

CONCLUSION: Important risk factors for stress and mental health symptoms were identified. More evidence is needed to determine if long-term symptoms persist into school age. Research should focus on taking a family-based approach in order to identify preventive strategies and resilience factors in parents of VLBW infants. [Read more...](#)

52. Effect of Exercise on Mental Health and Health-related Quality of Life in Adults with Spinal Cord Injury: A Systematic Review and Meta-Analysis

31-03-2024 - National Library of Medicine

CONCLUSIONS: Exercise interventions can improve well-being and HRQoL in adults with SCI <65 years of age. Additional research is needed to determine effectiveness in adults ≥ 65 years of age. [Read more...](#)

53. Primary, allied health, selected specialists, and mental health service utilisation by home care recipients in Australia before and after accessing the care, 2017-2019

29-03-2024 - National Library of Medicine

CONCLUSIONS: Most MBS subsidised preventive, management and specialist services are underutilised by older people, both before and after HCP access and small changes are observed after they access HCP. [Read more...](#)

54. Design of a Remote Multiparametric Tool to Assess Mental Well-Being and Distress in Young People (mHealth Methods in Mental Health Research Project): Protocol for an Observational Study

29-03-2024 - National Library of Medicine

CONCLUSIONS: This study will establish an initial framework for a comprehensive mental health assessment tool, taking measurements from sophisticated devices, with the goal of progressing toward a remotely accessible and objectively measured approach that maintains an acceptable level of accuracy in clinical practice and epidemiological studies. [Read more...](#)

55. The relationship between healthy lifestyles and cognitive function in Chinese older adults: the mediating effect of depressive symptoms

29-03-2024 - National Library of Medicine

CONCLUSION: Depressive symptoms mediate the relationship between healthy lifestyles and cognitive function. Our findings suggest that prevention strategies

for cognitive impairment in older adults should focus on healthy lifestyles and mental health. [Read more...](#)

56. The Implementation of Recommender Systems for Mental Health Recovery Narratives: Evaluation of Use and Performance

29-03-2024 - National Library of Medicine

CONCLUSIONS: Clinical population may be associated with recommender system performance. Recommender systems are susceptible to a wide range of undesirable biases. Approaches to mitigating these include providing enough initial data for the recommender system (to prevent overfitting), ensuring that items can be accessed outside the recommender system (to prevent a feedback loop between ... [Read more...](#)

57. Correction to 'Review: Economic evidence of preventive interventions for anxiety disorders in children and adolescents – a systematic review'

28-03-2024 - John Wiley & Sons

Child and Adolescent Mental Health, EarlyView. [Read more...](#)

58. Exploring the Links between Physical Activity, Emotional Regulation, and Mental Well-Being in Jordanian University Students

28-03-2024 - National Library of Medicine

Background: University students face multiple stressors that negatively impact their mental well-being. Effective emotional regulation and physical activity are crucial for mood management and overall health. This study explored the connection between physical activity, emotional regulation, and mental health symptoms (depression, anxiety, and stress) in Jordanian university students. [Read more...](#)

59. College student mental health: Psychiatric risk and psychological wellbeing

28-03-2024 - National Library of Medicine

CONCLUSION: College student mental health may benefit from practices aim specifically to enhance wellbeing, stress-resistance, and cognition. [Read more...](#)

60. Cultural stress, personal identity development, and mental health among U.S. Hispanic college students

28-03-2024 - National Library of Medicine

The present study examines the extent to which culturally stressful experiences may predict impaired well-being, increased internalizing symptoms (depression and anxiety), and increased externalizing problems (social aggression, physical aggression, and rule breaking) among a sample of Hispanic college students in Miami across a 12-day period. The predictive effects of cultural stressors on ... [Read more...](#)

61. Depression and anxiety status among informal caregivers of patients with cancer treated at selected tertiary hospitals in Nepal

28-03-2024 - National Library of Medicine

CONCLUSION: People who take care of patients with cancer in Nepal often feel substantial stress. Determining the causes of these feelings can aid in the creation of programs to support caregivers' mental health. Caring for mental well-being among caregivers is critical to achieving better cancer care and quality of life. [Read more...](#)

62. A Systematic Review of Psycho-Spiritual Interventions in the NICU: Supporting Parents' Mental Health and Psychological Well-Being

28-03-2024 - National Library of Medicine

BACKGROUND: The presence of psychospiritual supports and interventions for neonatal intensive care unit (NICU) parents is unclear. [Read more...](#)

63. Prevalence and associated factors of abortion among women with severe mental disorders

28-03-2024 - National Library of Medicine

CONCLUSION: Women with severe mental disorders in rural regions have notably higher rates of abortion compared to the general female population, particularly for spontaneous abortions. Gestational age and anxiety of pregnant patients deserve attention and preventive measures to avoid the outcomes of abortion. [Read more...](#)

64. Lessons from integrating mental health as part of lymphatic filariasis morbidity management and disability prevention services in Jigawa State, Nigeria

28-03-2024 - National Library of Medicine

Lymphatic filariasis (LF) is a neglected tropical disease affecting >120 million people worldwide. LF has debilitating effects on humans and leads to morbidity and sometimes irreversible disability. A significant proportion of persons affected by LF morbidity also suffer from ill health, such as depression, anxiety, pain, stigma and social isolation due to disfigurement, ... [Read more...](#)

65. Evolution of Primary Research Studies in Digital Interventions for Mental Well-Being Promotion from 2004 to 2023: A Bibliometric Analysis of Studies on the Web of Science

28-03-2024 - National Library of Medicine

Research into digital interventions for mental well-being promotion has grown in recent years, fuelled by the need to improve mental health prevention strategies and respond to challenges arising from the coronavirus (COVID-19) pandemic. This bibliometric analysis provides a structured overview of publication trends and themes in primary research studies reporting an array of digital ... [Read more...](#)

66. Experiences of delay-causing obstacles and mental health at the time of abortion seeking

28-03-2024 - National Library of Medicine

CONCLUSION: Abortion is a time-sensitive healthcare, but most individuals are forced to delay care due to various obstacles that may have a negative impact on their psychological well-being. [Read more...](#)

67. The impact of 24/7 news coverage on the mental health of Israelis in the 'Iron Swords' War: A cross-sectional analysis among television audience

28-03-2024 - National Library of Medicine

This study aims to assess the impact of continuous 24/7 news broadcasting on the mental well-being of Jewish Israelis during the 'Iron Swords' War and compare it to findings from the 2014 Conflict. An internet-based cross-sectional panel survey was conducted on 11-12 October 2023, during the 'Iron Swords' War. The study focused on Israel's adult Jewish population, ... [Read more...](#)

68. Intergenerational consequences of racism in the United Kingdom: a qualitative investigation into parents' exposure to racism and offspring mental health and well-being

25-03-2024 - John Wiley & Sons

Child and Adolescent Mental Health, EarlyView. [Read more...](#)

69. Age—Not Just a Number in Youth Mental Health

31-01-2024 - *The JAMA Network*

The mental health of youth across the globe is in crisis. Indeed, the United Nations International Children's Emergency Fund (UNICEF) and World Health Organization (WHO) Joint Programme on Mental Health and Psychosocial Well-being and Development of Children and Adolescents were developed in response to their conclusion that "...across the world, the lives of millions of children, adolescents, ... [Read more...](#)

[Back to Top](#)

Ageing and mental health

Ageing and mental health

1. Resilience and its influencing factors after emergency percutaneous coronary intervention in young and middle-aged patients with first acute myocardial infarction

25-04-2024 - *National Library of Medicine*

Mental health after acute myocardial infarction (AMI) influences the prognosis of patients. Resilience may contribute to improving a patient's mental health. However, no study has investigated resilience and its associated factors in young and middle-aged patients undergoing emergency percutaneous coronary intervention (PCI) after the first AMI. This study aimed to identify critical ... [Read more...](#)

2. The interplay between climate change and ageing: A systematic review of health indicators

24-04-2024 - *Public Library of Science (PLoS)*

by Teodora Figueiredo, Luís Midão, Pedro Rocha, Sara Cruz, Gisela Lameira, Paulo Conceição, Rui J. G. Ramos, Luísa Batista, Helena Corvacho, Marta Almada, Ana Martins, Cecília Rocha, Anabela Ribeiro, Fernando Alves, Elísio Costa Climate change and rapid population ageing pose challenges for communities and public policies. This systematic review aims to gather data from studies that present ... [Read more...](#)

3. Teesside trust is fined {pound}200 000 over failures in care of two patients who died by suicide

22-04-2024 - *British Medical Journal*

An NHS mental health trust has been fined £200 000 for failing to provide safe care and treatment for two patients who took their own lives. Tees, Esk and Wear Valleys NHS Foundation Trust pleaded guilty after a prosecution by the Care Quality Commission (CQC) over the deaths of Christie Harnett and an adult patient anonymised by reporting restrictions as Person X. [Read more...](#)

4. [Correspondence] HIV among refugee youth in Uganda: unmasking the crisis

19-04-2024 - *Elsevier*

Uganda is one of the countries severely affected by the HIV/AIDS pandemic and currently hosts the largest number of refugees in sub-Saharan Africa, estimated at 1.5 million, of whom 24% are youth aged 15–24 years.¹ Many refugees are settled in regions with some of the highest HIV prevalence and new infection rates. Refugee youth—due to numerous intersecting factors, ... [Read more...](#)

5. Influence of intergenerational support on the mental health of older people in China

18-04-2024 - *National Library of Medicine*

Today, population aging is the main trend of population development. Home-based care is mainly adopted in Chinese society, and scholars have paid ample attention to the effect of intergenerational support on the mental health of older people. However, research conclusions differ. This study uses data from the 2018 China Health and Pension Tracking Survey (CHARLS), ... [Read more...](#)

6. Outcomes of Best-Practice Guided Digital Mental Health Interventions for Youth and Young Adults with Emerging Symptoms: Part II. A Systematic Review of User Experience Outcomes

18-04-2024 - *National Library of Medicine*

Although many young people demonstrate resilience and strength, research and clinical evidence highlight an upward trend in mental health concerns among those aged 12 to 25 years. Youth-specific digital mental health interventions (DMHIs) aim to address this trend by providing timely access to mental health support for young people (12-25 years). However, there is a considerable gap in ... [Read more...](#)

7. School racial composition, effect modification by caring teacher/staff presence, and mid/late-life depressive symptoms: findings from the Study of Healthy Aging among African Americans

18-04-2024 - *National Library of Medicine*

For Black students in the United States, attending schools with a higher proportion of White students is associated with worse mental and physical health outcomes in adolescence/early adulthood. No prior studies evaluate K-12 school racial composition and later-life mental health. In a cohort of Black adults ages 50+ in Northern California who retrospectively self-reported school racial ... [Read more...](#)

8. Changes in essentialist beliefs about cognitive aging predicts changes in mental health: Evidence from a 10-year longitudinal study

18-04-2024 - *National Library of Medicine*

The belief that aging-related cognitive decline is inevitable is associated with impaired cognitive performance of older adults. Little is, however, known about the association between changes in essentialist beliefs about cognitive aging and mental health in the long term and among both younger and older adults. From a theoretical perspective, it would be expected that changes in ... [Read more...](#)

9. Relationships between trace elements and cognitive and depressive behaviors in sprague dawley and wistar albino rats

17-04-2024 - *National Library of Medicine*

Introduction: This study investigates the effects of social isolation on mental health and cognitive functions in Sprague Dawley (SD) and Wistar Albino (WIS) rat strains, prompted by the heightened awareness of such impacts amid the COVID-19 pandemic. This study aims to explore the impact of social isolation on memory, learning, and behavioral changes in middle-aged SD and WIS rat strains and ... [Read more...](#)

10. Introduction of a new Special Section of AJGP: "Clinical Wisdom in Geriatric Psychiatry"

05-04-2024 - *Elsevier*

Life-long learning is integral to a successful and satisfying career in medicine, psychology, and clinical social sciences. Ongoing learning, personal reflection, and iterative refinement of our clinical, communication, leadership, and interpersonal skills make us better healers. Yet it takes time for a clinician to understand the human condition and implement their own life experiences and ... [Read more...](#)

11. The effectiveness of the buddy program training module to enhance the daily living function, social participation and emotional status of older adults in residential aged care homes

03-04-2024 - *Public Library of Science (PLoS)*

by Siti Noraini Asmuri, Masne Kadar, Nor Afifi Razaob, Chai Siaw Chui, Hanif Farhan Mohd Rasdi Background The Compeer Model, which was originally designed to match individuals recovering from mental illness with volunteers from their community, served as the basis for the development of the buddy program. However, limited research was available related to the buddy program among older adults ... [Read more...](#)

12. Effects of a Digital Mental Health Intervention on Perceived Stress and Rumination in Adolescents Aged 13 to 17 Years: Randomized Controlled Trial

29-03-2024 - *National Library of Medicine*

CONCLUSIONS: Happify for Teens was effective at reducing perceived stress, rumination, and loneliness among adolescents over 12 weeks when compared to a waitlist control group. Our data reveal the potential benefits of DMHIs for adolescents, which may present a more scalable, destigmatized, and cost-effective alternative to school-based programs. [Read more...](#)

13. The impact of depression, stress, and self-esteem on quality of life among older adults in South Korea

28-03-2024 - *National Library of Medicine*

CONCLUSION: With the global trend of an aging society, it is essential to continue to pay attention to assist the lives of elderly and provide them with practical support and policies. The quality of life of the elderly requires continuous attention and efforts to support and policies for mental health and economic support. [Read more...](#)

14. [Review] Lung-function trajectories: relevance and implementation in clinical practice

13-03-2024 - *Elsevier*

Lung development starts in utero and continues during childhood through to adolescence, reaching its peak in early adulthood. This growth is followed by gradual decline due to physiological lung ageing. Lung-function development can be altered by several host and environmental factors during the life course. As a result, a range of lung-function trajectories exist in the population. [Read more...](#)

[Back to Top](#)

Child and infant mental health

Child and adolescent mental health

1. A Recovery-Oriented Approach: Application of Metacognitive Reflection and Insight Therapy (MERIT) for Youth with Clinical High Risk (CHR) for Psychosis

26-04-2024 - *National Library of Medicine*

Clinical High Risk for psychosis (CHR) refers to a phase of heightened risk for developing overt psychosis. CHR often emerges during adolescence or early adulthood. CHR has been identified as a group to target for intervention, with the hope that early intervention can both stave off prolonged suffering and intervene before mental health challenges become part of an individual's identity. [Read more...](#)

[2. Associations between food intake and psychosomatic symptoms in 16-year-old adolescents](#)

26-04-2024 - National Library of Medicine

CONCLUSIONS: A healthy food intake seems to be associated with a low psychosomatic burden among adolescents. Further knowledge is needed to explore whether an improved food intake can reduce psychosomatic symptoms and enhance mental health. [Read more...](#)

[3. \[Perspectives\] If we see it, we can be it: a diverse representation of doctors in children's books](#)

26-04-2024 - Elsevier

The books we read as children are the stories that make us what we are. These are the books that shape our identities, inspire our journeys, and evoke our ambitions. An influential lecturer during my time in medical school suggested that one of the best things anyone can do for a child's long-term physical and mental health, is read to them regularly. [Read more...](#)

[4. Depressive symptoms and activity engagement in autistic adolescents and those with other developmental disabilities](#)

25-04-2024 - National Library of Medicine

CONCLUSIONS: Autistic adolescents and those with other DD are at increased risk for depressive symptoms and reduced activity engagement. Participation in sports may be especially important for adolescent mental health regardless of disability status. Implications for public health education and intervention are discussed. [Read more...](#)

[5. Adolescents Who Do Not Endorse Risk via the Patient Health Questionnaire Before Self-Harm or Suicide](#)

24-04-2024 - National Library of Medicine

CONCLUSIONS AND RELEVANCE: Study results suggest that older age, history of an inpatient mental health encounter, or being screened in primary care were associated with at-risk adolescents being less likely to endorse having thoughts of death and self-harm on the PHQ item 9 before a self-harm event or suicide death. As use of the PHQ becomes more widespread in practice, ... [Read more...](#)

[6. Sleep and mental health among Chinese adolescents: the chain-mediating role of physical health perception and school adjustment](#)

24-04-2024 - National Library of Medicine

CONCLUSION: These findings in the present study contribute to understanding the mechanisms underlying the association between sleep and mental health and have important implications for interventions aimed at improving mental health status among adolescents in China. Our results indicated that promoting adequate sleep duration and improving sleep quality are possible key mental health ... [Read more...](#)

7. Self-directed digital interventions for the improvement of emotion regulation-effectiveness for mental health and functioning in adolescents: protocol for a systematic review

24-04-2024 - National Library of Medicine

INTRODUCTION: Research suggests that problems with emotion regulation, that is, how a person manages and responds to an emotional experience, are related to a range of psychological disorders (eg, bipolar disorder, anxiety and depression). Interventions targeting emotion regulation have been shown to improve mental health in adults, but evidence on related interventions for adolescents is ... [Read more...](#)

8. Long-term effects of doping with anabolic steroids during adolescence on physical and mental health

23-04-2024 - National Library of Medicine

CONCLUSION: Physical and psychosocial effects imply correlation with the application of doping substances but might not only be due to the side effects of these substances but also caused by the system, which exerts great psychological pressure and stress during adolescence, a highly vulnerable phase. [Read more...](#)

9. Mental health and professional outcomes in parents of children with chronic kidney disease

23-04-2024 - National Library of Medicine

CONCLUSIONS: This study showed higher levels of parenting stress and anxiety symptoms in parents of children with CKD compared with parents of healthy children. This was associated with a less positive perception of their own health, especially if the child had more medical comorbidities or more absence from school. Psychosocial interventions to reduce the parental burden should be integrated ... [Read more...](#)

10. Parental Reflective Functioning on the Parent Development Interview: A narrative review of measurement, association, and future directions

22-04-2024 - John Wiley & Sons

Infant Mental Health Journal, EarlyView. [Read more...](#)

11. Trauma behind the keyboard: Exploring disparities in child sexual abuse materials exposure and mental health factors among investigators and forensic examiners - A network analysis

20-04-2024 - Ovid

Author Names: Gewirtz-Meydan A., Mitchell K.J., O'Brien J.E. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Trauma behind the keyboard: Exploring disparities in child sexual abuse materials exposure and mental health factors among investigators and forensic examiners - A network analysis Year: 2024 Issue: Volume: 152 ... [Read more...](#)

12. Psychological maltreatment, meaning-centered coping, psychological flexibility, and suicide cognitions: A moderated mediation model

20-04-2024 - Ovid

Author Names: Turk N., Arslan G., Kaya A., Guc E., Turan M.E. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Psychological maltreatment, meaning-centered coping, psychological flexibility, and suicide cognitions: A moderated mediation model

Year: 2024 Issue: Volume: 152 Abstract: Background: Mental health problems are currently ... [Read more...](#)

13. Community mental health services need support to improve patient satisfaction, says NHS leader

19-04-2024 - *British Medical Journal*

Low satisfaction with community mental health services is symptomatic of them being “stretched to the limit” in the face of soaring demand, the chief executive of NHS Providers has said. Latest results from the Care Quality Commission’s 2023 community mental health survey¹ show that people using community mental health services in England have reported poor experiences in the care they receive, ... [Read more...](#)

14. Perceived pressure to breastfeed negatively impacts postpartum mental health outcomes over time

19-04-2024 - *National Library of Medicine*

INTRODUCTION: Positive maternal mental health is associated with improved outcomes for infants, and yet the consideration of maternal mental health is often neglected in breastfeeding interventions. Breastfeeding interventions typically focus on breastfeeding promotion, and do not always include supports for the mother. This may result in isolated perceived pressure to breastfeed, ... [Read more...](#)

15. Exploring adolescent mental health during the COVID-19 crisis - strengths and difficulties

19-04-2024 - *National Library of Medicine*

INTRODUCTION: The SARS-CoV-2 pandemic has significantly impacted children and adolescents, leading to mental health challenges. Knowledge on their resources and difficulties is crucial and there is a need for valid instruments to assess their psychosocial condition especially in this exceptional situation. We assessed psychopathological symptoms using the SDQ during the pandemic, ... [Read more...](#)

16. Editorial: Equity, diversity and inclusion in child and adolescent mental health - a perspective from the American Academy of Child and Adolescent Psychiatry (AACAP)

18-04-2024 - *National Library of Medicine*

Advancing diversity, equity and inclusion (DEI) are key priorities for the American Academy of Child and Adolescent Psychiatry (AACAP). AACAP was founded in 1953. The mission of the AACAP includes promoting the healthy development of all children, adolescents, and families through advocacy, education, and research. AACAP's Presidential Initiative of CAPture Belonging's goal was to prioritize ... [Read more...](#)

17. Editorial: Equity, diversity and inclusion in child and adolescent mental health - equality of opportunities should be every child's right and every society's obligation

18-04-2024 - *National Library of Medicine*

Socio-ecological factors are major determinants of poor mental health across the life span. These factors can lead to health inequalities, which refer to differences in the health of individuals or groups (Kirkbride et al., 2024). Health inequity "is a specific type of health inequality that denotes an unjust, avoidable, systematic and unnecessary difference in health" (Arcaya, Arcaya, ... [Read more...](#)

18. Perceived causal symptom network of adolescent mental health issues

18-04-2024 - *National Library of Medicine*

Adolescent mental health is difficult to capture in categories such as depression or specific anxiety disorders. An alternative is to approach psychiatric symptoms as causal networks, potentially revealing feedback loops that maintain a pathological state. One approach to creating such networks, implemented in the PECAN methodology, is to ask adolescents about their perceptions of the causes ... [Read more...](#)

19. Editorial perspective: Transforming child and adolescent mental health services and systems (CAMHSS) around the globe - the importance of diversity, inclusion and equity in CAMHSS research

18-04-2024 - *National Library of Medicine*

Children and adolescents around the globe have mental health and neurodevelopmental needs. However, no country or region of the world has found good solutions to meet these needs, which are often long-term and complex. Most child and adolescent mental health research comes from high-income, mostly English-speaking, contexts even though 95% of the world's children and adolescents live in low- ... [Read more...](#)

20. Trajectory of the body mass index of children and adolescents attending a reference mental health center

18-04-2024 - *National Library of Medicine*

CONCLUSIONS: New long-term users of antipsychotics showed a significant increase in their z-BMI. Patients with depressive disorders and obesity on sertraline therapy tended to show a decrease in their z-BMI. [Read more...](#)

21. Mental health dynamics of adolescents: A one-year longitudinal study in Harari, eastern Ethiopia

18-04-2024 - *National Library of Medicine*

CONCLUSIONS: The prevalence of mental health problems were high among the study cohort. The proportion of overall problems and externalizing problems has increased over time, indicating a deterioration in the mental health of the study cohort. However, the decrease in internalizing problems among older adolescents, girls, and those with an average wealth index is a positive sign. [Read more...](#)

22. Editorial: Equity, diversity and inclusion in child and adolescent mental health – equality of opportunities should be every child's right and every society's obligation

18-04-2024 - *John Wiley & Sons*

Child and Adolescent Mental Health, Volume 29, Issue 2, Page 123-125, May 2024. [Read more...](#)

23. Editorial: Equity, diversity and inclusion in child and adolescent mental health – a perspective from the American Academy of Child and Adolescent Psychiatry (AACAP)

18-04-2024 - *John Wiley & Sons*

Child and Adolescent Mental Health, Volume 29, Issue 2, Page 192-193, May 2024. [Read more...](#)

24. Issue Information

18-04-2024 - *John Wiley & Sons*

Child and Adolescent Mental Health, Volume 29, Issue 2, Page i-iv, May 2024.
[Read more...](#)

25. Editorial: Equity/inequality, diversity and inclusion in child and adolescent mental health – a perspective from the South Asian region

18-04-2024 - John Wiley & Sons

Child and Adolescent Mental Health, Volume 29, Issue 2, Page 197-199, May 2024. [Read more...](#)

26. Editorial perspective: Transforming child and adolescent mental health services and systems (CAMHSS) around the globe – the importance of diversity, inclusion and equity in CAMHSS research

18-04-2024 - John Wiley & Sons

Child and Adolescent Mental Health, Volume 29, Issue 2, Page 194-196, May 2024. [Read more...](#)

27. Clinical research updates

18-04-2024 - John Wiley & Sons

Child and Adolescent Mental Health, Volume 29, Issue 2, Page 217-219, May 2024. [Read more...](#)

28. Pregnancy in the shadow of psychosis: Navigating first-time motherhood with increased likelihood of postpartum psychosis and postnatal depression

17-04-2024 - National Library of Medicine

WHAT IS KNOWN ON THE SUBJECT?: New parents who have previously experienced psychosis outside and/or following childbirth have an increased likelihood of experiencing an episode during the postpartum period. The decision to try to conceive can be agonising. Receiving care from a specialist perinatal community mental health team can improve outcomes. WHAT DOES THIS PAPER ADD TO EXISTING ... [Read more...](#)

29. Factors associated with repeat emergency department visits for mental health care in adolescents: A scoping review

17-04-2024 - National Library of Medicine

CONCLUSIONS: The review identified a substantial evidence base but due to the variability in study design and measurement of both risk factors and outcomes, no consistent risk factors emerged. More research is needed, particularly outside North America, using robust methods and high quality routinely collected data. [Read more...](#)

30. Judicial Actors' Understanding of the Mental Health Impacts of Intimate Partner Violence: A Scoping Review

17-04-2024 - National Library of Medicine

Intimate partner violence (IPV) is a global public health issue that has grave physical and mental health consequences for millions of women. The judicial system plays a critical role in responding to IPV principally through the criminal justice system, family law, and/or child welfare jurisdictions. However, victims/survivors who interact with the legal system report negative experiences. [Read more...](#)

31. Mental toughness in adolescents: bridging family relationships and depression across personality traits

17-04-2024 - National Library of Medicine

CONCLUSION: The study contributes to understanding the dynamics of adolescent mental health, particularly in the context of Chinese high school students. It underscores the importance of considering family dynamics, personality traits, and mental toughness in developing effective mental health interventions for adolescents. [Read more...](#)

32. The Prevalence and Patterns of Maltreatment, Childhood Adversity, and Mental Health Disorders in an Australian Out-Of-Home Care Sample

17-04-2024 - National Library of Medicine

This study aimed to explore key characteristics of the out-of-home care subgroup of a nationally representative Australian sample. To ensure that mental health services are appropriately targeted, it is critical that we understand the differential impacts of childhood experiences for this cohort. Using the Australian Child Maltreatment Study (N = 8503), we explored patterns of childhood ... [Read more...](#)

33. Parenting and family interventions in lower and middle-income countries for child and adolescent mental health: A systematic review

17-04-2024 - National Library of Medicine

BACKGROUND: Given the protective effect of nurturing caregivers and families for child and adolescent mental health, there is a need to review and synthesize research evidence regarding the effectiveness of parenting and family interventions in low and middle-income countries, including humanitarian settings. To advance practice, further understanding of the active ingredients of such ... [Read more...](#)

34. Bridging the relationship between physical exercise and mental health in adolescents based on network analysis

16-04-2024 - National Library of Medicine

Although physical exercise has been recommended as a useful means of enhancing the mental health of adolescents, the exact mechanisms through which physical exercise plays a role are unclear. Both physical exercise and mental health are complex concepts with multiple facets, and traditional methods may constrain the manifestations of their mapping relationships. [Read more...](#)

35. From classroom to life: Gender differences in the persistent effect of learning disabilities on adult depressive symptoms

16-04-2024 - National Library of Medicine

Despite the well-established link between adolescent learning disabilities (LD) and mental health, little is known about its long-term consequences. This study examines the relationship between adolescent LD and adult depressive symptoms, with a focus on gender differences and underlying mechanisms. Using a sibling sample from the National Longitudinal Study of Adolescent to Adult Health (N = ... [Read more...](#)

36. Shared and divergent mental health characteristics of ADNP-, CHD8- and DYRK1A-related neurodevelopmental conditions

15-04-2024 - National Library of Medicine

CONCLUSIONS: Despite shared associations with autism and intellectual disability, disruptive variants in ADNP, CHD8, and DYRK1A may yield variable psychiatric phenotypes among children and adolescents. With replication in larger samples over time, efforts such as these may contribute to improved clinical care for affected children and adolescents, allow for earlier identification of emerging ... [Read more...](#)

37. User satisfaction with child and adolescent mental health services: the association between user satisfaction and clinical outcomes

15-04-2024 - National Library of Medicine

CONCLUSION: User satisfaction, particularly for young people, has a significant impact on clinical outcomes. The causal relationship between user satisfaction and mental health outcomes requires further study. [Read more...](#)

38. Mental Health of Mothers with Malnourished Children in Nepal: A Prospective Observational Study

15-04-2024 - National Library of Medicine

CONCLUSIONS: A proportion of mothers of children with malnutrition had clinical anxiety and depression and maternal mental health concerns, especially depression may influence the nutrition of children. It is imperative to explore maternal mental health routinely for malnourished children. [Read more...](#)

39. Childhood Obesity's Influence on Socioeconomic Disparities in Young Adolescents' Mental Health

14-04-2024 - National Library of Medicine

CONCLUSION: Addressing the heightened obesity prevalence among children in low SEP families may reduce inequalities in emotional problems in early adolescence. [Read more...](#)

40. Associations between emotional maltreatment, depression and self-harm among Chinese adolescents: A three-wave longitudinal mediation model

13-04-2024 - Ovid

Author Names: Zhang R., Hou F., Lin Y., Geng Y., Kong F. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Associations between emotional maltreatment, depression and self-harm among Chinese adolescents: A three-wave longitudinal mediation model Year: 2024 Issue: Volume: 152 Abstract: Background: Self-harm seriously endangers ... [Read more...](#)

41. [Correspondence] The complexities of mental health in rural India

12-04-2024 - Elsevier

Depression is often taken as a fact of life. Relentless competition, stressful work lives, and additional responsibilities aggravate mental health circumstances for young people. Many parents also impose their interests and passions onto their children, causing them to neglect their own passions.¹ Between 2017 and 2023, 23 students died by suicide at Kota, a popular education hub for ... [Read more...](#)

42. Debate: CAMHS will be at the forefront of the next generation of psychosis risk models, but further integration with early intervention psychosis services is needed to realise this potential

11-04-2024 - John Wiley & Sons

Child and Adolescent Mental Health, EarlyView. [Read more...](#)

43. Spillover effects on the relationship with the partner of a mentalization-based intervention for pregnant women

10-04-2024 - John Wiley & Sons

Infant Mental Health Journal, EarlyView. [Read more...](#)

44. Unexpected mental health improvement in children and adolescents during COVID-19-who benefits from staying at home?

09-04-2024 - National Library of Medicine

No abstract [Read more...](#)

45. Adverse childhood experiences and associations with mental health, substance use, and violence perpetration among young adults in sub-Saharan Africa

06-04-2024 - Ovid

Author Names: Brown C., Nkemjika S., Ratto J., Dube S.R., Gilbert L., Chiang L., Picchetti V., Coomer R., Kambona C., McOwen J., Akani B., Kamagate M.F., Low A., Manuel P., Augusto A., Annor F.B. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Adverse childhood experiences and associations with mental health, substance use, ... [Read more...](#)

46. Parenting-related positive childhood experiences, adverse childhood experiences, and mental health-Four sub-Saharan African countries

06-04-2024 - Ovid

Author Names: Seya M.-K.S., Matthews S., Zhu L., Brown C., Lefevre A., Agathis N., Chiang L.F., Annor F.B., McOwen J., Augusto A., Manuel P., Kamagate M.F., Nobah M.-T., Coomer R., Kambona C., Low A. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Parenting-related positive childhood experiences, adverse childhood experiences, ... [Read more...](#)

47. The association between youth violence and mental health outcomes in Colombia: A cross sectional analysis

06-04-2024 - Ovid

Author Names: Vahedi L., Seff I., Meinhart M., Roa A.H., Villaveces A., Stark L. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: The association between youth violence and mental health outcomes in Colombia: A cross sectional analysis Year: 2024 Issue: Volume: 150 Abstract: Background: Violence against children and youth poses ... [Read more...](#)

48. Patterns of adverse childhood experiences and their associations with mental distress, substance use and sexual risk behaviors in Sub-Saharan Africa

06-04-2024 - Ovid

Author Names: Miedema S.S., Stamatakis C., Tracy A., Hogle J., Kamagate M.F., McOwen J., Augusto A., Manuel P., Coomer R., Kambona C., Ramphalla P., Niolon P., Patel P., Annor F.B. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Patterns of adverse childhood experiences and their associations with mental distress, ... [Read more...](#)

49. ACE-IQ extended version validation and ACE's frequency in Mexican adolescents

06-04-2024 - Ovid

Author Names: Casas-Munoz A., Velasco-Rojano A.E., Rodriguez-Caballero A., Prado-Sole E., Alvarez M.G. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: ACE-IQ extended version validation and ACE's frequency in Mexican adolescents Year: 2024 Issue: Volume: 150 Abstract: Background: Adverse Childhood Experiences (ACEs) may have ... [Read more...](#)

50. Trajectories of complex posttraumatic stress symptoms among Chinese college students with childhood adversities: The role of self-compassion

06-04-2024 - Ovid

Author Names: Huang L.,Chi P.,Wang E.,Bu H.,Chi X. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Trajectories of complex posttraumatic stress symptoms among Chinese college students with childhood adversities: The role of self-compassion Year: 2024 Issue: Volume: 150 Abstract: Background: Complex posttraumatic stress ... [Read more...](#)

51. ACEs and mental health problems as suicidality predictors in Mexican adolescents

06-04-2024 - Ovid

Author Names: Casas-Munoz A.,Velasco-Rojano A.E.,Rodriguez-Caballero A.,Prado-Sole E.,Alvarez M.G. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: ACEs and mental health problems as suicidality predictors in Mexican adolescents Year: 2024 Issue: Volume: 150 Abstract: Background: Various factors, ... [Read more...](#)

52. [Articles] Prevalence of adolescent mental disorders in Kenya, Indonesia, and Viet Nam measured by the National Adolescent Mental Health Surveys (NAMHS): a multi-national cross-sectional study

05-04-2024 - Elsevier

NAMHS provides the first national adolescent mental disorders prevalence estimates for Kenya, Indonesia, and Viet Nam. These data can inform mental health and broader health policies in low-income and middle-income countries. [Read more...](#)

53. A scoping review on self-regulation and reward processing measured with gambling tasks: Evidence from the general youth population

04-04-2024 - Public Library of Science (PLoS)

by Francesca Bentivegna, Efstathios Papachristou, Eirini Flouri Aberrant reward processing and poor self-regulation have a crucial role in the development of several adverse outcomes in youth, including mental health disorders and risky behaviours. This scoping review aims to map and summarise the evidence for links between aspects and measures of reward processing and self-regulation among ... [Read more...](#)

54. Study on awareness and management based health action using video intervention (SAMBHAV) for postpartum depression among mothers attending immunisation clinic in a tertiary medical college hospital: Study protocol

03-04-2024 - Public Library of Science (PLoS)

by Latha K., Sundarnag Ganjekar, Meena K. S., Virupaksha H. S., Mariamma Philip, Suman G., Dinesh Rajaram, Swathi Acharya, Kimneiath Vaiphei, Somshekhar A. R. Introduction Pregnancy exerts a detrimental effect on women's mental health. Maternal mental health is considered as one of the public health concerns as it impacts the health of both mother and the child. [Read more...](#)

[Back to Top](#)

Psychiatry

Psychiatry

1. A useful map with some blind spots still: neurofilament light protein differentiating behavioural variant frontotemporal dementia from psychiatric disorders

28-04-2024 - Elsevier

Many of us work in a setting where differentiation between psychiatric disorders and neurological conditions is an everyday conundrum. Frontotemporal dementia, and particularly its behavioral variant (bvFTD) is one of the conditions contributing to this problem since its characteristic symptoms overlap with those of common psychiatric disorders. Not only does this lead to challenges for ... [Read more...](#)

2. Aftersun, directed by Charlotte Wells (2022)-Psychiatry in movies

20-04-2024 - Ovid

Author Names: Shah A. Database Source: Embase Weekly Updates Journal Title: British Journal of Psychiatry, British Journal of Psychiatry Article Title: Aftersun, directed by Charlotte Wells (2022)-Psychiatry in movies Year: 2023 Issue: 6 Volume: 223 Abstract: [Read more...](#)

3. Associations between multimorbidity and neuropathology in dementia: Consideration of functional cognitive disorders, psychiatric illness and dementia mimics

20-04-2024 - Ovid

Author Names: Hamilton C.A., Matthews F.E., Attems J., Donaghy P.C., Erskine D., Taylor J.-P., Thomas A.J. Database Source: Embase Weekly Updates Journal Title: British Journal of Psychiatry, British Journal of Psychiatry Article Title: Associations between multimorbidity and neuropathology in dementia: Consideration of functional cognitive disorders, psychiatric illness and dementia mimics Year: ... [Read more...](#)

4. Erratum: Neurocognitive skills and vulnerability for psychosis in depression and across the psychotic spectrum: Findings from the PRONIA Consortium (Br J Psychiatry (2023) 223 (485-492) DOI: 10.1192/bjp.2023.98)

20-04-2024 - Ovid

Author Names: anonymous Database Source: Embase Weekly Updates Journal Title: British Journal of Psychiatry, British Journal of Psychiatry Article Title: Erratum: Neurocognitive skills and vulnerability for psychosis in depression and across the psychotic spectrum: Findings from the PRONIA Consortium (Br J Psychiatry (2023) 223 (485-492) DOI: 10.1192/bjp.2023. [Read more...](#)

5. Hans Rott: 'Brahms had stored dynamite on board!'-Psychiatry in music

20-04-2024 - Ovid

Author Names: Ballerio M., Emanuele E. Database Source: Embase Weekly Updates Journal Title: British Journal of Psychiatry, British Journal of Psychiatry Article Title: Hans Rott: 'Brahms had stored dynamite on board!'-Psychiatry in music Year: 2023 Issue: 6 Volume: 223 Abstract: [Read more...](#)

6. Aftersun-Psychiatry in film

20-04-2024 - Ovid

Author Names: O'Sullivan O.P. Database Source: Embase Weekly Updates Journal Title: British Journal of Psychiatry, British Journal of Psychiatry Article Title: Aftersun-Psychiatry in film Year: 2024 Issue: 2 Volume: 224 Abstract: [Read more...](#)

7. Seeing the psychiatric hospital now - Extra

20-04-2024 - Ovid

Author Names: Gregersen L.N. Database Source: Embase Weekly Updates
Journal Title: British Journal of Psychiatry, British Journal of Psychiatry Article
Title: Seeing the psychiatric hospital now - Extra Year: 2022 Issue: 4 Volume: 221
Abstract: [Read more...](#)

8. Comparing attitudes towards compulsory interventions in severe and persistent mental illness among psychiatrists in India and Switzerland

18-04-2024 - *BioMed Central*

Psychiatrists face a major ethical challenge when deciding whether to make use of coercive measures in the treatment process of patients suffering from severe and persistent mental illness (SPMI). As India and... [Read more...](#)

9. Open-door policy versus treatment-as-usual in urban psychiatric inpatient wards: a pragmatic, randomised controlled, non-inferiority trial in Norway

17-04-2024 - *ClinicalKey (Elsevier)*

Lancet Psychiatry, The, Volume 11, Issue 5, 2024 May, Pages 330-338 | Indregard, Anne-Marthe Rustad, PhD Nussle, Hans Martin, MS Hagen, Milada, PhD... Summary Background Open-door policy is a recommended framework to reduce coercion in psychiatric wards. However, existing observational data might not fully capture potential increases in harm and use of coercion associated with open-door policies. ... [Read more...](#)

10. From clinical psychiatry to implementation research and back again

17-04-2024 - *ClinicalKey (Elsevier)*

Lancet Psychiatry, The, Volume 11, Issue 5, 2024 May, Pages 311-311 | The Lancet Psychiatry In April, 2023, The Lancet Psychiatry published an Article by Damian Santomauro and colleagues showing that only 12.5% of the global burden of anxiety disorders is alleviated by routine health care, whereas 71.1% of global burden could be averted ... [Read more...](#)

11. The Lancet Psychiatry Commission: transforming mental health implementation research

17-04-2024 - *ClinicalKey (Elsevier)*

Lancet Psychiatry, The, Volume 11, Issue 5, 2024 May, Pages 368-396 | McGinty, Emma E, Prof Alegria, Margarita, Prof Beidas, Rinad S, Prof... Integrated research–implementation model Common causal inference study designs Description Data requirements Key assumptions Strengths Limitations Randomised trial (including hybrid effectiveness and implementation studies) Randomisation of indivi... [Read more...](#)

12. Liraglutide 3.0 mg once daily for the treatment of overweight and obesity in patients hospitalised at a forensic psychiatric department: A 26-week open-label feasibility study

17-04-2024 - *John Wiley & Sons*

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

13. The impact of COVID-19 on psychiatric clinical encounters among low-income racially-diverse children

17-04-2024 - *John Wiley & Sons*

Journal of Child Psychology and Psychiatry, Volume 65, Issue 5, Page 631-643, May 2024. [Read more...](#)

14. Network analysis on psychopathological symptoms, psychological measures, quality of life and COVID-19 related factors in Chinese psychiatric patients in Hong Kong

12-04-2024 - *BioMed Central*

Psychiatric patients are susceptible to adverse mental health impacts during COVID-19, but complex interplays between psychopathology and pandemic-related variables remain elusive. This study aimed to investig... [Read more...](#)

15. A Dynamical Systems View of Psychiatric Disorders—Practical Implications

03-04-2024 - *The JAMA Network*

This narrative review, the second of 2 parts about a new approach to the diagnosis and treatment of psychiatric disorders that is based on dynamical systems theory, describes the implications of evidence for the practical applicability of this theory and its quantitative tools. [Read more...](#)

16. A Dynamical Systems View of Psychiatric Disorders—Theory

03-04-2024 - *The JAMA Network*

This narrative review describes a new approach to the diagnosis and treatment of psychiatric disorders that is based on dynamical systems theory, which addresses the concepts of tipping points, cycles, and chaos in complex systems. [Read more...](#)

17. JAMA Psychiatry

01-04-2024 - *The JAMA Network*

Mission Statement: JAMA Psychiatry strives to publish original, state-of-the-art studies and commentaries of general interest to clinicians and researchers in psychiatry, mental health, behavioral science, and allied fields. The journal seeks to inform its readers, to stimulate discussion into the nature, causes, treatment, and public health importance of mental illness, ... [Read more...](#)

18. The old psychiatrist at table-Poem

30-03-2024 - *Ovid*

Author Names: Kravitz R.E. Database Source: Embase Weekly Updates Journal Title: British Journal of Psychiatry, British Journal of Psychiatry Article Title: The old psychiatrist at table-Poem Year: 2024 Issue: 2 Volume: 224 Abstract: [Read more...](#)

19. Erratum: The effect of flexible cognitive-behavioural therapy and medical treatment, including antidepressants on post-traumatic stress disorder and depression in traumatised refugees: pragmatic randomised controlled clinical trial (Br J Psychiatry (2016) 208 (252-259) DOI: 10.1192/bjp.bp.114.150961)

30-03-2024 - *Ovid*

Author Names: anonymous Database Source: Embase Weekly Updates Journal Title: British Journal of Psychiatry, British Journal of Psychiatry Article Title: Erratum: The effect of flexible cognitive-behavioural therapy and medical treatment, including antidepressants on post-traumatic stress disorder and depression in traumatised refugees: pragmatic randomised controlled clinical trial (Br J ... [Read more...](#)

20. Debate: The experience of involuntary psychiatric hospitalisation for children and young people

22-03-2024 - *John Wiley & Sons*

Child and Adolescent Mental Health, EarlyView. [Read more...](#)

21. Are Psychiatric Disorders Brain Diseases?—A New Look at an Old Question

28-02-2024 - *The JAMA Network*

This Viewpoint discusses whether psychiatric disorders are diseases of the brain.
[Read more...](#)

22. Psychiatric Disorders After Assault, Injury, and Bereavement

17-01-2024 - *The JAMA Network*

This cohort study evaluates risk of psychiatric disorders following the potentially traumatic events of assault, injury, and bereavement apart from familial factors.
[Read more...](#)

[Back to Top](#)

Psychology

Psychology

1. Psychological and social consequences of deafblindness for siblings: a systematic literature review

25-04-2024 - *Frontiers*

Marine Arcous Rémy Potier Nathalie Dumet [Read more...](#)

2. The Impacts of Learning Motivation, Emotional Engagement and Psychological Capital on Academic Performance in a Blended Learning University Course

25-04-2024 - *Frontiers*

Yan Liu Shuai Ma YUE CHEN [Read more...](#)

3. Psychological Factors Enhanced Heterogeneous Learning Interactive Graph Knowledge Tracing for Understanding the Learning Process

25-04-2024 - *Frontiers*

Zhifeng Wang Wanxuan Wu Chunyan Zeng Heng Luo Jianwen Sun [Read more...](#)

4. Psychological impacts on Peyronie's disease and its treatments: a comprehensive review of current evidence

24-04-2024 - *Frontiers*

Yifei Jia Jian Liao Shilong Zhang Xinsheng Zhang [Read more...](#)

5. Advancing the understanding of children's digital engagement: responsive methodologies and ethical considerations in psychological research

23-04-2024 - *Frontiers*

Natalia Kucirkova Sonia Livingstone Jenny Radesky [Read more...](#)

6. Personality and Teachers' Burnout Stress: Exploring the Digital Competence as Personal Job Resource in Allied Health Institutions

23-04-2024 - *Frontiers*

Zawar Hussain Cai Chenmei Muhammad Saeed Nazia Hassan Fiza Chiragh [Read more...](#)

7. Academic Motivation in Adolescents: The Role of Parental Autonomy Support, Psychological Needs Satisfaction and Self-Control

22-04-2024 - *Frontiers*

Oğuzhan ÇELİK [Read more...](#)

8. The influence of vibratory massage after physical exertion on selected psychological processes

22-04-2024 - *Frontiers*

Krzysztof Wrześniewski Tomasz Pałka Jan Blecharz [Read more...](#)

9. Effects of multisession prefrontal cortex tDCS or taVNS on stress, perceived stress and sleep quality: A double-blind, randomized controlled study

18-04-2024 - *Frontiers*

Laya Dalila dos Reis Laura Pereira Generoso Maria Gabriela Maziero Capello Renato Ortolani Marcondes de Castro Edvaldo Cardoso Robson Dias Scoz Luciano Maia Alves Ferreira Marcelo Silva Josie Silva [Read more...](#)

10. Childhood unpredictability and sleep quality in adulthood: the mediating roles of life history strategy and perceived stress

18-04-2024 - *Frontiers*

Wei Qi Xiangyang He Zhechen Wang [Read more...](#)

11. Mediating roles of meaning in life and psychological flexibility in the relationships between occupational stress and job satisfaction, job performance, and psychological distress in teachers

17-04-2024 - *Frontiers*

Murat Yildirim Ümit Dilekçi Abdullah Manap [Read more...](#)

12. THE PSYCHOLOGICAL IMPLICATIONS OF COVID-19 OVER THE EIGHTEEN-MONTH TIME SPAN FOLLOWING THE VIRUS BREAKOUT IN ITALY

16-04-2024 - *Frontiers*

Ingrid Ropi Margherita Lillo Matteo Malavasi Alessandro Argentieri Aurora Barbieri Baowen Lou Diego Maria Barbieri Marco Passavanti [Read more...](#)

13. Filial Responsibilities and Psychological Wellbeing among Chinese Adolescents in Poor Single-Mother Families: Does Parental Warmth Matter?

16-04-2024 - *Frontiers*

Janet Tsin Yee Leung Daniel Tan Lei Shek [Read more...](#)

14. A study on post-traumatic stress disorder and post-traumatic growth among patients infected with COVID-19 in Wuhan

16-04-2024 - *Frontiers*

Jing-Jing Chen Bing Yu Ling Yan Xiao-Xiao Sun Qin Dai [Read more...](#)

15. Explining the changes in procrastination in an ACT-based course -Exploring the changes in psychological flexibility and time and effort management as mediators

16-04-2024 - *Frontiers*

Henna Asikainen Telle Katriina Hailikari Nina Katajavuori [Read more...](#)

16. Latent Profile Analysis of Eysenck's Personality Dimensions and Psychological Constructs in University Students

16-04-2024 - *Frontiers*

Lin-Lin Pan Guan-Zhao Chen Si-Ran Zhou Wen-Jing Yan Yue-Dan Ke Yu -Wei Wu Zi-Ye Huang [Read more...](#)

17. Validating the Spanish Translation of the Posttraumatic Stress Disorder Checklist (PCL-5) in a Sample of Individuals with Traumatic Brain Injury

15-04-2024 - *Frontiers*

E. F. Haghish Juan Sahuquillo Andreea Radoi Ingio Pomposo Guillermo Carbayo Lozano [Read more...](#)

18. Editorial: Highlights in Psychology: Social Anxiety

15-04-2024 - *Frontiers*

Anastassia Zabrodskaia Antonios Dakanalis (Αντώνιος Ντακανάλης) [Read more...](#)

19. GRIT AND PSYCHOLOGICAL WELL-BEING: EXPLORING THE MEDIATING ROLE OF AUTHENTICITY

15-04-2024 - *Frontiers*

Shweta Ahirwar Ridhima Shukla Neeraj Panwar [Read more...](#)

20. A comparison of Univariate and Meta-Analytic Structural Equation Modeling Approaches to Reliability Generalization applied to the Maslach Burnout Inventory

15-04-2024 - *Frontiers*

Raimundo Aguayo-Estremera Gustavo R Cañadas-De La Fuente Tania Ariza Elena Ortega-Campos José Luis Gómez-Urquiza José Luis Romero-Béjar Emilia Inmaculada De La Fuente-Solana [Read more...](#)

21. Gratitude Predicts Prosocial tendency through Psychological Resilience. Cross-sectional Study in Arab Cultures

12-04-2024 - *Frontiers*

Mohammed Hasan Ali Al-Abyadh Ayman Abdullah Hazza Alamri [Read more...](#)

22. Occupational, academic and personal determinants of well-being and psychological distress in residents: results of a survey in Lyon, France

11-04-2024 - *Frontiers*

LUDIVINE NOHALES Emmanuel Fort Sophie PELLOUX Clio COSTE Pierre LEBLANC Julia DE TERNAY Martine Wallon Benjamin ROLLAND Jean-Baptiste FASSIER [Read more...](#)

23. Urban safety and psychological distress during the pandemic: the results of a longitudinal study

11-04-2024 - *Frontiers*

Fabio Ferretti Giacomo Gualtieri Alessandra Masti Allison Uvelli [Read more...](#)

24. Psychological correlates of physical activity among adults living in rural and urban settings

10-04-2024 - *Frontiers*

Zoe Sirotiak Angelique G. Brellenthin Arjun Hariharan Amy S. Welch Jacob D. Meyer Warren D. Franke [Read more...](#)

25. The Relevance of Outcome Expectations in Group Hypnosis for Stress Reduction: A Secondary Analysis of a Multicenter Randomized Controlled Trial

09-04-2024 - *Frontiers*

Julia Siewert Michael Teut Benno Brinkhaus Silvia Fisch Sonja Kummer [Read more...](#)

26. Impact of the COVID-19 pandemic on the work of clinical psychologists in Austria: Results of a mixed-methods study

09-04-2024 - *Frontiers*

Paola Patricia Santillan Ramos Elke Humer Yvonne Schaffler Christoph Pieh
Thomas Probst Anna Felnhofer Oswald David Kothgassner Ingeborg Netzer
Andrea Jesser Andrea Jesser [Read more...](#)

27. [Cognitive Mechanisms and Neurological Foundations of Companion Animals' Role in Enhancing Human Psychological Well-being](#)

09-04-2024 - *Frontiers*

Heng Liu Jingyuan Lin Wuji Lin [Read more...](#)

28. [Maternal Postpartum Bonding Impairment and Increased Substance Use to Cope with Pandemic-Related Stress](#)

05-04-2024 - *Frontiers*

Alysa Roland Caitlin M. Dressler Karina M. Shreffler [Read more...](#)

29. [Association between sugar-sweetened beverages and duration of physical exercise with psychological symptoms among Tibetan university students at high altitude](#)

04-04-2024 - *Frontiers*

Wei Song Fan Su Shengpeng Li Yongjing Song Guangxin Chai [Read more...](#)

30. [The Influence of Athletes' Gratitude on Burnout: The Sequential Mediating Roles of the Coach-Athlete Relationship and Hope](#)

04-04-2024 - *Frontiers*

Liangshan Dong Rong Fan Shisi Zhou Bin Wang Lv Ye [Read more...](#)

31. [Effect of family resilience on subjective well-being in patients with advanced cancer: the chain mediating role of perceived social support and psychological resilience](#)

04-04-2024 - *Frontiers*

Yating Yang Fei He Dongfang Li Yuanyuan Zhao Ya Wang Haoran Zhang Chan Qiao Yingfang Cui Leyun Lin Hao Guan [Read more...](#)

32. [Day-to-Day Associations between Mindfulness and Perceived Stress: Insights from Random Intercept Cross-Lagged Panel Modeling](#)

04-04-2024 - *Frontiers*

Olaf Borghi Martin Voracek Ulrich S Tran [Read more...](#)

33. [Running Head: RHETORIC OF PSYCHOLOGICAL MEASUREMENT Rhetoric of Psychological Measurement Theory and Practice](#)

02-04-2024 - *Frontiers*

Kathleen L. Slaney Megan E. Graham Ruby S. Dhillon Richard E. Hohn [Read more...](#)

34. [Stay strong, stay healthy: Exploring a predictive model of psychological adaptation among Macau students studying in Mainland China within the postcolonial context](#)

02-04-2024 - *Frontiers*

Haiyan Feng Li Zhang [Read more...](#)

35. [Editorial: Exploring Goal-Directed Behavior Through Creativity: Perspectives from Psychology, Neuroscience, and Psychiatry](#)

01-04-2024 - *Frontiers*

Chong Chen Hadi Moradi Leila Kashani Vahid Radwa Khalil [Read more...](#)

[Back to Top](#)

Depression

1. Prescribed psychostimulants and other pro-cognitive medications in bipolar disorder: A systematic review and meta-analysis of recurrence of manic symptoms

27-04-2024 - *John Wiley & Sons*

Abstract Objectives Clinicians are often hesitant to prescribe psychostimulants in bipolar disorder (BD) due to concerns of inducing (hypo)mania, despite limited published evidence on associations between prescribed psychostimulant use and recurrence of mood episodes in BD. The current systematic review and meta-analysis evaluated the emergence of (hypo)manic symptoms in patients with BD ... [Read more...](#)

2. Dosage effects of psychodynamic and schema therapy in people with comorbid depression and personality disorder: Four-arm pragmatic randomised controlled trial

27-04-2024 - *Ovid*

Author Names: Kool M.,Van H.,Arntz A.,Bartak A.,Peen J.,Dil L.,De Boer K.,Dekker J. Database Source: Embase Weekly Updates Journal Title: British Journal of Psychiatry,British Journal of Psychiatry Article Title: Dosage effects of psychodynamic and schema therapy in people with comorbid depression and personality disorder: Four-arm pragmatic randomised controlled trial Year: 2024 Issue: ... [Read more...](#)

3. Impaired topology and connectivity of grey matter structural networks in major depressive disorder: Evidence from a multi-site neuroimaging data-set

27-04-2024 - *Ovid*

Author Names: Long J.-Y.,Qin K.,Pan N.,Fan W.-L.,Li Y. Database Source: Embase Weekly Updates Journal Title: British Journal of Psychiatry,British Journal of Psychiatry Article Title: Impaired topology and connectivity of grey matter structural networks in major depressive disorder: Evidence from a multi-site neuroimaging data-set Year: 2024 Issue: Volume: Abstract: Background Major ... [Read more...](#)

4. 'Does it matter how old I feel?' The role of subjective age in a psychosocial intervention for improving depressive symptomatology among older adults in Brazil (PROACTIVE)

26-04-2024 - *Taylor & Francis Online*

. [Read more...](#)

5. Early intervention, relapse prevention, and neuroprogression in bipolar disorder: The evidence matters

26-04-2024 - *John Wiley & Sons*

[Read more...](#)

6. Missing link: a qualitative analysis of community-based organisations' contributions to partnered collaborative care to treat late-life depression

26-04-2024 - *National Library of Medicine*

CONCLUSIONS: CBOs, when partnered with clinics, enhanced both medical and social aspects of depression treatment for older adults. CBOs are well positioned to assist primary care clinics in treating the complex health needs of older adults

by providing new and strengthening existing aspects of partnered depression care while building patient trust among culturally diverse populations. [Read more...](#)

7. Potential role of metformin cessation in bipolar mania relapse, with subsequent resolution upon re-initiation: A case report

25-04-2024 - John Wiley & Sons

[Read more...](#)

8. Comorbid depression among adults with heart failure in Ethiopia: a hospital-based cross-sectional study

25-04-2024 - BioMed Central

Depression is a common comorbidity in adults with heart failure. It is associated with poor clinical outcomes, including decreased health-related quality of life and increased morbidity and mortality. There is... [Read more...](#)

9. Study of the different sleep disturbances during the prodromal phase of depression and mania in bipolar disorders

24-04-2024 - John Wiley & Sons

Abstract Background One of the challenges in bipolar disorder (BD) lies in early detection of the illness and its recurrences, to improve prognosis. Sleep disturbances (SD) have been proposed as reliable predictive markers of conversion. While preliminary studies have explored the relationship between SD and the onset of mood episodes, the results remain heterogeneous and a few have ... [Read more...](#)

10. The relationship between marital status and cognitive impairment in Chinese older adults: the multiple mediating effects of social support and depression

24-04-2024 - National Library of Medicine

CONCLUSIONS: The study findings highlight the need for social service providers to design programs for promoting connections associated with informal support to reduce their risk of depression and cognitive impairment and for policymakers to develop effective formal social support systems for older people without spouses. This study indicated that older people could regain the benefits of ... [Read more...](#)

11. Effects of dual-task resistance exercise on cognition, mood, depression, functional fitness, and activities of daily living in older adults with cognitive impairment: a single-blinded, randomized controlled trial

24-04-2024 - National Library of Medicine

CONCLUSIONS: Dual-task resistance exercise is more effective than resistance exercise in improving cognitive function in older adults with cognitive impairment. Both dual-task resistance exercise and resistance exercise improves mood, depression, functional fitness, and ADL after the intervention. We propose using dual-task resistance exercises for cognitive and physical health management in ... [Read more...](#)

12. Magnetic Seizure Therapy vs Electroconvulsive Therapy for Major Depressive Episode—Reply

24-04-2024 - The JAMA Network

In Reply We appreciate the opportunity to respond to the letter by McCall et al and to clarify important aspects of our study recently published in JAMA Psychiatry. [Read more...](#)

13. Relationship between cognitive function and functional outcomes in remitted major depression

24-04-2024 - *BioMed Central*

Few studies have focused on functional impairment in depressed patients during symptomatic remission. The exact relationship between cognitive performance and functional outcomes of patients with Major depress... [Read more...](#)

14. Magnetic Seizure Therapy vs Electroconvulsive Therapy for Major Depressive Episode

24-04-2024 - *The JAMA Network*

To the Editor Electroconvulsive therapy (ECT) is widely regarded as the most effective short-term treatment for major depressive episodes, including treatment-resistant depression (TRD). Deng et al recently reported in JAMA Psychiatry the Clinical Outcomes of Magnetic Seizure Therapy (MST) vs ECT for Major Depressive Episode study, finding that the efficacy of ECT and MST were “indistinguishable. [Read more...](#)

15. Faster than light: Ultrarapid cycling in bipolar disorder

23-04-2024 - *John Wiley & Sons*

[Read more...](#)

16. Distinguishing bipolar depression, bipolar mania, and major depressive disorder by gut microbial characteristics

23-04-2024 - *John Wiley & Sons*

Abstract Background Gut microbial disturbance has been widely confirmed in mood disorders. However, little is known about whether gut microbial characteristics can distinguish major depressive disorder (MDD), bipolar depression (BP-D), and bipolar mania (BP-M). Methods This was a prospective case–control study. The composition of gut microbiota was profiled using 16S ribosomal RNA (rRNA) gene ... [Read more...](#)

17. Prior psychiatric morbidity and differential psychopharmacological treatment patterns: Exploring the heterogeneity of bipolar disorder in a nationwide study of 9594 patients

23-04-2024 - *John Wiley & Sons*

Abstract Objectives Individuals with bipolar disorders (BD) have heterogenic pre-onset illness courses and responses to treatment. The pattern of illness preceding the diagnosis of BD may be a marker of future treatment response. Here, we examined associations between psychiatric morbidity preceding the diagnosis of BD and pharmacological treatment patterns in the 2 years following diagnosis. [Read more...](#)

18. Socioeconomic status, loneliness, and depression among older adults: a cross-sectional study in Spain

23-04-2024 - *National Library of Medicine*

CONCLUSION: Loneliness can contribute to explaining the role played by socioeconomic inequalities in depression among older adults. [Read more...](#)

19. Relationship between self-reported hearing and vision problems, cognitive decline, depressive symptoms, and life satisfaction in older adults: a retrospective observational study

23-04-2024 - *National Library of Medicine*

CONCLUSIONS: This study provides the first epidemiological evidence of the comprehensive relationships between hearing and vision problems, cognitive

decline, depressive symptoms, and life satisfaction. When older adults report hearing and/or vision problems, clinicians and caregivers should be aware of the concurrence of declined cognition, elevated depressive symptoms, ... [Read more...](#)

20. Implications of depressive mood in OSAHS patients: insights from event-related potential

23-04-2024 - *BioMed Central*

Obstructive sleep apnea-hypopnea syndrome (OSAHS) is a chronic breathing disorder characterized by recurrent upper airway obstruction during sleep. Although previous studies have shown a link between OSAHS and... [Read more...](#)

21. Perspective biomarkers and staging of bipolar disorder

22-04-2024 - *John Wiley & Sons*

[Read more...](#)

22. Controversies in recommending treatments for depression—A debate

22-04-2024 - *John Wiley & Sons*

[Read more...](#)

23. A new model for the prevention of suicide in bipolar disorder: Every patient, every setting, every provider

22-04-2024 - *John Wiley & Sons*

[Read more...](#)

24. Phenotypic clustering of bipolar disorder supports stratification by lithium responsiveness over diagnostic subtypes

21-04-2024 - *John Wiley & Sons*

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

25. Towards precision in the diagnostic profiling of patients: Leveraging symptom dynamics as a clinical characterisation dimension in the assessment of major depressive disorder

20-04-2024 - *Ovid*

Author Names: Ebrahimi O.V., Borsboom D., Hoekstra R.H.A., Epskamp S., Ostinelli E.G., Bastiaansen J.A., Cipriani A. Database Source: Embase Weekly Updates Journal Title: *British Journal of Psychiatry*, *British Journal of Psychiatry* Article Title: Towards precision in the diagnostic profiling of patients: Leveraging symptom dynamics as a clinical characterisation dimension in the assessment of major ... [Read more...](#)

26. Early warning signals observed in motor activity preceding mood state change in bipolar disorder

20-04-2024 - *John Wiley & Sons*

Abstract Introduction Alterations in motor activity are well-established symptoms of bipolar disorder, and time series of motor activity can be considered complex dynamical systems. In such systems, early warning signals (EWS) occur in a critical transition period preceding a sudden shift (tipping point) in the system. EWS are statistical observations occurring due to a system's declining ... [Read more...](#)

27. Real-world evidence from a retrospective study on suicide during depression: clinical characteristics, treatment patterns and disease burden

19-04-2024 - *BioMed Central*

Suicide stands as both a primary symptom and the direst outcome of major depressive disorder (MDD). The scarcity of effective treatment strategies makes managing MDD patients with suicide especially challengin... [Read more...](#)

28. The comorbid network characteristics of anxiety and depressive symptoms among Chinese college freshmen

19-04-2024 - *BioMed Central*

This study aimed to investigate the interplay between anxiety and depressive symptoms in Chinese college freshmen using the causal system perspective (CSP), which differs from the traditional common cause pers... [Read more...](#)

29. Psychological therapies for people with bipolar disorder: Where are we now, and what is next? ISBD Psychological Interventions Taskforce—Position paper

18-04-2024 - *John Wiley & Sons*

[Read more...](#)

30. A bibliometric and visual analysis of cognitive function in bipolar disorder from 2012 to 2022

18-04-2024 - *BioMed Central*

Bipolar disorder (BD) is a chronic psychiatric disorder that combines hypomania or mania and depression. The study aims to investigate the research areas associated with cognitive function in bipolar disorder ... [Read more...](#)

31. The influence of Life's Essential 8 on the link between socioeconomic status and depression in adults: a mediation analysis

18-04-2024 - *BioMed Central*

Individuals with low socioeconomic status (SES) are at a higher risk of developing depression. However, evidence on the role of cardiovascular health (CVH) in this chain is sparse and limited. The purpose of t... [Read more...](#)

32. Potential of niacin skin flush response in adolescent depression identification and severity assessment: a case-control study

17-04-2024 - *BioMed Central*

The diagnosis of adolescent Depressive Disorder (DD) lacks specific biomarkers, posing significant challenges. This study investigates the potential of Niacin Skin Flush Response (NSFR) as a biomarker for iden... [Read more...](#)

33. Pregnancy in the shadow of psychosis: Navigating first-time motherhood with increased likelihood of postpartum psychosis and postnatal depression

17-04-2024 - *John Wiley & Sons*

Journal of Psychiatric and Mental Health Nursing, EarlyView. [Read more...](#)

34. How much do adverse childhood experiences contribute to adolescent anxiety and depression symptoms? Evidence from the longitudinal study of Australian children

17-04-2024 - *BioMed Central*

This study aims to: (i) examine the association between adverse childhood experiences (ACEs) and elevated anxiety and depressive symptoms in adolescents and (ii) estimate the burden of anxiety and depressive ... [Read more...](#)

35. Supporting career development for early- and mid-career professionals working in the bipolar disorder field: Key initiatives to be implemented by the International Society for Bipolar Disorders Early- and Mid-Career Committee

16-04-2024 - *John Wiley & Sons*

[Read more...](#)

36. Cluster analysis dissecting cognitive deficits in older adults with major depressive disorder and the association with neurofilament light chain

16-04-2024 - *National Library of Medicine*

CONCLUSIONS: We noted the negative correlation between NfL levels and cognition in MDD patients clustered with neurodegenerative disorder, Alzheimer's type. NfL could be a promising candidate as a biomarker to predict subtype of patients in MDD to develop cognitive decline. Further longitudinal studies and within MDD cluster analysis are required to validate our findings for clinical implications. [Read more...](#)

37. How Do Control Beliefs About Stress Relate to Depressive Symptoms in Chinese Healthcare Workers: The Mediating Role of Optimism and Cognitive Reappraisal

16-04-2024 - *Springer*

[Read more...](#)

38. Prevalence of major depressive disorder and its associated factors among adult patients with neurolathyrism in Dawunt District, Ethiopia 2022: community-based cross-sectional study

16-04-2024 - *BioMed Central*

Major Depressive Disorder (MDD) is one of the commonest mental disorders affecting more than 250 million people globally. Patients with chronic illnesses had higher risks for developing MDD than the general po... [Read more...](#)

39. The relationship between serum resolvin D1, NLRP3, cytokine levels, and adolescents with first-episode medication-naïve major depressive disorder

16-04-2024 - *BioMed Central*

Inflammation has become a critical pathological mechanism of Major Depressive Disorder (MDD). NLRP3 is a critical inflammatory pathway to maintain the immune balance. Recently, preclinical evidence showed that... [Read more...](#)

40. Depressive disorder and elevated risk of bell's palsy: a nationwide propensity score-weighting study

16-04-2024 - *BioMed Central*

Prior studies have reported a potential relationship between depressive disorder (DD), immune function, and inflammatory response. Some studies have also confirmed the correlation between immune and inflammato... [Read more...](#)

41. Cariprazine as a maintenance therapy in the prevention of mood episodes in adults with bipolar I disorder

13-04-2024 - *John Wiley & Sons*

Abstract Introduction Cariprazine treats acute manic and depressive episodes in bipolar I disorder (BP-I), but its efficacy in preventing relapse of mood episode remains unknown. Methods In this phase 3b, double-blind, placebo-controlled study, patients with BP-I with acute manic or depressive episodes (each with/without mixed features), were treated with cariprazine 3. [Read more...](#)

42. The relationship between type, timing and duration of exposure to adverse childhood experiences and adolescent self-harm and depression: findings from three UK prospective population-based cohorts

13-04-2024 - *John Wiley & Sons*

Journal of Child Psychology and Psychiatry, EarlyView. [Read more...](#)

43. The association of FKBP5 gene polymorphism with genetic susceptibility to depression and response to antidepressant treatment- a systematic review

12-04-2024 - *BioMed Central*

Given the inconsistencies in current studies regarding the impact of FKBP5 gene polymorphisms on depression, arising from variations in study methods, subjects, and treatment strategies, this paper provides a ... [Read more...](#)

44. Treating Bipolar Depression Using Psilocybin—Validity Threats Regarding Efficacy and Safety

10-04-2024 - *The JAMA Network*

Eiko I. Fried, PhD Ioana A. Cristea, PhD Florian Naudet, MD Abstract Full Text online first JAMA Psychiatry. 2024 10.1001/jamapsychiatry.2024.0420 [Read more...](#)

45. Treating Bipolar Depression Using Psilocybin—Validity Threats Regarding Efficacy and Safety—Reply

10-04-2024 - *The JAMA Network*

Scott T. Aaronson, MD Andrew van der Vaart, MD, PhD Harold A. Sackeim, PhD Abstract Full Text online first JAMA Psychiatry. 2024 10.1001/jamapsychiatry.2024.0423 [Read more...](#)

46. Association between symptoms of depression and inflammatory parameters in people aged over 90 years

04-04-2024 - *National Library of Medicine*

CONCLUSIONS: Inflammatory parameters do not appear to predict the development of depressive disorders in people over 90 years of age. [Read more...](#)

47. Neuroanatomical and prognostic associations of depression in Parkinson's disease

03-04-2024 - *National Library of Medicine*

CONCLUSIONS: This large-scale prospective study demonstrated that depression prevalence increases from 10 years before PD diagnosis and is a marker of cortical and subcortical volume loss. Depression before PD diagnosis signals a worse prognosis in terms of dementia and mortality. This has clinical implications in stratifying people with poorer cognitive and prognostic trajectory in PD. [Read more...](#)

48. Perioperative mental health intervention for depression and anxiety symptoms in older adults study protocol: design and methods for three linked randomised controlled trials

03-04-2024 - *National Library of Medicine*

INTRODUCTION: Preoperative anxiety and depression symptoms among older surgical patients are associated with poor postoperative outcomes, yet evidence-based interventions for anxiety and depression have not been applied within this setting. We present a protocol for randomised controlled trials (RCTs) in three surgical cohorts: cardiac, oncological and orthopaedic, ... [Read more...](#)

49. Internet-delivered transdiagnostic psychological treatments for individuals with depression, anxiety or both: a systematic review with meta-analysis of randomised controlled trials

03-04-2024 - *National Library of Medicine*

CONCLUSION: Internet-delivered transdiagnostic treatments for depression and anxiety show small-to-moderate added effects, varying by control condition. Research is needed regarding routine care, the video format, children and adolescents and older adults. [Read more...](#)

50. Susceptibility to Treatment-Resistant Depression Within Families

03-04-2024 - *The JAMA Network*

This cohort study evaluates susceptibility to treatment-resistant depression by family. [Read more...](#)

51. Prescription opioid dispensing patterns among patients with schizophrenia or bipolar disorder

02-04-2024 - *BioMed Central*

Proportions of individuals dispensed prescription opioids chronically (ie, ≥ 70 days over a 90-day period or ≥ 6 prescriptions annually) or ... [Read more...](#)

52. Inappropriate study inclusion in meta-analysis of sham-controlled rTMS for treatment-resistant depression

02-04-2024 - *BioMed Central*

Dr. Vida and colleagues have published an important meta-analysis on a critical topic in psychiatry: the efficacy of double-blind, sham-controlled rTMS in treatment-resistant depression (TRD) [1]. The primary rep... [Read more...](#)

53. Country Differences in the Effects of Individual Traits on Depression in Women in Europe

02-04-2024 - *Springer*

[Read more...](#)

54. Interaction between HTR2A rs3125 and negative life events in suicide attempts among patients with major depressive disorder: a cross-sectional study

02-04-2024 - *BioMed Central*

Both genetic and environmental factors play crucial roles in the development of major depressive disorder (MDD) and suicide attempts (SA). However, the interaction between both items remains unknown. This stud... [Read more...](#)

55. Proximity to public green spaces and depressive symptoms among South African residents: a population-based study

30-03-2024 - *National Library of Medicine*

CONCLUSION: Our findings suggest that public green spaces close to residential homes may be associated with a reduction in the occurrence of depressive symptoms among urban populations in resource-constrained settings like South Africa. [Read more...](#)

56. Are social pressure, bullying and low social support associated with depressive symptoms, self-harm and self-directed violence among adolescents? A cross-sectional study using a structural equation modeling approach

29-03-2024 - *BioMed Central*

More in-depth evidence about the complex relationships between different risk factors and mental health among adolescents has been warranted. Thus, the aim of the study was to examine the direct and indirect e... [Read more...](#)

57. A tale of two viruses: A bipolar disorder patient's path to Varicella Zoster Meningoencephalitis diagnosis in the pandemic era

28-03-2024 - *John Wiley & Sons*

[Read more...](#)

58. Antidepressant Use and Manic Episodes in Children and Adolescents With Unipolar Depression

31-01-2024 - *The JAMA Network*

To the Editor The study by Virtanen et al investigates whether antidepressant treatment increases the risk of mania or hypomania in pediatric patients with unipolar depression. However, the lack of alignment between the study's assumptions and real-world practices may compromise its external validity. [Read more...](#)

59. Antidepressant Use and Manic Episodes in Children and Adolescents With Unipolar Depression—Reply

31-01-2024 - *The JAMA Network*

In Reply The letter by Boström et al questions the external validity of our study based on concerns regarding antidepressant dosing, regional variation in the prevalence of bipolar disorder, and the prevalence of bipolar disorder diagnoses in adolescent boys. We appreciate the comments and think they highlighted a few important features of studies using real-world data. [Read more...](#)

60. A Systematic Evaluation of Machine Learning–Based Biomarkers for Major Depressive Disorder

10-01-2024 - *The JAMA Network*

This case-control study evaluates whether machine learning can identify a multivariate biomarker for major depressive disorder. [Read more...](#)

61. Home-Use Transcranial Direct Current Stimulation for the Treatment of a Major Depressive Episode

03-01-2024 - *The JAMA Network*

This randomized clinical trial evaluates the efficacy of home-use transcranial direct current stimulation, combined or not with a digital psychological intervention, vs sham for the treatment of major depression. [Read more...](#)

[Back to Top](#)

Anxiety

Anxiety

1. Differential impact of prenatal PTSD symptoms and preconception trauma exposure on placental NR3C1 and FKBP5 methylation

27-04-2024 - *National Library of Medicine*

Perinatal stress is associated with altered placental methylation, which plays a critical role in fetal development and infant outcomes. This proof-of-concept pilot study investigated the impact of lifetime trauma exposure and perinatal PTSD symptoms on epigenetic regulation of placenta glucocorticoid signaling genes (NR3C1 and FKBP5). Lifetime trauma exposure and PTSD symptoms during ... [Read more...](#)

2. Different acupuncture and moxibustion therapies in the treatment of IBS-D with anxiety and depression: A network meta-analysis

26-04-2024 - *National Library of Medicine*

CONCLUSION: MOX, combined therapies, ACU and EA have certain curative effect on anxiety and depression in patients with IBS-D, and their safety is high. ACU and MOX combined with other therapies also have significant advantages in the treatment effect. [Read more...](#)

3. The Significance of Disease Knowledge as a Risk Factor for Depression and Anxiety in Diabetic Patients

26-04-2024 - *National Library of Medicine*

CONCLUSION: The patients' diabetes knowledge is significantly correlated with their anxiety and depression symptoms. Patients with diabetes should be regularly screened for anxiety and depression symptoms. Our findings indicate that the educational diabetes program could be a useful intervention for reducing depression and anxiety. [Read more...](#)

4. How Is the Fear of War Impacting Italian Young Adults' Mental Health? The Mediating Role of Future Anxiety and Intolerance of Uncertainty

26-04-2024 - *National Library of Medicine*

The Russian-Ukrainian conflict is affecting mental health even in communities that are not directly involved in the war added to this is the escalating conflict in the Middle East and its dangerous spread, which brings the war back to the center of the contemporary social and economic horizon. The present study aims to explore the psychological impact of war in a sample of 310 Italian young ... [Read more...](#)

5. To Study the Distress, Anxiety, Depression, and Sleep Effects of the COVID-19 Pandemic on Essential Workers

26-04-2024 - *National Library of Medicine*

Essential care workers like police personnel, social workers, and office and administrative staff of health institutions are also at increased risk of coronavirus disease 2019 (COVID-19) exposure along with healthcare workers. The present study aims to estimate the distress, anxiety, depression, and sleep impact of COVID-19 pandemic on essential workers through an online survey. [Read more...](#)

6. Cervical spine immobilisation following blunt trauma in pre-hospital and emergency care: A systematic review

25-04-2024 - *Public Library of Science (PLoS)*

by Abdullah Pandor, Munira Essat, Anthea Sutton, Gordon Fuller, Stuart Reid, Jason E. Smith, Rachael Fothergill, Dhushy Surendra Kumar, Angelos Kolias, Peter Hutchinson, Gavin D. Perkins, Mark H. Wilson, Fiona Lecky Objectives To assess whether different cervical spine immobilisation strategies (full immobilisation, movement minimisation or no immobilisation), ... [Read more...](#)

7. Examining trauma, anxiety, and depression as predictors of dropout from residential treatment for substance use disorders

25-04-2024 - *National Library of Medicine*

Substance use disorders (SUDs) are highly prevalent and have deleterious effects on one's health and well-being. Inpatient treatment for SUDs reduces patient relapse, which subsequently ameliorates these negative effects on the individual and society. Additionally, those who complete treatment are less likely to relapse compared to those who do not complete treatment. [Read more...](#)

8. Network analysis of the relationship between non-suicidal self-injury, depression, and childhood trauma in adolescents

25-04-2024 - *National Library of Medicine*

CONCLUSIONS: NSSI, depression, and childhood trauma of teenagers were closely related. Individuals who have suffered emotional abuse in childhood were more likely to have depressive symptoms and NSSI. Improving negative self-esteem and negative emotions and reducing emotional abuse may be beneficial in alleviating depression and reducing NSSI in adolescents. [Read more...](#)

9. Patterns of peripartum depression and anxiety during the pre-vaccine COVID-19 pandemic

25-04-2024 - *National Library of Medicine*

CONCLUSIONS: Elevated depression and anxiety symptoms were prevalent throughout pregnancy and the postpartum period, particularly in those with prior depression and/or anxiety and who quarantined. Strategies that target social isolation may mitigate potential adverse consequences for pregnant people, and continued vigilance in recognition of depression and anxiety in pregnancy should be ... [Read more...](#)

10. Event centrality in social anxiety disorder and major depressive disorder

25-04-2024 - *National Library of Medicine*

Event centrality is defined by the extent to which a memory of an event has become central to an individual's identity and life story. Previous research predominantly focused on the link between event centrality and trauma-related symptomatology. Nevertheless, it can be argued that the perception of (adverse) events as central to one's self is not exclusive to Posttraumatic Stress Disorder (PTSD). [Read more...](#)

11. Exploring the evocative qualities of masks visual imagery and their associations with adversity and trauma

25-04-2024 - *Frontiers*

ASLI ARSLANBEK Bani Malhotra Kristyn Stickley Joanna Herres Heather Spooner Damon G Lamb Charles Levy John B. Williamson Girija Kaimal [Read more...](#)

12. The relationship between COVID-19 stress and test anxiety in art students: the chain mediating roles of intolerance of uncertainty and sleep quality

25-04-2024 - *BioMed Central*

The global spread of COVID-19 has brought immense physiological and psychological distress to students, such as test anxiety and poor sleep quality. This study aims to explore the relationship between COVID-19... [Read more...](#)

13. Prevalence of symptoms of post stroke depression and anxiety in young adults: a systematic review and meta-analysis

24-04-2024 - *National Library of Medicine*

CONCLUSIONS: We identified high heterogeneity in studies investigating the prevalence of symptoms of PSD and PSA in young adults, emphasizing the importance of standardized approaches in future research to gain insight into the outcomes and prognosis of PSD and PSA symptoms following stroke in young adults. Larger longitudinal epidemiological studies as well as studies on tailored ... [Read more...](#)

14. Prevalence and social determinants of anxiety and depression among adults in Ghana: a systematic review and meta-analysis protocol

24-04-2024 - National Library of Medicine

INTRODUCTION: Anxiety and depression pose a significant global health challenge, especially affecting adults in low-income and middle-income countries. In many low-income and middle-income countries, including those in sub-Saharan Africa, social determinants such as access to affordable health services, conflict, food insecurity, and poverty may be associated with the prevalence of anxiety ... [Read more...](#)

15. Anxiety, depression, somatization and psychological distress before and 2-6 years after a late termination of pregnancy due to fetal anomalies

24-04-2024 - National Library of Medicine

CONCLUSIONS: Our results support those of previous research showing that late TOP has a substantial psychological impact on those experiencing it in the short-term. In the long-term, most women return to normal levels of psychological distress, although some still show elevated levels. Limitations of the study include monocentric data collection, drop-out between T1 and T4, ... [Read more...](#)

16. Is polycystic ovary syndrome a risk factor for depression and anxiety?: a cross-sectional study

24-04-2024 - National Library of Medicine

CONCLUSION: It is clear that depression and anxiety are more common in patients with polycystic ovary syndrome than in healthy women. Our findings support previous recommendations regarding routine screening for depression and anxiety in this population. [Read more...](#)

17. Perceived stress and brain connectivity in subthreshold depression: Insights from eyes-closed and eyes-open states

24-04-2024 - National Library of Medicine

Perceived stress is an acknowledged risk factor for subthreshold depression (StD), and fluctuations in perceived stress are thought to disrupt the harmony of brain networks essential for emotional and cognitive functioning. This study aimed to elucidate the relationship between eye-open (EO) and eye-closed (EC) states, perceived stress, and StD. We recruited 27 individuals with StD and 33 ... [Read more...](#)

18. Prevalence and influencing factors of depression and anxiety among chinese hospital healthcare workers during the COVID-19 pandemic

24-04-2024 - National Library of Medicine

No abstract [Read more...](#)

19. Impacts of preoperative anxiety and depression on pain and range of motion after arthroscopic frozen shoulder release: a cohort study

24-04-2024 - National Library of Medicine

CONCLUSIONS: Arthroscopic frozen shoulder release significantly lowers the VAS pain score over the 12-month. [Read more...](#)

20. Discrimination is associated with depression, anxiety, and loneliness symptoms among Asian and Pacific Islander adults during COVID-19 Pandemic

24-04-2024 - National Library of Medicine

In the United States, Asian and Pacific Islander (A/PI) communities have faced significant discrimination and stigma during the COVID-19 pandemic. We assessed the association between discrimination and depression, anxiety, and loneliness symptoms among Asian or Pacific Islander adults (n = 543) using data

from a 116-item nationally distributed online survey of adults (≥ 18 years old) in the ... [Read more...](#)

21. Post-COVID Trajectory of Pentraxin 3 Plasma Levels Over 6 Months and Their Association with the Risk of Developing Post-Acute Depression and Anxiety

24-04-2024 - *National Library of Medicine*

CONCLUSIONS: A lower reduction of plasma PTX3 after acute COVID-19 associates with the presence of depression and anxiety, suggesting an involvement of inflammation in post-COVID-19 psychopathology and a potential role of PTX3 as a biomarker. [Read more...](#)

22. Editorial: Community Series: Police Trauma, Loss, and Resilience - Volume II

24-04-2024 - *Frontiers*

Michael David Schlosser Konstantinos Papazoglou Katy Kamkar [Read more...](#)

23. The anxiety response of patients with severe psychiatric disorders to the recent public health crisis

23-04-2024 - *National Library of Medicine*

CONCLUSION: Anxiety response to health crisis is different in groups with SPDs and control group. The findings of this study suggest that although health anxiety is present in many of these patients during the pandemic, their anxiety response to the health crisis may be less than expected. There can be various explanations, such as pre-existing symptoms, low health literacy, ... [Read more...](#)

24. Endometriosis in infertile women: an observational and comparative study of quality of life, anxiety, and depression

23-04-2024 - *National Library of Medicine*

CONCLUSION: the findings indicate the need for increased psychosocial support care for women suffering from infertility and endometriosis to assist them in maintaining and managing their own mental health and achieving their reproductive goals. [Read more...](#)

25. Reviewing explore/exploit decision-making as a transdiagnostic target for psychosis, depression, and anxiety

23-04-2024 - *National Library of Medicine*

In many everyday decisions, individuals choose between trialling something novel or something they know well. Deciding when to try a new option or stick with an option that is already known to you, known as the "explore/exploit" dilemma, is an important feature of cognition that characterises a range of decision-making contexts encountered by humans. Recent evidence has suggested preferences ... [Read more...](#)

26. Diagnostic Accuracy and Clinical Utility of the PHQ-2 and GAD-2: A Comparison with Long-Format Measures for Depression and Anxiety

23-04-2024 - *Frontiers*

Jón Ingi Hlynsson Per Carlbring [Read more...](#)

27. Clusters of lifestyle behavioral risk factors and their associations with depressive symptoms and stress: evidence from students at a university in Finland

22-04-2024 - *BioMed Central*

No previous research of university students in Finland assessed lifestyle behavioral risk factors (BRFs), grouped students into clusters, appraised the relationships of the clusters with their mental well-bein... [Read more...](#)

28. Psychological interventions designed to reduce relocation stress for older people transitioning into permanent residential aged care: a systematic scoping review

19-04-2024 - *Taylor & Francis Online*

. [Read more...](#)

29. Predictors of non-suicidal self-injury in adolescents with depressive disorder: the role of alexithymia, childhood trauma, and body investment

19-04-2024 - *National Library of Medicine*

CONCLUSION: Low levels of body care and childhood emotional abuse may independently contribute to the implementation of NSSI in adolescents with depressive disorder. Body investment and childhood trauma are valuable in diagnosing and predicting NSSI behaviors and should be considered as potentially important factors in clinical treatment. [Read more...](#)

30. Traumatic Brain Injury and Risk of Schizophrenia and Other Non-mood Psychotic Disorders: Findings From a Large Inpatient Database in the United States

19-04-2024 - *National Library of Medicine*

CONCLUSION: Our study found that hospitalized TBI patients had 2.2 times higher odds of Schizophrenia non-mood psychotic disorder, indicating an association. This highlights the need for early screening of psychotic disorders and intervention in TBI patients, calling for more research. [Read more...](#)

31. The Role of Artificial Intelligence in Identifying Depression and Anxiety: A Comprehensive Literature Review

19-04-2024 - *National Library of Medicine*

This narrative literature review undertakes a comprehensive examination of the burgeoning field, tracing the development of artificial intelligence (AI)-powered tools for depression and anxiety detection from the level of intricate algorithms to practical applications. Delivering essential mental health care services is now a significant public health priority. [Read more...](#)

32. Compression stress-strain curve of lithium slag recycled fine aggregate concrete

18-04-2024 - *Public Library of Science (PLoS)*

by Xue-Bin Chen, Jiong-Feng Liang, Wei Li As one of the key materials used in the civil engineering industry, concrete has a global annual consumption of approximately 10 billion tons. Cement and fine aggregate are the main raw materials of concrete, and their production causes certain harm to the environment. As one of the countries with the largest production of industrial solid waste, ... [Read more...](#)

33. Exploring the co-occurrence of depression, anxiety and insomnia symptoms, diagnoses and treatments in primary care: observational study using UK primary care data

18-04-2024 - *National Library of Medicine*

CONCLUSIONS: The conditional probabilities of co-occurring anxiety, depression and insomnia symptoms, diagnoses and treatments are high. [Read more...](#)

34. Associations between mild depression and anxiety and physical inactivity among school-going Ugandan adolescents aged 14 to 17 years

18-04-2024 - *National Library of Medicine*

Objective: The aim of this cross-sectional study was to investigate associations between physical activity levels and emotional and behavioural problems in school-going adolescents aged 14 to 17 years in Uganda. Methods: Two-hundred and five adolescents [median (interquartile range) age = 16.0 (1.0) years female = 61.9%] completed the interviewer-administered Strengths and Difficulties ...
[Read more...](#)

35. Barriers to trauma-informed care include unsafe environments and mental health nurses' lack of emotional intelligence

18-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

36. The moderating role of catastrophizing in day-to-day dynamic stress and depressive symptoms

18-04-2024 - *National Library of Medicine*

The way individuals handle daily stressors can significantly influence their mental health. Those who struggle with emotion regulation are especially vulnerable to the negative effects of stress. This study explored the role of catastrophizing, a maladaptive emotion regulation strategy, in shaping the relationships between daily stress responses and depressive symptoms. [Read more...](#)

37. Predictive risk factors of adverse mental health outcomes in the facial trauma patient

18-04-2024 - *National Library of Medicine*

Patients with facial trauma often experience a psychological burden from their injuries. This study aimed to identify risk factors for adverse mental health outcomes in patients affected by facial trauma, using the 'Integrating Mental and Physical Healthcare: Research, Training and Services' (IMPARTS) screening tool. All patients >18 years of age who completed more than one IMPARTS screening ... [Read more...](#)

38. Fathering dynamics: Linking depressive symptomology, parenting stress, and paternal warmth with beliefs in paternal role

18-04-2024 - *National Library of Medicine*

Research has established the impact of paternal depression on fathering behaviors and child outcomes. Despite this, less is known about the mechanisms linking paternal depressive symptomology to paternal warmth, particularly regarding the role of parenting stress and beliefs in the centrality of the paternal role. The aim of this study was to examine factors potentially associated with ...
[Read more...](#)

39. Factors Associated With Anxiety and Depression in Persons With Epilepsy (PWE)

18-04-2024 - *National Library of Medicine*

CONCLUSION: Identifying factors associated with anxiety and depression is essential for PWE to receive appropriate support. [Read more...](#)

40. Longitudinal changes in depression and anxiety during the COVID-19 pandemic and the impact of COVID-related factors

18-04-2024 - *National Library of Medicine*

CONCLUSION: While the fallout of the pandemic continues, it is important to understand how these factors may be affecting mental health to better understand where intervention is necessary. [Read more...](#)

41. The Impact of the COVID-19 Pandemic on Depression, Anxiety, and Stress among Black Women with Depressive Symptoms at a Federally Qualified Health Center

18-04-2024 - National Library of Medicine

While the COVID-19 pandemic disproportionately impacted Black American communities, there is a lack of empirical research examining mental health experiences during the COVID-19 pandemic among this population. This report examines the relationship between the COVID-19 pandemic and stress, depression, and anxiety among Black women. A cohort study with supplementary data was conducted among 45 ... [Read more...](#)

42. Anxiety, depression, urinary continence, and sexuality in patients undergoing radical prostatectomy: preliminary findings

18-04-2024 - National Library of Medicine

CONCLUSIONS: In the early post-surgical phase anxiety and ED are the most frequently detected components, while depressive experiences and decreased desire, typical of later stages, have not yet fully emerged. [Read more...](#)

43. Depression and anxiety are not associated with migraine outcomes in children and adolescents

18-04-2024 - National Library of Medicine

No abstract [Read more...](#)

44. Dissecting the shared genetic landscape of anxiety, depression, and schizophrenia

18-04-2024 - National Library of Medicine

CONCLUSIONS: Our study indicates genetic correlations and shared risk loci between anxiety, depression, and schizophrenia. These findings offer insights into the underlying mechanisms of their comorbidities and aid in drug development. [Read more...](#)

45. Cost-effectiveness of therapist-assisted internet-delivered psychological therapies for PTSD differing in trauma focus in England: an economic evaluation based on the STOP-PTSD trial

17-04-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 5, 2024 May, Pages 339-347 | Penington, Ed, MSc Wild, Jennifer, Prof Warnock-Parkes, Emma, DClinPsy...SummaryBackgroundAlthough there are effective psychological treatments for post-traumatic stress disorder (PTSD), they remain inaccessible for many people. Digitally enabled therapy is a way to overcome this problem however, there is little evide... [Read more...](#)

46. Susceptibility to stress and nature exposure: Unveiling differential susceptibility to physical environments a randomized controlled trial

17-04-2024 - Public Library of Science (PLoS)

by Aaron M. Eisen, Gregory N. Bratman, Hector A. Olvera-Alvarez Background Emerging epidemiological evidence indicates nature exposure could be associated with greater health benefits among groups in lower versus higher socioeconomic positions. One possible mechanism underpinning this evidence is described by our framework: (susceptibility) adults in low socioeconomic positions face higher ... [Read more...](#)

47. Serum levels of the steroid hormone dehydroepiandrosterone (DHEA) are associated with psychological trauma and lymphocyte telomere integrity in women suffering from depression

17-04-2024 - *National Library of Medicine*

CONCLUSION: The current findings suggest a potential role of DHEA as a biological resilience factor that may exert beneficial effects on telomere integrity, especially in conditions related to distress. [Read more...](#)

48. Trait-anxiety, depressive symptoms, family support and life satisfaction as determinants conditioning the degree of adherence of people in pre-older adults and older adults

17-04-2024 - *National Library of Medicine*

The objective of the study was to determine the degree of adherence to pharmacological treatment in people in pre-older adults and older adults age groups and to analyse the correlation between selected sociodemographic parameters, severity of anxiety as a trait, symptoms of depression, a sense of family support and satisfaction with life, and adherence in people over 55 years of age. [Read more...](#)

49. Unraveling the distinction between depression and anxiety: A machine learning exploration of causal relationships

17-04-2024 - *National Library of Medicine*

CONCLUSION: Incorporating the simplified SCL-90 and machine learning presents a promising, efficient, and cost-effective tool for the precise identification of depression and anxiety. [Read more...](#)

50. Post-COVID anxiety, depression, and quality of life among Egyptian hemodialysis patients

17-04-2024 - *National Library of Medicine*

CONCLUSION: Past-COVID infection did not influence depression and anxiety symptoms in HD patients. Sexual and physical functioning were more affected among COVID-survivors. [Read more...](#)

51. The therapeutic effectiveness of artificial intelligence-based chatbots in alleviation of depressive and anxiety symptoms in short-course treatments: A systematic review and meta-analysis

17-04-2024 - *National Library of Medicine*

CONCLUSION: This meta-analysis highlights the promising role of AI-based chatbot interventions in alleviating depressive and anxiety symptoms among adults. Our results indicate that these interventions can yield substantial improvements over a relatively brief treatment period. [Read more...](#)

52. Interventions for anxiety and depression in patients with atopic dermatitis: a systematic review and meta-analysis

17-04-2024 - *National Library of Medicine*

Atopic dermatitis (AD) is a chronic inflammatory skin disease that is associated with anxiety and depression. Few studies have addressed interventions for symptoms of anxiety and depression in this population. To determine the efficacy of interventions for anxiety and depression in patients with AD. PubMed, MEDLINE, EMBASE, and PsycINFO were searched from inception to November 2023. [Read more...](#)

53. The impact of cultural stress on family functioning among Puerto Rican displaced families and the effect on mental health

17-04-2024 - *National Library of Medicine*

Hurricane María caused significant devastation on the island of Puerto Rico, impacting thousands of lives. Puerto Rican crisis migrant families faced stress related to displacement and relocation (cultural stress), often exhibited mental health symptoms, and experienced distress at the family level. Although cultural stress has been examined as an individual experience, ... [Read more...](#)

54. Development of mental health first-aid guidelines for a person after a potentially traumatic event: A Delphi expert consensus study in Argentina and Chile

17-04-2024 - *National Library of Medicine*

CONCLUSIONS: The study showed a high level of acceptance of the original actions suggested for inclusion in the guidelines for Australia, but also a significant number of new statements that highlight the importance of the adaptation process. Further research on the dissemination of these guidelines into a Mental Health First Aid training course for Chile and Argentina is still required. [Read more...](#)

55. Prolonged grief in relatives of deceased patients due to COVID-19 is associated with anxiety and depressive symptoms: A survey-based study in Peru

17-04-2024 - *National Library of Medicine*

CONCLUSION: Our results suggest a clear association between prolonged grief and mental health issues among relatives of COVID-19 patients who have passed away. Consequently, it is imperative to provide comprehensive psychological and spiritual support throughout the grieving process, aiming to mitigate the negative impact of traumatic events. [Read more...](#)

56. Brain structure and functional connectivity linking childhood cumulative trauma to COVID-19 vicarious traumatization

17-04-2024 - *John Wiley & Sons*

Journal of Child Psychology and Psychiatry, EarlyView. [Read more...](#)

57. Progressive Muscle Relaxation Alleviates Anxiety and Improves Sleep Quality Among Healthcare Practitioners in a Mobile Cabin Hospital: A Pre-Post Comparative Study in China

17-04-2024 - *Frontiers*

Yuding Luo Juan Du Junqiu Wang Pingchuan Liu Zhongli Shi Yu He Guangyao Che Ke Huang Jian Wang [Read more...](#)

58. Positive psychotherapy and cognitive behavioral therapy in anxiety patients – A study protocol for a randomized control trial in an online group setting

16-04-2024 - *Public Library of Science (PLoS)*

by Catiana L. Engelhardt, Marina Meier, Sabrina Keller, Anton-Rupert Laireiter
Background Anxiety disorders are common and debilitating which is why treatment is so important. According to the guidelines, Cognitive Behavioral Therapy (CBT) has the highest level of effectiveness among psychotherapeutic treatments and is the recommended procedure. However, not everyone responds well or at all ... [Read more...](#)

59. Dispositional factors in the explanation of symptoms of depression, anxiety, health anxiety and COVID-19 Phobia

16-04-2024 - *Public Library of Science (PLoS)*

by Eric Mayor, Roselind Lieb Maladaptive personality, the motivational systems, and intolerance of uncertainty play important roles in the statistical explanation of

depression and anxiety. Here, we notably examined for the first time whether symptoms of depression, anxiety, health anxiety, and fear of COVID-19 share similar associations (e.g., variance explained) with these important ... [Read more...](#)

60. The relationship between interoceptive emotional awareness, neuroticism, and depression, anxiety, and stress

16-04-2024 - National Library of Medicine

COVID-19 has caused challenges to daily living globally, with profound implications for negative mood. A variety of state and trait-based factors can influence how a person may respond and adapt to challenges such as a global pandemic. Personality is an area impacting how a person responds to both internal and external situations (trait) and Emotional Awareness (EA) is a facet of ... [Read more...](#)

61. Correlation Between Medically Diagnosed Anxiety and Depression Disorder and Self-Reported Breast Implant Illness

16-04-2024 - National Library of Medicine

CONCLUSIONS: Implications of this study highlight the need for comprehensive counseling between plastic surgeons and patients with self-reported BII symptoms. Understanding the role of anxiety/depression in the pathogenesis of self-reported BII is crucial, and collaboration with psychiatrists and other mental health professionals can ensure improved supportive care. [Read more...](#)

62. Youth adversity and trajectories of depression/anxiety symptoms in adolescence in the context of intersectionality in the United Kingdom

16-04-2024 - National Library of Medicine

CONCLUSIONS: The detrimental effects of youth adversity pervade across intersectionality profiles. The extent to which these effects are moderated by intersectionality is discussed in terms of operational factors. The current results provide a platform for further research, which is needed to determine the importance of intersectionality as a moderator of youth adversity on the development of ... [Read more...](#)

63. The effect of Tai Chi/Qigong on depression and anxiety symptoms in adults with Cancer: A systematic review and meta-regression

16-04-2024 - National Library of Medicine

CONCLUSIONS: TCQ practice exhibits small-to-moderate efficacy in alleviating depression and anxiety symptoms among cancer patients and survivors. Moreover, patients with depressive symptoms for whom TCQ intervention coupled with improvements in function-related outcomes manifested greater antidepressant effect. [Read more...](#)

64. Social support, distress, stress, anxiety, and depression as predictors of suicidal thoughts among selected university students in Bangladesh

16-04-2024 - National Library of Medicine

This study examines the association of perceived social support with suicidal thoughts among a young adult sample of university students and estimates the degree to which perceived stress, distress, anxiety, and depression may explain the association. A cross-sectional survey was conducted from June to September 2022 among 642 students, selected using the probability proportional to size ... [Read more...](#)

65. The Potential Role of Aripiprazole Augmentation for Major Depressive Disorder with Anxious Distress in Naturalistic Treatment Setting

16-04-2024 - National Library of Medicine

CONCLUSION: : This study has shown additional benefit of ARPA treatment for MDDA patients in routine practice. However, adequately-powered and well-controlled studies are necessary for generalization of the present findings. [Read more...](#)

66. Young adults from disadvantaged groups experience more stress and deterioration in mental health associated with polycrisis

16-04-2024 - National Library of Medicine

The recent polycrisis (COVID-19, Ukraine war, climate change, economic crisis) has been associated with mental health through cumulative stress, with young people being particularly vulnerable. We surveyed 403 college students from Poland to examine their psychological responses to the experienced crises. The results showed that polycrisis was associated with worse mental health of college ... [Read more...](#)

[Back to Top](#)

Post Traumatic Stress Disorder

Post Traumatic Stress Disorder

1. Single-Nucleus Transcriptome Profiling from the Hippocampus of a PTSD Mouse Model and CBD-Treated Cohorts

27-04-2024 - National Library of Medicine

Post-traumatic stress disorder (PTSD) is the most common psychiatric disorder after a catastrophic event however, the efficacious treatment options remain insufficient. Increasing evidence suggests that cannabidiol (CBD) exhibits optimal therapeutic effects for treating PTSD. To elucidate the cell-type-specific transcriptomic pathology of PTSD and the mechanisms of CBD against this disease, ... [Read more...](#)

2. The effects of an intensive outpatient treatment for PTSD

26-04-2024 - National Library of Medicine

Introduction: Research has shown that combining different evidence-based PTSD treatments for patients with PTSD in an intensive inpatient format seems to be a promising approach to enhance efficiency and reduce generally high dropout rates. Objective: To assess the effectiveness of an intensive six-day outpatient trauma-focused treatment for patients with PTSD. Method: Data from 146 patients (89. [Read more...](#)

3. Health economics of psychological interventions in PTSD

17-04-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 5, 2024 May, Pages 313-314 | Dams, Judith Mental illness has a substantial economic impact heterogeneous courses of illness require different treatment approaches and durations in care, which have a notable effect on health-care costs. The high costs associated with mental illness are of... [Read more...](#)

4. The Effect of Cognitive Fusion on Change in PTSD and Depression Symptom Severity in Veterans Engaged in Group Psychotherapy

17-04-2024 - National Library of Medicine

Cognitive fusion occurs when people experience their thoughts as literally true and allow them to dictate behavior. Fusion has been shown to be associated with increased symptoms of post-traumatic stress disorder (PTSD) and depression however, the association between change in cognitive fusion, PTSD, and depression symptoms has been relatively uninvestigated. [Read more...](#)

5. Plasma and Platelet Brain-Derived Neurotrophic Factor (BDNF) Levels in Bipolar Disorder Patients with Post-Traumatic Stress Disorder (PTSD) or in a Major Depressive Episode Compared to Healthy Controls

28-03-2024 - *National Library of Medicine*

Post-traumatic stress disorder (PTSD) is a highly disabling mental disorder arising after traumatism exposure, often revealing critical and complex courses when comorbidity with bipolar disorder (BD) occurs. To search for PTSD or depression biomarkers that would help clinicians define BD presentations, this study aimed at preliminarily evaluating circulating brain-derived-neurotrophic factor ... [Read more...](#)

[Back to Top](#)

Psychosis

Psychosis

1. Ethnic density and first episode psychosis in the British Pakistani population: findings from the East Lancashire Early Intervention Service

27-04-2024 - *Ovid*

Author Names: Qi R., Qureshi M., Gire N., Chaudhry I.B., Vass V., McIntyre J.C., Barlow K., Bentall R.P., White R.G., Husain N. Database Source: Embase Daily Updates Journal Title: British Journal of Psychiatry, British Journal of Psychiatry Article Title: Ethnic density and first episode psychosis in the British Pakistani population: findings from the East Lancashire Early Intervention Service Year: ... [Read more...](#)

2. Integrating Clinical Neuropsychology and Psychotic Spectrum Disorders: A Systematic Analysis of Cognitive Dynamics, Interventions, and Underlying Mechanisms

27-04-2024 - *National Library of Medicine*

Background and Objectives: The study aims to provide a comprehensive neuropsychological analysis of psychotic spectrum disorders, including schizophrenia, bipolar disorder, and depression. It focuses on the critical aspects of cognitive impairments, diagnostic tools, intervention efficacy, and the roles of genetic and environmental factors in these disorders. [Read more...](#)

3. Topological Perturbations in the Functional Connectome Support the Deficit/Non-deficit Distinction in Antipsychotic Medication-Naïve First Episode Psychosis Patients

26-04-2024 - *National Library of Medicine*

CONCLUSIONS: Our data supports increasing evidence, based on topological perturbations of the functional connectome, that deficit syndrome may be a distinct form of the illness. [Read more...](#)

4. Persistent negative symptoms in young people at clinical high risk of psychosis treated with an Italian early intervention program: a longitudinal study

26-04-2024 - *National Library of Medicine*

Negative symptoms in CHR-P people are generally not responsive to treatments and commonly related to poorer functional outcome. However, less research attention has been dedicated to Persistent Negative Symptoms (PNS), defined as clinically stable negative symptoms of moderate severity evident for at least 6 months. This study aims to (a) determine the prevalence of PNS in a sample of young ... [Read more...](#)

5. Exploring Psychosis in Neurodegenerative Dementia: Connecting Symptoms to Neurobiology

26-04-2024 - *National Library of Medicine*

The following commentary discusses a review by Cressot et al. entitled: 'Psychosis in Neurodegenerative Dementias: A Systematic Comparative Review'. The authors describe the epidemiology and phenomenology of psychosis across neurodegenerative dementias. Dementia with Lewy bodies had the highest reported prevalence of psychosis at 74% followed by Alzheimer's disease, ... [Read more...](#)

6. Psychosis in Neurodegenerative Dementias: A Systematic Comparative Review

26-04-2024 - *National Library of Medicine*

CONCLUSIONS: Literature data suggest that different ND are associated with noticeable variations in psychotic phenotypes, reflecting disease-specific tendencies. Further studies focusing on the early stages of these disorders are necessary to enhance our understanding of early psychotic manifestations associated with ND and help in differential diagnosis issues. [Read more...](#)

7. Editorial: Psychosis in low- and middle-income countries (LMIC)

25-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

8. Exploring the Role of Serum Hydrogen Sulphide (H₂S) Levels in Manic Depressive Psychosis in Terms of Its Association, Diagnostic Ability, and Severity Prediction: Findings From a Tertiary Care Center in North Bengal

25-04-2024 - *National Library of Medicine*

CONCLUSION: The significant association of the gasotransmitter H₂S in MDP patients and its role as a diagnostic and severity predictive marker can help us to employ proper measures for better management of MDP and improving quality of life. [Read more...](#)

9. The impact of spectral basis set composition on estimated levels of cingulate glutamate and its associations with different personality traits

25-04-2024 - *BioMed Central*

1H-MRS is increasingly used in basic and clinical research to explain brain function and alterations respectively. In psychosis research it is now one of the main tools to investigate imbalances in the glutamat..... [Read more...](#)

10. Repetitive transcranial magnetic stimulation can improve negative symptoms and/or neurocognitive impairments in the first psychosis episode: A randomized controlled trial

24-04-2024 - *National Library of Medicine*

CONCLUSIONS: The 1-Hz right OFC cortex rTMS is more effective in reducing negative symptoms than neurocognitive impairments. It is especially effective in patients with dominantly negative symptoms in FEP. [Read more...](#)

11. Effects of diazepam on hippocampal blood flow in people at clinical high risk for psychosis

24-04-2024 - *National Library of Medicine*

Elevated hippocampal perfusion has been observed in people at clinical high risk for psychosis (CHR-P). Preclinical evidence suggests that hippocampal hyperactivity is central to the pathophysiology of psychosis, and that peripubertal treatment with diazepam can prevent the development of psychosis-relevant phenotypes. The present experimental medicine study examined whether diazepam can ... [Read more...](#)

12. Development and initial validation of the cannabis-related psychosis risk literacy scale (CPRL): a multinational psychometric study

19-04-2024 - *BioMed Central*

Public education efforts to address and reduce potential harms from cannabis use in Arab countries are either slow or inexistent, and do not follow the steadily increasing trends of cannabis use in Arab youth.... [Read more...](#)

13. Trace amine-associated receptor 1 (TAAR1) agonists for psychosis: protocol for a living systematic review and meta-analysis of human and non-human studies

18-04-2024 - *National Library of Medicine*

BACKGROUND: There is an urgent need to develop more effective and safer antipsychotics beyond dopamine 2 receptor antagonists. An emerging and promising approach is TAAR1 agonism. Therefore, we will conduct a living systematic review and meta-analysis to synthesize and triangulate the evidence from preclinical animal experiments and clinical studies on the efficacy, safety, ... [Read more...](#)

14. Implementation of Cognitive Behavioral Therapy for psychosis via telehealth: An expert consultation and clinical service model

18-04-2024 - *National Library of Medicine*

Individuals living with psychosis are often underserved in the United States, partly due to the dearth of providers trained in evidence-based practices for this population. One such practice is Cognitive Behavioral Therapy for psychosis, which the Substance Abuse and Mental Health Services Administration has identified as a standard of care for this population. [Read more...](#)

15. Editorial: Psychoneuroendocrinology of psychosis disorders, volume II

18-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

16. Identify Potential Causal Relationships Between Cortical Thickness, Mismatch Negativity, Neurocognition, and Psychosocial Functioning in Drug-Naive First-Episode Psychosis Patients

18-04-2024 - *National Library of Medicine*

CONCLUSIONS: Bilateral CT_STG showed significant association with MMN, and MMN plays a mediating role between CT and cognition. Both MMN alone and its interaction with cognition mediated the effects of structural alterations on psychosocial function. The decline in overall function in FEP may stem from decreased CT_STG, leading to subsequent MMN deficits and neurocognitive dysfunction. [Read more...](#)

17. Association of early-life exposure to air and noise pollution with youth mental health: findings from the ALSPAC cohort

18-04-2024 - National Library of Medicine

BACKGROUND: Increasing evidence suggests that air pollution exposure contributes to the development of mental health problems, including psychosis and depression. However, little is known about the importance of early-life exposure, nor the potential role of noise pollution, a correlate of air pollution. We examined the association of exposure to air and noise pollution from pregnancy to age ... [Read more...](#)

18. Over 30 years of STEP: The Pittsburgh experience with first-episode psychosis

18-04-2024 - National Library of Medicine

CONCLUSIONS: STEP remains the largest academic FEP clinic in Pennsylvania. Academic FEP clinics like STEP will have a critical role within Learning Health Systems nationally to model participatory approaches, sustain early intervention treatment quality and ongoing treatment developments. [Read more...](#)

19. Blended care in psychosis - A systematic review

18-04-2024 - National Library of Medicine

Blended-care, a psychosocial intervention combining traditional, face-to-face therapy with digital mental health tools, has shown potential for improving therapeutic processes, fostering patient engagement, and augmenting clinical outcomes. This systematic review aimed to evaluate the development and effectiveness of blended-care interventions tailored for adults diagnosed with ... [Read more...](#)

20. The Loss of Spatiality and Temporality in Twilight Consciousness: The Emergence of Exogenous Psychosis Induced by Novel Psychoactive Substances

17-04-2024 - National Library of Medicine

BACKGROUND: The state of twilight consciousness is marked by a focused narrowing of awareness, maintaining vigilance and attention while simultaneously experiencing perceptual shifts in the surrounding environment. It is crucial to recognize that this twilight state represents not just a contraction but also an expansion of conscious experience. [Read more...](#)

21. Longitudinal trajectories of plasma polyunsaturated fatty acids and associations with psychosis-spectrum outcomes in early adulthood

17-04-2024 - National Library of Medicine

CONCLUSIONS: Optimisation of PUFA status during development warrants further investigation in relation to psychotic symptoms in early adulthood. [Read more...](#)

22. Evaluating remote delivery of cognitive remediation in people with psychosis

17-04-2024 - National Library of Medicine

CONCLUSIONS: Our results support the use of remote CR in psychosis services as an alternative delivery modality. This method may improve adherence, attendance and be more convenient for service users. Possible barriers such as poor digital literacy or appropriate device ownership should be addressed before starting therapy. [Read more...](#)

23. Nomenclature for psychosis risk in Japan: Survey results from high-risk individuals, caregivers, and mental health professionals

17-04-2024 - National Library of Medicine

CONCLUSION: The term ARMS-kokoro was commonly accepted as a favorable labeling term for the high-risk state for psychosis in Japan. However, another

translation ARMS-psychosis was considered stigmatizing, demonstrating the importance of appropriate translation of high-risk terminology into local languages. [Read more...](#)

24. Assessing the fidelity of supported education programs for first-episode psychosis to the supported employment guidelines adapted for education

16-04-2024 - *National Library of Medicine*

CONCLUSION: The results suggest that supported education services offered to young people with psychotic disorders in the six sites are generally consistent with SEP guidelines adapted to education. Further research is warranted to validate whether acceptable SEP guidelines fidelity according to the QSEDIS translates into educational outcomes. [Read more...](#)

25. Mirtazapine Monotherapy for Antipsychotics-refractory Psychosis in a Patient with Very-late-onset Schizophrenia-like Psychosis: A Case Report

16-04-2024 - *National Library of Medicine*

Very-late-onset schizophrenia-like psychosis (VLOSLP) is a condition in which psychotic symptoms emerge after the age of 60 years. Given its heterogeneous nature, VLOSLP remains a diagnostic and therapeutic dilemma. Here, we report a case of a 68-year-old patient with psychosis refractory to antipsychotics who was successfully treated with mirtazapine monotherapy. [Read more...](#)

26. Acute Onset of Mania and Psychosis in the Context of Long-COVID: A Case Study

15-04-2024 - *National Library of Medicine*

Acute phase COVID-19 has been associated with an increased risk for several mental health conditions, but less is known about the interaction of long COVID and mental illness. Prior reports have linked long COVID to PTSD, depression, anxiety, obsessive compulsive symptoms, and insomnia. This case report describes a novel presentation of mania arising in the context of long COVID symptoms with ... [Read more...](#)

27. Duration of untreated psychosis and its associated sociodemographic and clinical factors in first-episode psychosis: A study from Eastern Nepal

15-04-2024 - *National Library of Medicine*

CONCLUSION: Duration of untreated psychosis in first-episode psychotic patients was relatively long (compared to studies in other countries), and was found to be positively associated with mountainous regions of Nepal, being unemployed, having an insidious onset of illness, and having a diagnosis of schizophrenia. Programs and educational efforts are needed to ensure early treatment of ... [Read more...](#)

28. Reactive psychoses in the context of the COVID-19 pandemic: Clinical perspectives from a case series

15-04-2024 - *National Library of Medicine*

CONCLUSIONS: We may now be witnessing an increasing number of brief reactive psychotic disorders as a result of the COVID-19 pandemic. This type of psychosis has a high risk of suicidal behavior and, although short-lived, has a high rate of psychotic recurrence and low diagnostic stability over time. Therefore, we advocate close monitoring in both the acute phase and long-term follow-up of ... [Read more...](#)

29. Assessing Trial-by-Trial Electrophysiological and Behavioral Markers of Attentional Control and Sensory Precision in Psychotic and Mood Disorders

14-04-2024 - National Library of Medicine

CONCLUSIONS: These results confirm the elevated attention lapse rate that has been observed in SZ, validate pre-stimulus EEG markers of attentional control and their use as a predictor of behavior on a trial-by-trial basis, and suggest that aperiodic contributions to the EEG signal are an important target for further research in this area, in addition to alpha-band activity. [Read more...](#)

30. Moderating and mediating effects of resilience between childhood trauma and psychotic-like experiences among college students

12-04-2024 - BioMed Central

Extensive literature revealed that childhood trauma serves as a significant risk factor for developing psychotic-like experiences (PLEs) among the general population. Resilience has been regarded as a protecti... [Read more...](#)

31. Speech based natural language profile before, during and after the onset of psychosis: A cluster analysis

10-04-2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

32. Steroids: Trust failed to inform patient who had psychotic episode about side effects, says ombudsman

10-04-2024 - British Medical Journal

A man who experienced a psychotic episode that lasted for weeks should have been informed of the potential extreme side effects of taking steroids, England's health ombudsman has said. The ombudsman partially upheld a complaint against Manchester University NHS Foundation Trust for not following relevant guidelines and for missing the opportunity to inform the 61 year old patient about the ... [Read more...](#)

33. Adolescent Media Use and Psychotic Experiences

10-04-2024 - The JAMA Network

This cohort study examines data for participants of the Québec Longitudinal Study of Child Development to analyze adolescent trajectories of media use for associations with psychotic experiences during early adulthood. [Read more...](#)

34. Adverse Events Reporting in Digital Interventions Evaluations for Psychosis: A Systematic Literature Search and Individual Level Content Analysis of Adverse Event Reports

06-04-2024 - National Library of Medicine

CONCLUSIONS: The results support the safety of DHIs, but AEs must be routinely monitored and evaluated according to best practice. Individual-level analyses of AEs have merit to understand safety in this emerging field. Recommendations for best practice reporting in future studies are provided. [Read more...](#)

35. Mindfulness Teacher Trainees' Experiences (MTTE): An investigation of intense experiences in mindfulness-based interventions

05-04-2024 - Public Library of Science (PLoS)

by Erik Jönhagen, Tim Wood, Maria Niemi, Julieta Galante With the increasing interest in mindfulness practices within clinical as well as non-clinical settings and the increasing body of research on the positive effects of mindfulness, concerns have been raised that mindfulness might also produce adverse effects including intense experiences and psychosis. The aim of this study was to ... [Read more...](#)

36. Effects of Benzodiazepine Exposure on Real-World Clinical Outcomes in Individuals at Clinical High Risk for Psychosis

03-04-2024 - *National Library of Medicine*

CONCLUSIONS: BDZ exposure in CHR-P individuals was not associated with a reduction in the risk of psychosis transition or adverse clinical outcomes. Results in the whole-unmatched sample suggest BDZ prescription may be more likely in CHR-P individuals with higher symptom severity. [Read more...](#)

37. Problem gambling in psychotic disorders: A systematic review and meta-analysis of prevalence

02-04-2024 - *John Wiley & Sons*

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

38. Methadone Withdrawal-Induced Psychosis: A Case Report

01-04-2024 - *National Library of Medicine*

Methadone is a synthetic full μ -opioid receptor agonist and N-methyl-D-aspartate antagonist given to patients who have recently stopped using illicit opioids or are tapering off chronic opioid pain medication. Maintenance treatment with methadone is today the most widespread and effective way to treat opiate addiction, which achieves abstinence, decreases morbidity and mortality, ... [Read more...](#)

39. The Synergy of Mediation and Lifestyle Medication: A New Horizon in Mental Health Treatment

01-04-2024 - *National Library of Medicine*

Mental health conditions range from mood disturbances like depression and bipolar disorder to anxiety and psychotic disorders, eating disorders, and ADHD. Treatment plans traditionally involve pharmaceutical interventions. However, the emerging concept of lifestyle medicine can be an additive strategy for mental health management. The primary aim of this article is to dive into the use of ... [Read more...](#)

40. An Open Conversation About Postpartum Psychosis: An Interview with Jessie Hunt: Communications Lead, Advocate, and Expert by Experience

01-04-2024 - *National Library of Medicine*

Postpartum psychosis is a mental illness that is often misunderstood and stigmatized and can have a devastating impact on the women affected and their families, particularly when not identified and treated early on. The first-person perspective of experiencing a mental illness such as postpartum psychosis is remarkably powerful and can shed light on some of the hidden or misunderstood aspects ... [Read more...](#)

41. Distinct multimodal biological and functional profiles of symptom-based subgroups in recent-onset psychosis

01-04-2024 - *National Library of Medicine*

Symptom heterogeneity characterizes psychotic disorders and hinders the delineation of underlying biomarkers. Here, we identify symptom-based subtypes of recent-onset psychosis (ROP) patients from the multi-center PRONIA (Personalized Prognostic Tools for Early Psychosis Management) database and explore their multimodal biological and functional signatures. We clustered N = 328 ROP patients ... [Read more...](#)

42. Occult Lung Cancer-Associated Autoimmune Encephalitis Presenting as Acute Psychosis

30-03-2024 - National Library of Medicine

During deployment, a 52-year-old male developed acute behavioral changes. Though initially considered to have PTSD and related agitation and confusional state, his evaluation was consistent with acute encephalopathy. Magnetic resonance imaging of the brain showed T2 hyperintensities, and CSF analysis was positive for anti-N-methyl-D-aspartate receptor antibody. [Read more...](#)

43. Positive and negative symptoms in methamphetamine-induced psychosis compared to schizophrenia: A systematic review and meta-analysis

30-03-2024 - National Library of Medicine

CONCLUSIONS: Negative symptoms are less prominent in individuals with MIP. While both groups do not differ regarding positive symptoms, raises the possibility of shared and partly different underlying neurobiological mechanisms related to MIP and schizophrenia. [Read more...](#)

44. Association between cytokines and suicidality in patients with psychosis: A multicentre longitudinal analysis

29-03-2024 - National Library of Medicine

Suicide is a common cause of death in all phases of schizophrenia spectrum disorder, particularly in the youngest patients. Clinical measures have demonstrated limited value in suicide prediction, spurring the search for potential biomarkers. The causes of suicidal behaviour are complex, but the immune system seems to be involved as it reflects or even causes mental suffering. [Read more...](#)

45. Subgroups of Clinical High Risk for Psychosis Based on Baseline Antipsychotic Exposure: Clinical and Outcome Comparisons Across a 2-Year Follow-up Period

29-03-2024 - National Library of Medicine

CONCLUSIONS: Our results suggest that baseline AP need is an important prognostic parameter in CHR-P and should be considered in risk/benefit calculators. [Read more...](#)

46. Therapeutic stance towards persons with psychosis - a Grounded Theory study

29-03-2024 - National Library of Medicine

CONCLUSION: These findings specify the interpersonal dynamics arising from different stances and their impact on the therapeutic alliance and process. Research is still needed to further understand the characteristics of helpful and hindering therapeutic stances, which should also inform the training of psychotherapists. [Read more...](#)

47. Clinical experiences of guided tapering of antipsychotics for patients with schizophrenia— a case series

29-03-2024 - BioMed Central

80% of patients value information on treatment options as an important part of recovery, further patients with a history of psychotic episodes feel excluded from decision making about their antipsychotic treat... [Read more...](#)

48. The hierarchical taxonomy of psychopathology in clinical high risk for psychosis: Validation and extension

28-03-2024 - National Library of Medicine

The Hierarchical Taxonomy of Psychopathology (HiTOP) consortium's transdiagnostic dimensional model of psychopathology has considerable support

however, this model has been underresearched in individuals at clinical high risk for psychosis (CHR-P), a population that may advance the model. CHR-P individuals not only have attenuated psychotic symptoms that vary in severity, ... [Read more...](#)

49. Tobacco smoking and nicotine vaping in persons with first episode psychosis

28-03-2024 - *National Library of Medicine*

Tobacco smoking is highly prevalent in persons with psychosis and is the leading cause of preventable mortality in this population. Less is known about tobacco smoking in persons with first episode psychosis (FEP) and there have been no estimates about the prevalence of nicotine vaping in FEP. This study reports rates of tobacco smoking and nicotine vaping in young people with FEP enrolled in ... [Read more...](#)

50. ENIGMA Brain Morphometry in CHR-P—Risk Enrichment and Antipsychotics—Reply

14-02-2024 - *The JAMA Network*

In Reply We thank Raballo and colleagues for their insightful comments on our article. We appreciate their recognition of the substantial sample size of individuals at clinical high risk for psychosis, provided by the ENIGMA Consortium working group, which significantly enhanced the statistical robustness of our study design. [Read more...](#)

51. ENIGMA Brain Morphometry in CHR-P—Risk Enrichment and Antipsychotics

14-02-2024 - *The JAMA Network*

To the Editor The study of the ENIGMA Clinical High Risk for Psychosis Working Group adopted a case-control design to address a crucial question in the field, ie, whether brain morphometric changes are associated with the severity of positive symptoms or subsequent transition to a psychotic disorder. [Read more...](#)

[Back to Top](#)

Schizophrenia

Schizophrenia

1. Brain Abnormalities in Schizophrenia: A Comparative Imagistic Study

27-04-2024 - *National Library of Medicine*

Background and Objectives: Neuroimaging reveals a link between psychiatric conditions and brain structural-functional changes, prompting a paradigm shift in viewing schizophrenia as a neurodevelopmental disorder. This study aims to identify and compare structural brain changes found during the first schizophrenia episode with those found after more than 5 years of illness. [Read more...](#)

2. The Genomic Intersection of Oligodendrocyte Dynamics in Schizophrenia and Aging Unravels Novel Pathological Mechanisms and Therapeutic Potentials

27-04-2024 - *National Library of Medicine*

Schizophrenia is a significant worldwide health concern, affecting over 20 million individuals and contributing to a potential reduction in life expectancy by up to 14.5 years. Despite its profound impact, the precise pathological mechanisms underlying schizophrenia continue to remain enigmatic, with previous research yielding diverse and occasionally conflicting findings. [Read more...](#)

3. MicroRNA-Mediated Suppression of Glial Cell Line-Derived Neurotrophic Factor Expression Is Modulated by a Schizophrenia-Associated Non-Coding Polymorphism

27-04-2024 - *National Library of Medicine*

Plasma levels of glial cell line-derived neurotrophic factor (GDNF), a pivotal regulator of differentiation and survival of dopaminergic neurons, are reportedly decreased in schizophrenia. To explore the involvement of GDNF in the pathogenesis of the disease, a case-control association analysis was performed between five non-coding single nucleotide polymorphisms (SNP) across the GDNF gene ... [Read more...](#)

4. Parkinsonism, Psychomotor Slowing, Negative and Depressive Symptoms in Schizophrenia Spectrum and Mood Disorders: Exploring Their Intricate Nexus Using a Network Analytic Approach

26-04-2024 - *National Library of Medicine*

CONCLUSIONS: The relationships between the individual domains followed a similar pattern in both SSD and MOD highlighting their transdiagnostic relevance. Despite evident phenomenological similarities, our results suggested that parkinsonism is more independent of negative and depressive symptoms than psychomotor slowing in both SSD and MOD. [Read more...](#)

5. HIV Viral Suppression Among Psychiatric Inpatients with Schizophrenia in San Francisco: A Retrospective Cohort Study

25-04-2024 - *National Library of Medicine*

People with schizophrenia are at increased risk for contracting HIV and face higher mortality rates compared with the general population. Viral suppression is key to HIV care, yet little is known about this metric among people with HIV and schizophrenia. A chart review was conducted among people with HIV/AIDS and schizophrenia living in San Francisco who had received inpatient mental health ... [Read more...](#)

6. Relationship of Major Depressive Disorder and Schizophrenia Polygenic Risk Scores to Suicide: A Comparison Between European and Asian Ancestry Populations

25-04-2024 - *National Library of Medicine*

Psychiatric diagnosis rates in suicide decedents appear higher in European ancestry populations compared with East Asians. Shared genetic components exist between major depressive disorder (MDD)/schizophrenia (SCZ) and suicide, but no study has compared these shared polygenic architectures between Europeans and East Asians. We compared polygenic risk scores (PRSs) for MDD/SCZ determined from ... [Read more...](#)

7. An Exploration of Depression and Aggression Among Patients with Schizophrenia in China Rural Community

25-04-2024 - *National Library of Medicine*

CONCLUSION: This study suggests that aggression is more common in patients with stable schizophrenia, and lower levels of education and higher levels of depression are associated risk factors for its occurrence. Living alone may be helpful in reducing the likelihood of aggression. [Read more...](#)

8. Multimodal workflows optimally predict response to repetitive transcranial magnetic stimulation in patients with schizophrenia: a multisite machine learning analysis

25-04-2024 - National Library of Medicine

The response variability to repetitive transcranial magnetic stimulation (rTMS) challenges the effective use of this treatment option in patients with schizophrenia. This variability may be deciphered by leveraging predictive information in structural MRI, clinical, sociodemographic, and genetic data using artificial intelligence. We developed and cross-validated rTMS response prediction ... [Read more...](#)

9. Correction to: Spatial and Temporal Abnormalities of Spontaneous Fixational Saccades and Their Correlates With Positive and Cognitive Symptoms in Schizophrenia

25-04-2024 - National Library of Medicine

No abstract [Read more...](#)

10. Oral health of people with emotional disorders: A systematic review and meta-analysis

25-04-2024 - National Library of Medicine

CONCLUSION: Patients with schizophrenia and bipolar disorder exhibit increased frequency in the number of decayed, missing, or filled teeth. There was no effect in relation to periodontal probing depth, plaque index, and TMD, but the evidence is still uncertain for this outcome. [Read more...](#)

11. Differences in fractional amplitude of low-frequency fluctuations (fALFF) and cognitive function between untreated major depressive disorder and schizophrenia with depressive mood patients

24-04-2024 - National Library of Medicine

CONCLUSIONS: Alterations in slow-5 fALFF in RGR may serve as potential biomarkers for distinguishing MDD from SZDM, providing preliminary insights into the neural mechanisms of cognitive function in schizophrenia. [Read more...](#)

12. EGR3 Polymorphism Is a Potential Susceptibility Factor of Schizophrenia Risk in a Chinese Population

24-04-2024 - National Library of Medicine

Objective: The purpose of this study was to evaluate the association between the single nucleotide polymorphisms (SNPs) (EGR3 rs1996147 EGR4 rs3813226, rs6747506 ERBB3 rs2292238 and ERBB4 rs707284, rs7560730) and the risk of schizophrenia (SZ) in a Chinese population. Materials and Methods: We conducted a case-control study, including 248 patients with SZ and 236 healthy controls matched for ... [Read more...](#)

13. Longitudinal assessment of ventricular volume trajectories in early-stage schizophrenia: evidence of both enlargement and shrinkage

24-04-2024 - BioMed Central

Lateral ventricular enlargement represents a canonical morphometric finding in chronic patients with schizophrenia however, longitudinal studies elucidating complex dynamic trajectories of ventricular volume ... [Read more...](#)

14. Psychosocial Correlates of the Experience of Caregiving Among Caregivers of Patients With Schizophrenia

19-04-2024 - National Library of Medicine

CONCLUSION: Experience of caregiving is a relevant construct, the understanding of which can help inform caregiver-directed interventions in the future. Specifically, family-based interventions, which include ameliorating patient symptomatology, improving the family environment, strengthening caregivers'

coping strategies, attending to caregiver distress, and encouraging spirituality among ... [Read more...](#)

15. Striatal Response to Reward Anticipation as a Biomarker for Schizophrenia and Negative Symptoms: Effects, Test-Retest Reliability, and Stability Across Sites

19-04-2024 - *National Library of Medicine*

CONCLUSIONS: Our results align with the hypothesis that ventral striatal activation is related to modulation of motivational saliency during reward anticipation. They also confirm that patients with schizophrenia show impaired reward anticipation. However, the poor test-retest reliability and the absence of an association with symptoms suggests that further research is needed before ventral ... [Read more...](#)

16. Asparagine reduces the risk of schizophrenia: a bidirectional two-sample mendelian randomization study of aspartate, asparagine and schizophrenia

19-04-2024 - *BioMed Central*

Despite ongoing research, the underlying causes of schizophrenia remain unclear. Aspartate and asparagine, essential amino acids, have been linked to schizophrenia in recent studies, but their causal relations... [Read more...](#)

17. EMDR Flash Technique in adolescents with depression: A twelve-week follow-up study

17-04-2024 - *National Library of Medicine*

This study aims to investigate the specific effects of the EMDR Flash Technique on adolescents with depression. This follow-up study consists of 32 adolescents, 12-17 years of age (M = 14.34, SD = 1.56), including 7 males and 25 females. They were evaluated with Kiddie Schedule for Affective Disorders and Schizophrenia for School-Age Children Present, the Beck Depression Inventory (BDI), ... [Read more...](#)

18. Long term impact of 3-monthly paliperidone palmitate on hospitalisation in patients with schizophrenia: Six-year mirror image study

15-04-2024 - *John Wiley & Sons*

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

19. Brain structural alterations associated with impulsiveness in male violent patients with schizophrenia

15-04-2024 - *BioMed Central*

Violence in schizophrenia (SCZ) is a phenomenon associated with neurobiological factors. However, the neural mechanisms of violence in patients with SCZ are not yet sufficiently understood. Thus, this study ai... [Read more...](#)

20. Shared Genetic Determinants of Schizophrenia and Autism Spectrum Disorder Implicate Opposite Risk Patterns: A Genome-Wide Analysis of Common Variants

14-04-2024 - *National Library of Medicine*

CONCLUSIONS: Our findings support a shared genetic basis for SCZ and ASD. A common genetic variant, rs2696609, located in the Chr17q21.31 locus, may exert differential risk regulation on SCZ and ASD by altering brain structure. Future studies should focus on the role of pseudogenes, lncRNAs, and cerebellum in synaptic pruning and neurodevelopmental disorders. [Read more...](#)

21. Long-term Changes in Personal Recovery and Quality of Life Among Patients With Schizophrenia Spectrum Disorders and Different Durations of Illness: A Meta-analysis

13-04-2024 - National Library of Medicine

CONCLUSIONS: Improvement in personal recovery or S-QOL of people with SSD is modest at best. However, these studies did not fully capture the personal narratives or nonlinear process of recovery of an individual. Future research should focus on how to shift from a clinical to more person-oriented approach in clinical practice to support patients in improving their personal process of recovery. [Read more...](#)

22. Pharmacogenomics-assisted schizophrenia management: A hybrid type 2 effectiveness-implementation study protocol to compare the clinical utility, cost-effectiveness, and barriers

10-04-2024 - Public Library of Science (PLoS)

by Aniruddha Basu, Atanu Kumar Dutta, Bhavani Shankara Bagepally, Saibal Das, Jerin Jose Cherian, Sudipto Roy, Pawan Kumar Maurya, Indranil Saha, Deepasree Sukumaran, Kumari Rina, Sucharita Mandal, Sukanto Sarkar, Manoj Kalita, Kalyan Bhowmik, Asim Saha, Amit Chakrabarti Objectives The response to antipsychotic therapy is highly variable. Pharmacogenomic (PGx) factors play a major role in ... [Read more...](#)

23. Glymphatic System Dysfunction Underlying Schizophrenia Is Associated With Cognitive Impairment

06-04-2024 - National Library of Medicine

CONCLUSION: Our study highlights a lower ALPS index in schizophrenia, correlated with more pronounced cognitive impairments. This suggests that glymphatic dysfunction may contribute to the pathophysiology of schizophrenia, offering new insights into its underlying mechanisms. [Read more...](#)

24. Correlation Between Cortical Thickness Abnormalities of the Olfactory Sulcus and Olfactory Identification Disorder and Persistent Auditory Verbal Hallucinations in Chinese Patients With Chronic Schizophrenia

05-04-2024 - National Library of Medicine

CONCLUSIONS: Cortical thickness abnormalities in the olfactory sulcus may be a common neuroimaging mechanism for pAVHs and olfactory identification deficits in SCZ patients. [Read more...](#)

25. Distinct Volume Alterations of Thalamic Nuclei Across the Schizophrenia Spectrum

05-04-2024 - National Library of Medicine

CONCLUSIONS: Results demonstrate distinct thalamic nuclei volume reductions across the schizophrenia spectrum, with lower medial nuclei volumes linked to cognitive deficits in ARMS and schizophrenia. Data suggest a distinctive trajectory of thalamic nuclei abnormalities along the course of schizophrenia. [Read more...](#)

26. Sex differences in prevalence and clinical correlates of internet addiction among Chinese adolescents with schizophrenia

05-04-2024 - BioMed Central

Patients with schizophrenia (SCZ) exhibit sex differences in various aspects, and patients with SCZ have a high prevalence of internet addiction (IA). However, sex differences in IA among patients with SCZ mos... [Read more...](#)

27. Efficacy and safety of low-dose amisulpride versus olanzapine-fluoxetine combination in post-schizophrenic depression: A randomized controlled trial

01-04-2024 - National Library of Medicine

Post-schizophrenic depression (PSD) increases the morbidity, mortality, and health burden in patients with schizophrenia. However, treatment of PSD is challenging due to the lack of substantial evidence of standard clinical practice. This study was aimed at comparing the efficacy and safety of low-dose amisulpride versus olanzapine-fluoxetine combination (OFC) in PSD. [Read more...](#)

28. Prescribing Patterns of Psychotropic Medications for Common Psychiatric Disorders in a Mental Health Hospital in Tabuk

28-03-2024 - National Library of Medicine

CONCLUSION: Schizophrenia was highly prevalent among adult patients who sought mental healthcare. Polypharmacy of psychotropic medication was common depending on the symptoms' severity and comorbid psychiatric diseases. [Read more...](#)

29. A link between ghrelin and major depressive disorder: a mini review

28-03-2024 - National Library of Medicine

Ghrelin is primarily responsible for regulating energy balance, as it increases appetite. However, in recent years, its new physiological functions have been discovered-it regulates lipogenesis, plays a role in the development of insulin resistance, and even acts protectively on heart muscle. Moreover, ghrelin was associated with many psychiatric disorders, including major depressive disorder ... [Read more...](#)

[Back to Top](#)

Personality disorder

Personality disorder

1. Cognitive Impulsivity in Anorexia Nervosa in Correlation with Eating and Obsessive Symptoms: A Comparison with Healthy Controls

27-04-2024 - National Library of Medicine

Impulsivity in eating disorders (ED) has been historically focused on bingeing-purging symptoms, evidencing lower levels in restricting subtypes. In the recent literature, obsessive-compulsive disorder (OCD) has been described as characterized by high cognitive impulsivity. This specific impulsivity factor has been rarely studied in anorexia nervosa (AN). In this study, ... [Read more...](#)

2. Identification of key mRNAs and signaling pathways in obsessive compulsive disorder based on weighted gene co-expression network analysis and cytoHubba plugin

26-04-2024 - National Library of Medicine

CONCLUSION: The key molecules obtained in this study lay a foundation for further research on the molecular mechanism of OCD. [Read more...](#)

3. Human olfactory neural progenitor cells reveal differences in IL-6, IL-8, thrombospondin-1, and MCP-1 in major depression disorder and borderline personality disorder

24-04-2024 - National Library of Medicine

CONCLUSIONS: Altered protein markers are evident in the hNPCs-OE in MDD and BPD patients. These cells also secrete higher concentrations of inflammatory cytokines than HC cells. The results suggest the potential utility of hNPCs-OE as an in vitro model for researching biological protein markers in psychiatric disorders. However, more extensive validation studies are needed to confirm their ... [Read more...](#)

4. Increased apathy post-interstitial laser capsulotomy for refractory obsessive-compulsive disorder

16-04-2024 - *National Library of Medicine*

CONCLUSIONS: Most patients in the current cohort achieved full-or-partial OCD recovery. Yet, 60% of patients also reported significant increases in apathy, despite experiencing a decrease in depression symptoms, with stable disinhibition and executive dysfunction. Despite these promising improvements in OCD symptomatology following M-LITT, further investigations of the impact of surgery and ... [Read more...](#)

5. Schema therapy versus treatment as usual for outpatients with difficult-to-treat depression: study protocol for a parallel group randomized clinical trial (DEPRE-ST)

16-04-2024 - *National Library of Medicine*

BACKGROUND: About one third of patients with depression are in a condition that can be termed as "difficult-to-treat". Some evidence suggests that difficult-to-treat depression is associated with a higher frequency of childhood trauma and comorbid personality disorders or accentuated features. However, the condition is understudied, and the effects of psychotherapy for difficult-to-treat ... [Read more...](#)

6. A mobile app to challenge obsessional beliefs in adolescents: a protocol of a two-armed, parallel randomized controlled trial

09-04-2024 - *BioMed Central*

Adolescence is a crucial stage for the development of OCD symptoms that, in most cases, persist into adulthood. This requires designing preventive strategies tailored to this population. Therefore, we aim to d... [Read more...](#)

7. The epidemiology of obsessive-compulsive disorder in the Kingdom of Saudi Arabia: Data from the Saudi National Mental Health Survey

30-03-2024 - *National Library of Medicine*

CONCLUSIONS: In Saudi Arabia, OCD is a prevalent and persistent condition, characterized by early onset, high odds of mental comorbidity, and significant associated impairment. These findings emphasize the universality of OCD epidemiology and the need for improved diagnosis and treatment globally. [Read more...](#)

8. Patient personality and therapist responses in the psychotherapy of adolescents with depressive disorders: toward the Psychodynamic Diagnostic Manual - third edition

29-03-2024 - *National Library of Medicine*

Depressive disorders in adolescence pose unique challenges for assessment and treatment, particularly due to their high comorbidity with various personality disorders. Moreover, young depressed patients may elicit very intense and difficult-to-manage emotional responses in therapists (in this context, countertransference). This study aimed at empirically identifying specific personality ... [Read more...](#)

9. How negative self-views may interfere with building positive relationships: An experimental analogue of identity dysfunction in borderline personality disorder

28-03-2024 - *Public Library of Science (PLoS)*

by Charlotte C. van Schie, Laura Whiting, Brin F. S. Grenyer Introduction A disturbed, negative sense of self is associated with various interpersonal difficulties and is characteristic of disorders such as borderline personality disorder (BPD). Negative self-views may affect an individuals' ability to build positive relationships, including a therapeutic relationship. [Read more...](#)

[Back to Top](#)

Attention Deficit Hyperactivity Disorder

Attention Deficit Hyperactivity Disorder

1. [Articles] Tranexamic acid versus placebo in individuals with intracerebral haemorrhage treated within 2 h of symptom onset (STOP-MSU): an international, double-blind, randomised, phase 2 trial

20-04-2024 - *Elsevier*

Intravenous tranexamic acid did not reduce haematoma growth when administered within 2 h of intracerebral haemorrhage symptom onset. There were no observed effects on other imaging endpoints, functional outcome, or safety. Based on our results, tranexamic acid should not be used routinely in primary intracerebral haemorrhage, although results of ongoing phase 3 trials will add further context ... [Read more...](#)

2. Health literacy matters

17-04-2024 - *British Medical Journal*

“Sunshine, rest, exercise, diet, friends, and self-confidence” are the “six best doctors in the world,” is a popular quote. As a patient with multiple long term conditions, I'd add “peer support” to that list. I know from firsthand experience how the solidarity, insights, wisdom, and resources provided by networked patient communities can support patients and help them become more health literate.

[Read more...](#)

3. Closing the gender health gap: a {pound}39bn boost to the economy, as well as lives

17-04-2024 - *British Medical Journal*

Closing the gender health gap by 2040 could add almost £39bn to the UK economy and give each British woman around 9.5 more days of good health a year. That's according to data shared with The BMJ by the McKinsey Health Institute, whose recent report with the World Economic Forum describes investing in women's health as a \$1tn global opportunity, with a \$3 return on investment for every \$1 spent. [Read more...](#)

4. The Role of Gender and Sexuality in the Experience, Internalization, and Mental Health Correlates of Sexual Victimization Stigma

16-04-2024 - *National Library of Medicine*

The stigma associated with sexual victimization (SV) can add to the psychological burden on survivors. We compared experiences of SV and SV stigma by survivor gender and sexuality and evaluated the relevance of public and internalized sources of this stigma to their psychological functioning. An online survey containing measures of SV type (sexual harassment and assault), public SV stigma, ... [Read more...](#)

5. Plasma metabolomic markers underlying skeletal muscle mitochondrial function relationships with cognition and motor function

14-04-2024 - *National Library of Medicine*

CONCLUSION: Our findings add evidence to the hypothesis that mitochondrial function is implicated in the pathogenesis of cognitive and physical decline with aging and suggest that targeting specific metabolites may prevent cognitive and mobility decline through their effects on mitochondria. Future omics studies are warranted to confirm these findings and explore mechanisms underlying ... [Read more...](#)

6. Prevalence, determinants, intervention strategies and current gaps in addressing childhood malnutrition in Vietnam: a systematic review

04-04-2024 - *BioMed Central*

Childhood malnutrition in all forms is a major public health issue worldwide. This review systematically examined the prevalence and determinants and identify the potential interventions and current gap in add... [Read more...](#)

7. Error in Byline

01-04-2024 - *The JAMA Network*

The Original Investigation titled “Home-Use Transcranial Direct Current Stimulation for the Treatment of a Major Depressive Episode: A Randomized Clinical Trial,” published on January 3, 2024, was corrected to add authors Matheus R. F. Ramos, MD, and Natasha K. S. Moran, MD, who were inadvertently omitted from the initial publication by the corresponding author, ... [Read more...](#)

[Back to Top](#)

Eating disorders

Eating disorders

1. Food Beliefs and the Risk of Orthorexia in Patients with Inflammatory Bowel Disease

27-04-2024 - *National Library of Medicine*

Patients with inflammatory bowel disease (IBD) believe that diet plays a significant role in the pathogenesis of their disease and the exacerbation of their symptoms. They often adopt restrictive diets that can lead to malnutrition, anxiety, and stress. Recent studies have found a correlation between IBD and eating disorders, such as anorexia nervosa and ARFID (Avoidant Restrictive Food ... [Read more...](#)

2. A Bibliometric Analysis of Scientific Publications on Eating Disorder Prevention in the Past Three Decades

27-04-2024 - *National Library of Medicine*

BACKGROUND: Eating disorders (EDs) present a growing concern due to their widespread occurrence and chronic course, the low access to evidence-based treatment, and the significant burden they place on the patients and society. This picture justifies intensive focus on the prevention of EDs. The current study provides the first bibliometric analysis of research on the prevention of EDs, ... [Read more...](#)

3. Anorexia-Induced Hypoleptinemia Drives Adaptations in the JAK2/STAT3 Pathway in the Ventral and Dorsal Hippocampus of Female Rats

27-04-2024 - National Library of Medicine

Leptin is an appetite-regulating adipokine that is reduced in patients with anorexia nervosa (AN), a psychiatric disorder characterized by self-imposed starvation, and has been linked to hyperactivity, a hallmark of AN. However, it remains unknown how leptin receptor (LepR) and its JAK2-STAT3 downstream pathway in extrahypothalamic brain areas, such as the dorsal (dHip) and ventral (vHip) ...

[Read more...](#)

4. Self-objectification and eating disorders: the psychopathological and neural processes from psychological distortion to psychosomatic illness

26-04-2024 - National Library of Medicine

No abstract [Read more...](#)

5. Association of serotonin receptor gene polymorphisms with anorexia nervosa: a systematic review and meta-analysis

26-04-2024 - National Library of Medicine

CONCLUSIONS: To date, the involvement in the pathophysiology of anorexia nervosa of the 5-HTR2A rs6311 polymorphism appears limited to a specific genetic and/or environmental context, while that of the 5-HTR2C rs6318 polymorphism seems excluded. Genome-wide association studies and epigenetic studies will likely offer deeper insights of genetic and environmental factors possibly contributing ... [Read more...](#)

6. Thinning of the retinal nerve fiber and choroidal layers in adolescents with anorexia nervosa: A controlled study

24-04-2024 - National Library of Medicine

CONCLUSION: The retinal nerve fiber layer and choroidal layer thicknesses were lesser in patients with anorexia than in healthy controls. Screening for retinal indices might prevent the development of irreversible retinal pathologies in adolescents with anorexia nervosa. In addition, thinning of the retinal nerve fiber and choroidal layers could reflect structural or functional changes in the ... [Read more...](#)

7. Does adult attachment mediate the relationship between primary emotion traits and eating disorder symptoms?

19-04-2024 - Frontiers

Lisa Roithmeier Jürgen Fuchshuber Theresa Prandstätter Deborah Andres Beate Schmutz Andreas Richard Schwerdtfeger Human-Friedrich Unterrainer [Read more...](#)

8. Lifetime and current mental health based on avoidant/restrictive food intake disorder history versus other eating disorder history in the Healthy Minds Study

17-04-2024 - National Library of Medicine

OBJECTIVE: Research on psychiatric comorbidities associated with avoidant/restrictive food intake disorder (ARFID) primarily compares ARFID versus anorexia nervosa (AN). Little is known about comorbidities associated with mixed ARFID/other eating disorder (ED) history or ARFID comorbidities relative to EDs beyond AN. This study assessed lifetime and current psychiatric factors in a large ... [Read more...](#)

9. The financial and social impacts of the COVID-19 pandemic on youth with eating disorders, their families, clinicians and the mental health system: a mixed methods cost analysis

30-03-2024 - National Library of Medicine

CONCLUSIONS: Findings demonstrate the need for increased support for youth and caregivers when accessing ED services both during crisis and non-crisis times. Additionally, attention must be given to acknowledging the experience of health professionals to support better retention and resource management as they continue to navigate challenges in the health care system. [Read more...](#)

10. Gastrointestinal Microbiota & Symptoms of Depression and Anxiety in Anorexia Nervosa-A Re-Analysis of the MICROBIAN Longitudinal Study

28-03-2024 - *National Library of Medicine*

The microbiota-gut-brain axis may play a role in the pathophysiology of anorexia nervosa (AN). Here, the relationship between the gastrointestinal microbiota and symptoms of depression, anxiety, and eating disorder pathology in patients with AN before (n = 55) and after weight restoration (n = 44) was investigated by reanalyzing the data of the MICROBIAN study. [Read more...](#)

[Back to Top](#)

Self-harm

Self-harm

1. Risk and protective factors for self-harm and suicide behaviours among serving and ex-serving personnel of the UK Armed Forces, Canadian Armed Forces, Australian Defence Force and New Zealand Defence Force: A systematic review

26-04-2024 - *National Library of Medicine*

CONCLUSION: Adequate care and support are a necessity for the military community. Prevention and intervention strategies for self-harm and suicide behaviours may be introduced early and may promote social networks as a key source of support. This review found a paucity of peer-reviewed research within some populations. More peer-reviewed research is needed, particularly among these ... [Read more...](#)

2. Is a smartphone application (BlueIce) acceptable and safe for university students who self-harm: an open study

25-04-2024 - *National Library of Medicine*

CONCLUSION: BlueIce was an acceptable, safe and helpful source of support for university students struggling with self-harm thoughts and/or behaviours. This builds on previous findings with adolescents and suggests that BlueIce could be a particularly acceptable and helpful resource for university students. [Read more...](#)

3. Suicide within five years of hospital-treated self-harm: A data linkage cohort study

24-04-2024 - *National Library of Medicine*

CONCLUSION: Although all patients should be routinely assessed for risk and needs following hospital-treated self-harm including appropriate follow-up care, people who use MVEG or hanging as methods of self-harm are obvious candidates for close follow-up. [Read more...](#)

4. Psychological pain and sociodemographic factors classified suicide attempt and non-suicidal self-injury in adolescents

17-04-2024 - *National Library of Medicine*

This study aimed to utilize machine learning to explore the psychological similarities and differences between suicide attempt (SA) and non-suicidal self-injury (NSSI), with a particular focus on the role of psychological pain. A total of

2385 middle school students were recruited using cluster sampling. The random forest algorithm was used with 25 predictors to develop classification models ... [Read more...](#)

5. Experiences of support for people who access voluntary, community and social enterprise (VCSE) organisations for self-harm: a qualitative study with stakeholder feedback

16-04-2024 - *BioMed Central*

Prevalence of self-harm in England is rising, however contact with statutory services remains relatively low. There is growing recognition of the potential role voluntary, community and social enterprise secto... [Read more...](#)

6. Global burden of self-harm and interpersonal violence and influencing factors study 1990–2019: analysis of the global burden of disease study

13-04-2024 - *BioMed Central*

Widespread concern exists in today's world regarding self-harm and interpersonal violence. This study to analyze the changes in temporal trends and spatial patterns of risk factors and burdens of self-harm and... [Read more...](#)

7. You're not alone: Imagery Rescripting for adolescents who self-harm

12-04-2024 - *Frontiers*

Elisa Schmied Lisa Hack Bernhard J. Connemann Zrinka Sosic-Vasic Julia Kroener [Read more...](#)

8. Suicide and self-harm by burns in Pakistan: a scoping review protocol

28-03-2024 - *National Library of Medicine*

INTRODUCTION: Suicide is a global public health problem. Self-inflicted burns are one of the most severe methods of suicide, with high morbidity and mortality. Low-income and middle-income countries contribute 40% of all suicidal burns. Pakistan lacks comprehensive burns surveillance data, which prevents an understanding of the magnitude of the problem. This scoping review aims to understand ... [Read more...](#)

9. The Journey of Engaging With Web-Based Self-Harm and Suicide Content: Longitudinal Qualitative Study

28-03-2024 - *National Library of Medicine*

CONCLUSIONS: This study demonstrated the complexity of web-based interactions, with beneficial and harmful content intertwined. Participants who demonstrated metacognition and digital efficacy had better control over web-based engagements. Some attributed these skills to study processes, including taking part in reflective diaries, showing the potential of upskilling users. [Read more...](#)

10. Neurodevelopmental Disorders and Suicide: A Narrative Review

28-03-2024 - *National Library of Medicine*

Specific risk factors for self-harm and suicide in children and adolescents with neurodevelopmental disorders (NDD) may differ from those in the general population within this age range. In the present review paper, we conducted a narrative analysis of the literature, aiming to establish a connection between suicide and affective disorders in children and adolescents with NDD. [Read more...](#)

11. Examining the relationship between non-suicidal self-harm and suicidality within the past 12-months and gaming problems in Norwegian full-time students

28-03-2024 - *BioMed Central*

Although gaming problems are associated with poor mental health, few population-based studies have examined its association with self-harm and suicidality. This study investigates the association between gamin... [Read more...](#)

[Back to Top](#)

Suicide

Suicide

1. Mechanisms Involved in the Link between Depression, Antidepressant Treatment, and Associated Weight Change

27-04-2024 - *National Library of Medicine*

Major depressive disorder is a severe mood disorder associated with a marked decrease in quality of life and social functioning, accompanied by a risk of suicidal behavior. Therefore, seeking out and adhering to effective treatment is of great personal and society-wide importance. Weight changes associated with antidepressant therapy are often cited as the reason for treatment withdrawal and ... [Read more...](#)

2. Why did peri-pandemic suicide death rates decrease among non-Hispanic white people while increasing among most people of color?

27-04-2024 - *National Library of Medicine*

CONCLUSIONS: We argue that these disparities are due to the myriad effects of discrimination and systemic racism, encapsulated broadly by the minority stress theory, and provide suggestions for relief and research. [Read more...](#)

3. Deciding on life-saving treatment after a violent suicide attempt: an ethical case report

26-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

4. Psychological Factors Influencing Attitudes towards Euthanasia, Assisted Suicide and Palliative Care among Medical Students and Doctors in Training

26-04-2024 - *National Library of Medicine*

Background: This study aimed to analyse the attitudes of medical students, Polish and classical philology students and trainee doctors towards the legalisation and practice of euthanasia and assisted suicide, to explore their beliefs about palliative care and to identify the cognitive, behavioural and emotional factors influencing these attitudes. Methods: An anonymous 22-question survey was ... [Read more...](#)

5. Effect of novel accelerated intermittent theta burst stimulation on suicidal ideation in adolescent patients with major depressive episode: a randomised clinical trial

26-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

6. Temporal Fluctuations of Suicide Mortality in Japan from 2009 to 2023 Using Government Databases

26-04-2024 - *National Library of Medicine*

In Japan, suicide mortalities consistently decreased before the COVID-19 pandemic (from 2009 to 2019) but, conversely, increased after the pandemic

outbreak from 2020 to 2022. To provide up-to-date suicide statistics in Japan, this study determined the temporal fluctuations of standardized suicide mortalities (SMRs), disaggregated by sex and age, by joinpoint regression analysis using the ... [Read more...](#)

7. Expanding the Question-Persuade-Refer (QPR) Evidence Base: Youth Suicide Prevention among the Mississippi Band of Choctaw Indians

26-04-2024 - National Library of Medicine

Youth suicide risks have been on the rise or persistently elevated for decades, and Native American communities are especially vulnerable. This study provides a promising framework for suicide prevention among underserved populations in the U.S., especially Native American communities in states lacking strong suicide prevention supports. Our investigation reports the evaluation results of the ...

[Read more...](#)

8. Indonesian Stakeholders' Perspectives on Warning Signs and Beliefs about Suicide

26-04-2024 - National Library of Medicine

The suicide rate in Indonesia is considered low among Asian countries, but the underreporting rate is at a staggering 303%, and the latest reports suggest an increase in suicidal behaviour, particularly among young people. As a multicultural country, Indonesia has a complex system of beliefs about suicide. Thus, various aspects specific to Indonesia must be considered in understanding and ... [Read more...](#)

9. Altered cortical morphology in major depression disorder patients with suicidality

26-04-2024 - National Library of Medicine

CONCLUSIONS: Depressed patients with suicidality had abnormal cortical morphology in some brain regions within the default mode network, frontolimbic circuitry and temporal regions. These structural deficits may be associated with the dysfunction of emotional processing and impulsivity control. This study provides insights into the underlying neurobiology of the suicidal brain. [Read more...](#)

10. Utah Latina/o/x suicide decedents less likely to die by firearm, even in rural areas: examining population-wide data from the Utah Office of the Medical Examiner

25-04-2024 - National Library of Medicine

INTRODUCTION: Suicide death remains a significantly rarer event among Latina/o/x populations compared to non-Latina/o/x populations. However, the reasons why Latina/o/x communities experience relatively lower suicide rates are not fully understood. Critical gaps exist in the examination of Latina/o/x suicide death, especially in rural settings, where suicide death by firearm is historically ...

[Read more...](#)

11. Effects of selective serotonin reuptake inhibitors (SSRIs) on suicide: A network meta-analysis of double-blind randomized trials

25-04-2024 - National Library of Medicine

The relationship between the use of selective serotonin reuptake inhibitors (SSRIs) and suicide risk in patients with mental disorders remains controversial. We conducted a network meta-analysis to examine the effects of SSRIs on suicide risk in patients with mental disorders. A comprehensive search was

conducted across PubMed, Web of Science, PsycINFO, CENTRAL, Wanfang Database, ... [Read more...](#)

12. Adolescent suicide risk factors and the integration of social-emotional skills in school-based prevention programs

25-04-2024 - *National Library of Medicine*

Adolescents are considered one of the most vulnerable groups affected by suicide. Rapid changes in adolescents' physical and mental states, as well as in their lives, significantly and undeniably increase the risk of suicide. Psychological, social, family, individual, and environmental factors are important risk factors for suicidal behavior among teenagers and may contribute to suicide risk ... [Read more...](#)

13. Recent Research Points to a Clear Conclusion: Autistic People are Thinking About, and Dying by, Suicide at High Rates

25-04-2024 - *National Library of Medicine*

No abstract [Read more...](#)

14. Case fatality of repeated suicidal acts among suicide attempters in rural China: a retrospective cohort study

25-04-2024 - *National Library of Medicine*

BACKGROUND: Individuals presenting to hospital due to suicide attempt are at high risk for repeated suicidal act, yet there are meager data on the extent to which repeated suicidal acts result in death. [Read more...](#)

15. Demographic analysis of the suicide method by gender and age of the deceased between 2001 and 2010

25-04-2024 - *National Library of Medicine*

CONCLUSIONS: The study revealed that both age and gender have a significant impact on the choice of suicide method. According to available epidemiological data and the authors' predictions, a predominance of male over female sex was observed in the case of hanging, while jumping from heights was relatively more often chosen by women. The elderly were less likely to choose jumping from heights ... [Read more...](#)

16. Lives Cut Short: suicide among adolescent females

25-04-2024 - *National Library of Medicine*

Suicide is a worldwide public health issue, and suicide ideation and behavior among adolescents, females in particular, have been increasing. Focusing on the risk factors that are unique to adolescents and adolescent females can help tailor and inform prevention strategies. There are unique biological, psychological, social, and societal factors that contribute to suicide ideation and ... [Read more...](#)

17. Suicide using an electric drill - case report and literature review

25-04-2024 - *National Library of Medicine*

The use of an electric drill to commit suicide is rare in forensic practice. The aim of the work is to present the first case of this kind from the Upper Silesia. The results of post-mortem examinations and the results of prosecutor's examination of case files containing medical documentation from the patient's treatment were analyzed. People with mental disorders and diseases may choose ... [Read more...](#)

18. Daily Levels and Dynamic Metrics of Affective-Cognitive Constructs Associate With Suicidal Thoughts and Behaviours in Adults After Psychiatric Hospitalization

25-04-2024 - National Library of Medicine

The period after psychiatric hospitalization is an extraordinarily high-risk period for suicidal thoughts and behaviours (STBs). Affective-cognitive constructs (ACCs) are salient risk factors for STBs, and intensive longitudinal metrics of these constructs may improve personalized risk detection and intervention. However, limited research has examined how within-person daily levels and ...

[Read more...](#)

19. Female Labor-Force Participation as Suicide Prevention: A Population Study in Taiwan

25-04-2024 - National Library of Medicine

CONCLUSION: This study's findings suggest that FLFP protects women from suicide, and point to the potential value of FLFP as a way of preventing suicide. In Taiwan, employed women carry a double-load of paid and family unpaid care-work. Child care-work is still done by mothers, often with grandmothers' support. Therefore, this study's findings contribute to evidence that doing both paid work ...

[Read more...](#)

20. The Crisis of Clinician Suicide Is Preventable: Organizations Must Take Proactive Steps to Foster Wellness

25-04-2024 - National Library of Medicine

No abstract [Read more...](#)

21. Sleep Quality and Suicidal Ideation in Adolescent Depression: A Chain Mediation Effect of Perceived Social Support and Resilience

25-04-2024 - National Library of Medicine

CONCLUSIONS: This study establishes that sleep quality indirectly predicts suicide ideation in major depressive adolescents, mediated independently by perceived social support and resilience. [Read more...](#)

22. Dispersion of acid without gastric perforation on ingestion of toilet cleaner: a rare autopsy case

25-04-2024 - National Library of Medicine

Toilet cleaner containing hydrochloric acid is a common item found in households all over the world. Due to the availability of the substance, it becomes one of the main contributors to corrosive damage to the gastrointestinal system. This study reports a case of a female in her 50s with an alleged history of ingestion of toilet cleaner an empty bottle of which was found together with a ... [Read more...](#)

23. Exploring the use of the Interpersonal Needs Questionnaire to examine suicidal thoughts and behaviors among Post-9/11 U.S. Combat Veterans: An integrative review

25-04-2024 - National Library of Medicine

This integrative review expands on the work of Kramer et al. (2020), by reviewing studies that utilized the Interpersonal Needs Questionnaire (INQ) to examine the interpersonal constructs (thwarted belongingness and perceived burdensomeness) of the Interpersonal Theory of Suicide (ITS) to understand suicidal thoughts and behaviors among service members and Veterans with combat experience. [Read more...](#)

24. Analysis of cases of suicide by self-immolation in the post-mortem material of the Department of Forensic Medicine in Cracow

25-04-2024 - National Library of Medicine

CONCLUSIONS: The distribution of burns in self-immolation cases is inhomogeneous. The most frequently affected area was the head, neck, chest and extremities, most likely due to victims dousing themselves with a flammable substance from the top of the head through the chest. In all cases, the immediate cause of death was burn disease, regardless of the size of the body surface area affected ... [Read more...](#)

25. [A comparative study of old versus novel psychoactive substances on craving, perceived stigma and suicidal risk among rural-dwelling patients with substance abuse](#)

25-04-2024 - *John Wiley & Sons*

Journal of Psychiatric and Mental Health Nursing, EarlyView. [Read more...](#)

26. [Longitudinal trajectories of suicidal ideation among child welfare-involved 7- to 12-year-old children](#)

24-04-2024 - *John Wiley & Sons*

Journal of Child Psychology and Psychiatry, EarlyView. [Read more...](#)

27. [Thematic analysis of Prevention of Future Death reports for suicide: January 2021 to October 2022](#)

24-04-2024 - *National Library of Medicine*

CONCLUSIONS: Our results specify areas where review, improvement and policy development are required to prevent future suicide deaths occurring in similar circumstances. [Read more...](#)

28. [Risk factors of suicide re-attempt: A two-year prospective study](#)

24-04-2024 - *National Library of Medicine*

BACKGROUND: History of suicide attempt (SA) is the strongest predictor of a new SA and suicide. It is primordial to identify additional risk factors of suicide re-attempt. The aim of this study was to identify risk factors of suicide re-attempt in patients with recent SA followed for 2 years. [Read more...](#)

29. [When Suicide is not a Self-Killing: Advance Decisions and Psychological Discontinuity-Part I](#)

24-04-2024 - *National Library of Medicine*

Derek Parfit's view of 'personal identity' raises questions about whether advance decisions refusing life-saving treatment should be honored in cases where a patient loses psychological continuity it implies that these advance decisions would not be self-determining at all. Part I of this paper argues that this assessment of personal identity undermines the distinction between suicide and ... [Read more...](#)

30. [Suicide ideation and psychotropic recreational drug use by adolescents: a systematic review and meta-analysis](#)

24-04-2024 - *National Library of Medicine*

CONCLUSIONS: Psychotropic recreational drug use is associated with suicidal ideation among adolescents regardless of current or previous use, abuse, or type of substance used. [Read more...](#)

31. [Suicide attempts in the absence of depression: Differences between broad cultural groups](#)

24-04-2024 - *National Library of Medicine*

Suicide is one of the leading causes of death worldwide (WHO, 2019). Depression is a common precursor to suicide and suicidality however, individuals'

experience of depression and the meaning of suicide differs depending on one's cultural background (Colucci, 2013 Goodman et al., 2021 Kleinman, 2004). The current study explores the relationship between suicide and depression among six broad ... [Read more...](#)

32. The associations of psychosocial work exposures with suicidal ideation in the national French SUMER study

24-04-2024 - *National Library of Medicine*

CONCLUSION: Psychosocial work exposures played a major role in suicidal ideation. More research may be needed to confirm our results, as suicidal ideation is an important warning signal for suicide prevention. More primary prevention towards the psychosocial work environment may be useful to reduce suicidal ideation at the workplace. [Read more...](#)

33. Impacts of suicide bereavement on men: a systematic review

24-04-2024 - *National Library of Medicine*

INTRODUCTION: This systematic review examines the impacts of suicide bereavement on men's psychosocial outcomes relating to suicidality, mental health, substance use, grief, and social functioning. Given the high global incidence of suicide and the substantial number of individuals affected by each suicide, understanding the specific experiences and outcomes for men is crucial, ... [Read more...](#)

34. The Impact of the COVID-19 Pandemic on Unassisted Suicide and Assisted Suicide Rates in French-Speaking Switzerland: Differences by Gender

23-04-2024 - *National Library of Medicine*

Aims: Most studies on the impact of COVID-19 have shown a decrease or no change in unassisted suicide rates, but effects on assisted suicide have not been studied. We aimed to estimate the association between the COVID-19 pandemic and both types of suicide. Methods: Between 2017 and 2021, 1280 assisted suicides and 535 unassisted suicides were recorded in three Swiss cantons. [Read more...](#)

35. Interrupting Effect of Social Distancing on Ischemic Heart Disease, Asthma, Stroke, and Suicide Attempt Patients by PM(2.5) Exposure

23-04-2024 - *National Library of Medicine*

CONCLUSION: While the interrupting effect of SD was not as pronounced as anticipated, this study did validate the effectiveness of SD in modifying health behaviors and minimizing avoidable visits to EDs in addition to curtailing the occurrence of infectious diseases. [Read more...](#)

36. Sociodemographic and environmental characteristics associated with thoughts of death and suicidal ideation in community-dwelling residents of a rural town in Japan: analyses from a perspective of accompanying problems

23-04-2024 - *National Library of Medicine*

CONCLUSIONS: Suicidal thoughts among rural residents in Japan were associated with multifactorial sociodemographic and environmental characteristics. [Read more...](#)

37. Pilot Study Focused on Knowledge, Attitudes, and Health Access Behaviors of Psychiatric-Mental Health Nurses Regarding Suicide Prevention

23-04-2024 - *National Library of Medicine*

OBJECTIVE: The purpose of this pilot study was to evaluate the effect of a web-based education module on the knowledge, attitudes, and ratings of willingness

to access help related to suicide prevention in psychiatric-mental health nurses. METHODS: A quasi-experimental pretest-posttest design was employed. Registered nurses from two academic health center units and a 239-bed Psychiatric ... [Read more...](#)

38. Recognising inaccuracies in Australian suicide and 'hidden suicide' data

23-04-2024 - *National Library of Medicine*

CONCLUSIONS: Australia's finalised suicide data are likely to be more accurate than equivalent data from nations that do not revise mortality data. More comprehensive investigation (including verbal or psychological autopsy) in doubtful cases in Australia and elsewhere would probably lead to reported suicide rates being higher. [Read more...](#)

39. The personality traits with depression and suicidal ideation among Thai medical students: a university-based multiregional study

23-04-2024 - *National Library of Medicine*

CONCLUSIONS: More than a quarter of Thai medical students reported depression. A higher Neuroticism and lower Extraversion, Agreeableness, and Conscientiousness scores related to depression. Therefore, medical schools may benefit from knowing medical students' personality traits, to identify coping mechanisms and predict those at a higher risk of developing depression in the future. [Read more...](#)

40. The use of social media after bereavement by suicide: results from a French online survey

23-04-2024 - *National Library of Medicine*

BACKGROUND: According to recent research, the Internet and social media are shaping and changing how we die and mourn. However, the use of social media after bereavement by suicide remains poorly understood. Thus, emerging research is needed to better assess the role that social media can play after bereavement by suicide. The objective of our study was to evaluate the use of social media in ... [Read more...](#)

41. Weekly links among irritability and suicidal thoughts and behaviors in high-risk youth

23-04-2024 - *John Wiley & Sons*

Journal of Child Psychology and Psychiatry, EarlyView. [Read more...](#)

42. Do Suicide Attempters Have a Right Not to Be Stabilized in an Emergency?

19-04-2024 - *National Library of Medicine*

The standard of care in the United States favors stabilizing any adult who arrives in an emergency department after a failed suicide attempt, even if he appears decisionally capacitated and refuses life-sustaining treatment. I challenge this ubiquitous practice. Emergency clinicians generally have a moral obligation to err on the side of stabilizing even suicide attempters who refuse such ... [Read more...](#)

43. Suicide prevention in old age : Importance of depressive disorders and implications for the discussion on assisted suicide

19-04-2024 - *National Library of Medicine*

This article gives an overview of possibilities for suicide prevention in old age, with an emphasis on depression. A broad range of approaches are available, which are described differentiated into universal, selective and indicated strategies. In Germany the working group "Old people" of the National Suicide

Prevention Program (NaSPro) has worked out these strategies in a differentiated way ... [Read more...](#)

44. Parent-child attachment mediates the association between parental conflict perceptions and suicide intention: a cross-sectional survey among middle school students in China

18-04-2024 - *National Library of Medicine*

INTRODUCTION: Adolescent suicide is a prevalent issue globally, with various factors contributing to this phenomenon. This study aimed to investigate these factors and their interrelationships to better understand the causes of adolescent suicide and provide evidence for its prevention. [Read more...](#)

45. Risk factors of reattempt among suicide attempters in South Korea: A nationwide retrospective cohort study

18-04-2024 - *National Library of Medicine*

This study aimed to identify underlying demographic and clinical characteristics among individuals who had previously attempted suicide, utilizing the comprehensive Health Insurance Review and Assessment Service (HIRA) database. Data of patients aged 18 and above who had attempted suicide between January 1 and December 31, 2014, recorded in HIRA, were extracted. [Read more...](#)

46. Examination of medical student and physician attitudes towards suicide reveals need for required training

18-04-2024 - *National Library of Medicine*

The attitudes of healthcare providers towards suicidal patients are known to influence their motivation to treat patients during a suicidal crisis. Patients who attempted suicide are more likely to have recently visited a primary care provider who is not necessarily sufficiently trained in managing a suicidal patient rather than a mental health provider who is trained to do so. [Read more...](#)

47. Poor psychosocial safety climate increases teleworker vulnerability to suicidal ideation

18-04-2024 - *National Library of Medicine*

CONCLUSIONS: This empirical study highlights the heightened risk of suicidal ideation by poor PSC, especially among teleworkers. (134words). [Read more...](#)

48. A step forward in conceptualizing psychological closeness/distance to suicide methods: A qualitative approach

18-04-2024 - *National Library of Medicine*

CONCLUSION: We consider clinical, research, and policy implications from an interdisciplinary lens and discuss the strengths and limitations of this study. [Read more...](#)

49. Feasibility and acceptability of caring contacts texts for suicide prevention among veterans recently separated from military service

18-04-2024 - *National Library of Medicine*

The primary purpose of this single-arm mixed-methods pilot trial was to examine the feasibility, acceptability, and preliminary effects of a text message-based version of Caring Contacts, Caring Contacts texts (CC-t), among veterans recently separated from military service. Twenty-four veterans (M(age) = 32.92, SD = 8.16 75% male 50% Black 91.7% non-Hispanic/Latinx) were recruited through the ... [Read more...](#)

50. Assisted Suicide and Slippery Slopes: Reflections on Oregon

18-04-2024 - *National Library of Medicine*

Slippery slope argumentation features prominently in debates over assisted suicide. The jurisdiction of Oregon features prominently too, especially as regards parliamentary scrutiny of assisted suicide proposals. This paper examines Oregon's public data (including certain official pronouncements) on assisted suicide in light of the two basic versions of the slippery slope argument, ... [Read more...](#)

51. Transition to suicide ideation and attempt among emergency room patients

18-04-2024 - *National Library of Medicine*

CONCLUSIONS: STBs in PER patients are persistent and lead to repeated referrals, often within a short period, including transitions to more severe forms of STB. [Read more...](#)

52. Investigating the relationship between DNA methylation, genetic variation, and suicide attempt in bipolar disorder

18-04-2024 - *National Library of Medicine*

Individuals with bipolar disorder are at increased risk for suicide, and this can be influenced by a range of biological, clinical, and environmental risk factors. Biological components associated with suicide include DNA modifications that lead to changes in gene expression. Common genetic variation and DNA methylation changes are some of the most frequent types of DNA findings associated ... [Read more...](#)

53. Non-fatal suicide behaviours across phases in the COVID-19 pandemic: a population-based study in a Catalan cohort

17-04-2024 - *ClinicalKey (Elsevier)*

Lancet Psychiatry, The, Volume 11, Issue 5, 2024 May, Pages 348-358 | Serrano-Gimeno, Víctor, MD Diestre, Alba, MD Agustin-Alcain, Marina, MD...SummaryBackgroundThe COVID-19 pandemic has been extensively discussed in the context of its effect on mental health. Although global suicide rates have remained stable during the pandemic, the specific effect on non-fatal suicide behaviours during... [Read more...](#)

54. Non-fatal suicide behaviours: recommendations for addressing mental health

17-04-2024 - *ClinicalKey (Elsevier)*

Lancet Psychiatry, The, Volume 11, Issue 5, 2024 May, Pages 314-316 | González-Sanguino, Clara Ausín Benito, Berta Muñoz López, ManuelIn The Lancet Psychiatry, Victor Serrano-Gimeno and colleagues report trends in non-fatal suicide behaviours in the population of Catalonia, Spain, before, during, and after the COVID-19 pandemic. The study shows a significant increase in the prev... [Read more...](#)

55. Sex-related inequalities in crude and age-standardized suicide rates: trends in Ghana from 2000 to 2019

17-04-2024 - *National Library of Medicine*

CONCLUSION: The suicide rate in Ghana has declined over time. Suicide is more common among older men. Inequalities in suicide rates, in both absolute and relative terms, are similar. There is a need to monitor suicide trends in Ghana, especially among older men. Moreover, the findings could serve as a basis for future studies on suicide in Ghana. [Read more...](#)

56. Outcomes for Young Adults With Suicide Admitted to Adult Versus Pediatric Hospitals

17-04-2024 - *National Library of Medicine*

CONCLUSIONS: Although young adults admitted to a PH for SI/SA had higher rates of psychology consultation, they otherwise had similar care and outcomes regardless of admission to an AH versus a PH. Further work is needed to determine if observed differences are generalizable and how they affect hospital throughput and long-term outcomes. [Read more...](#)

57. Visual Impairment and Suicide Risk: A Systematic Review and Meta-Analysis

17-04-2024 - *National Library of Medicine*

CONCLUSIONS AND RELEVANCE: The findings of this systematic review and meta-analysis support the association between visual impairment and increased risk of suicidal tendencies. The risk differed by age group, with a pronounced risk observed among adolescents. [Read more...](#)

58. Reflections on the trends of suicide in Sri Lanka, 1997-2022: The need for continued vigilance

17-04-2024 - *National Library of Medicine*

Despite reductions in suicide rates in Sri Lanka during the past decades, largely by introduction of national bans on highly hazardous pesticides, the country continues to record a higher than global average rate of suicide. With the changing availability of methods of suicide over time, we aimed to examine the age-standardized suicide rates in Sri Lanka by sex, age, ... [Read more...](#)

59. The Effect of an Educational Intervention on Nurses' Knowledge, Beliefs, and Actions to be Taken, Regarding Suicide

17-04-2024 - *National Library of Medicine*

CONCLUSIONS: Findings demonstrate that educational interventions focused on issues related to suicide can enhance nurses' knowledge of the challenges implicit when one considers taking one's own life. [Read more...](#)

60. Preventable suicides involving medicines: A systematic case series of coroners' reports in England and Wales

17-04-2024 - *National Library of Medicine*

CONCLUSIONS: One in four coroner reports in England and Wales involved suicides, with one in seven suicide-related deaths involving a medicine. Concerns raised by coroners highlighted gaps in care that require action from the Government, health services, and prescribers to aid suicide prevention. Coroner reports should be routinely used and monitored to inform public health policy, ... [Read more...](#)

61. A scientometric analysis and visualisation of elderly suicide research from 1951 to 2022

16-04-2024 - *National Library of Medicine*

CONCLUSION: There has been an increase in both the thematic diversity and quantity of studies on elderly suicide over time. However, these publications predominantly originate from socioeconomically affluent countries with relatively low suicide rates. While the increasing numbers of publications from developing countries in recent years are promising, there is a greater need for publications ... [Read more...](#)

62. Longitudinal associations between self-compassion, depression, and suicidal ideation in adolescent boys and girls

16-04-2024 - National Library of Medicine

This study aims to elucidate associations among self-compassion, depression, and suicidal ideation, particularly with respect to gender differences. Using a multigroup cross-lagged panel model, we conducted a longitudinal evaluation of 424 Chinese adolescents (55.85% boys Mage = 18.02, SD = 0.73 at baseline). Our findings indicated that suicidal ideation at T1 positively predicted depression ... [Read more...](#)

63. Risk factors for suicide reattempt: a systematic review and meta-analysis

16-04-2024 - National Library of Medicine

CONCLUSION: Most of the risk factors traditionally associated with suicide are also relevant when talking about suicide reattempts. Knowing the traits that define reattempters can help develop better preventive and intervention plans. [Read more...](#)

64. Practical strategies for care of individuals impacted by suicide in the emergency department: A narrative review

16-04-2024 - National Library of Medicine

Introduction Suicide is among the leading causes of death and nurses care for survivors of suicide at many points in their grief journey. Every individual who dies by suicide leaves behind multiple affected survivors and how they are cared for immediately following the suicide influences how they cope with the death. The purpose of this article is to make recommendations for the care of ... [Read more...](#)

65. Psychiatric diagnoses, somatic disorders, and emergency dispatches among individuals who used a national suicide crisis line

16-04-2024 - National Library of Medicine

Crisis line responders initiate emergency dispatches by activating 911 or other local emergency services when individuals are determined to be at imminent risk for undesired outcomes. This study examined the association of characteristics, psychiatric diagnoses, and somatic symptoms with emergency dispatches in a national sample. Veterans Crisis Line data were used to identify contacts (i.e. [Read more...](#)

66. Beyond sleepless nights: Unraveling the complexity of alexithymia and suicide risk among university students

16-04-2024 - National Library of Medicine

CONCLUSION: The findings carry profound implications for suicide prevention efforts, providing valuable insights to safeguard the well-being and resilience of university students facing suicide risk challenges. [Read more...](#)

67. Challenges in data acquisition for suicide attempt recurrence research

16-04-2024 - National Library of Medicine

No abstract [Read more...](#)

68. A PRISMA Scoping Review to Explore Interventions to Prevent Firearm-Related Injury and Suicide in Older Adults

16-04-2024 - National Library of Medicine

CONCLUSIONS: Further research into adapting interventions to meet the clinical needs of older adults and treatment efficacy trials is necessary. [Read more...](#)

69. Three-Inflated Poisson Distribution and its Application in Suicide Cases of India During Covid-19 Pandemic

16-04-2024 - National Library of Medicine

Inflated models are generally used whenever there is an excess number of frequencies at particular count. In this study, a three-inflated Poisson (ThIP) distribution is proposed by mixing the Poisson distribution and a distribution to a point mass at three. Some of its distribution properties and reliability characteristics are studied. A simulation study is carried out to see the performance ... [Read more...](#)

[70. The association between social connectedness and euthanasia and assisted suicide and related constructs: systematic review](#)

16-04-2024 - National Library of Medicine

CONCLUSIONS: Our findings for all age groups are consistent with those of a previous systematic review focussed on older adults and suggest that poor social connectedness is not a clear risk factor for EAS or for measures more distally related to EAS. However, we acknowledge low study quality in some studies in relation to sampling, unvalidated exposure/outcome measures, ... [Read more...](#)

[71. Deaths of despair are higher among black and Native Americans, study finds](#)

15-04-2024 - British Medical Journal

Deaths of despair—from drug overdoses, alcoholic liver disease, and suicide—are now higher among black and Native Americans aged 45-54 since the trend was identified in 2015, a study from the University of California in Los Angeles (UCLA) has found.1Deaths of despair were first identified among middle aged white Americans without a college degree nearly 10 years ago2 but that study did not ... [Read more...](#)

[72. The influence of psychotherapy on individuals who have attempted suicide: A systematic review and meta-analysis](#)

15-04-2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView. [Read more...](#)

[73. Understanding Risk Factors for Suicide Among Older People in Rural China: A Systematic Review](#)

15-04-2024 - National Library of Medicine

BACKGROUND AND OBJECTIVES: In China, rural older adults face a significantly heightened risk of suicide. However, there has been no comprehensive review of the literature examining the risk factors associated with suicide among older people in rural China. Therefore, a comprehensive understanding of risk factors for this phenomenon among rural older people must be gained. [Read more...](#)

[74. Analysis of risk factors of suicidal ideation in adolescent patients with depression and construction of prediction model](#)

15-04-2024 - National Library of Medicine

CONCLUSION: The nomogram prediction model based on trauma history, triggers, ferritin, serum hs-CRP, and HDL-C levels can effectively predict the risk of SI in adolescent patients with depression. [Read more...](#)

[75. Relationship Between Severity and Length of Exposure to COVID-19 Parameters and Resulting Government Responses and the Suicide Crisis Syndrome \(SCS\)](#)

15-04-2024 - National Library of Medicine

CONCLUSION: Both the pandemic itself and the government interventions utilized to contain the spread appear to be associated with suicide risk. Public

policy should include efforts to mitigate the mental health impact of current and future global disasters. [Read more...](#)

76. Rapid Response Unit for Children and Adolescents at Risk of Suicide: Promoting Therapeutic Linkage and Reducing the Risk of Relapse

15-04-2024 - *National Library of Medicine*

CONCLUSIONS: Rapid Response Unit (RRU) decreases the risk of recurrence of suicidal behavior and ensures therapeutic linkage. [Read more...](#)

77. Suicide Behavior Among Indigenous and Non-Indigenous Living with HIV: A Cross-Sectional Study in Indonesia

15-04-2024 - *National Library of Medicine*

Suicide remains a major public health problem, with nearly 1 million deaths per year. The number tends to increase over time and factors leading to suicide suicidal behaviors are complex. However, there is a paucity of evidence on suicidal behaviors and the associated factors among people living with HIV (PLWH) in Indonesia. Therefore, this study aimed to estimate the prevalence and ... [Read more...](#)

78. Suicide prevention in Hong Kong: pushing boundaries while building bridges

15-04-2024 - *National Library of Medicine*

Hong Kong is a natural laboratory for studying suicides—small geographic footprint, bustling economic activity, rapidly changing socio-demographic transitions, and cultural crossroads. Its qualities also intensify the challenges posed when seeking to prevent them. In this viewpoint, we showed the research and practices of suicide prevention efforts made by the Hong Kong Jockey Club Centre for ... [Read more...](#)

[Back to Top](#)

Addiction

Addiction

1. Contextual barriers and enablers to establishing an addiction-focused consultation team for hospitalized adults with opioid use disorder

26-04-2024 - *BioMed Central*

Hospitalization presents an opportunity to begin people with opioid use disorder (OUD) on medications for opioid use disorder (MOUD) and link them to care after discharge regrettably, people admitted to the h... [Read more...](#)

2. Pregnant smokers can be encouraged to switch to vaping

23-04-2024 - *John Wiley & Sons*

Addiction, EarlyView. [Read more...](#)

3. Prolonged diacetylmorphine take-home during the COVID-19 pandemic—Results of a retrospective cohort study

21-04-2024 - *John Wiley & Sons*

Addiction, EarlyView. [Read more...](#)

4. NHS Practitioner Health: "We've always been on the precipice of closure"

19-04-2024 - *British Medical Journal*

What is NHS Practitioner Health, and who funds it? NHS Practitioner Health is a specialist mental health and addiction service for doctors. It was first opened in

London in 2008 as part of a pilot with two years of funding. In 2016 it was extended to the whole of England to include all GPs and GP trainees, with the service reporting a “flood” of doctors seeking care. [Read more...](#)

5. Vaping in pregnancy: Caution required!

18-04-2024 - *John Wiley & Sons*

Addiction, EarlyView. [Read more...](#)

6. Correction to ‘The relationship between alcohol use and dementia in adults aged more than 60 years: a combined analysis of prospective, individual-participant data from 15 international studies’

18-04-2024 - *John Wiley & Sons*

Addiction, EarlyView. [Read more...](#)

7. Associations between child maltreatment and hospital admissions for alcohol and other substance use-related disorders up to 40 years of age: Results from the Childhood Adversity and Lifetime Morbidity study

18-04-2024 - *John Wiley & Sons*

Addiction, EarlyView. [Read more...](#)

8. Alibi marketing? Surrogate marketing? Brand sharing? What is the correct terminology to discuss marketing for alcohol-free and low-alcohol products which share branding with regular strength alcohol products?

17-04-2024 - *John Wiley & Sons*

Addiction, EarlyView. [Read more...](#)

9. Prevalence of opioid dependence in Scotland 2015–2020: A multi-parameter estimation of prevalence (MPEP) study

17-04-2024 - *John Wiley & Sons*

Addiction, EarlyView. [Read more...](#)

10. Should contingency management protocols and dissemination practices be modified to accommodate rising stimulant use and harm reduction frameworks?

16-04-2024 - *John Wiley & Sons*

Addiction, EarlyView. [Read more...](#)

11. NHS England does U turn on staff mental health service after outcry by doctors

16-04-2024 - *British Medical Journal*

NHS England has reversed its decision to halt new sign-ups to the NHS Practitioner Health (NHSPH) programme, a mental health and addiction service that specialises in treating healthcare professionals, after doctors expressed “dismay and disbelief.” A notice on the NHSPH website issued on 12 April said that NHS England was reviewing the “staff support offer for mental health across all staff ... [Read more...](#)

12. Effect of 3 months and 12 months of financial incentives on 12-month postpartum smoking cessation maintenance: A randomized controlled trial

16-04-2024 - *John Wiley & Sons*

Addiction, EarlyView. [Read more...](#)

13. New Books

16-04-2024 - *John Wiley & Sons*

Addiction, EarlyView. [Read more...](#)

14. Heterogeneity in Mobile Phone Addiction Among University Freshmen and its Relationship with Psychological Resilience: a Person-centered Approach
16-04-2024 - Springer
Read more...
15. Commentary on Carrasquilla et al.: Smoking and obesity uncovering causal mechanisms through triangulation of different methods
15-04-2024 - John Wiley & Sons
Addiction, EarlyView. Read more...
16. Empirically contrasting urine drug screening-based opioid use disorder treatment outcome definitions
14-04-2024 - John Wiley & Sons
Addiction, EarlyView. Read more...
17. 'Return to player' information given to gamblers is unintuitive, misleading and often incorrect
14-04-2024 - John Wiley & Sons
Addiction, EarlyView. Read more...
18. Questioning methadone split-dosing for analgesia among hospitalized patients with opioid use disorder
14-04-2024 - John Wiley & Sons
Addiction, EarlyView. Read more...
19. Longitudinal Associations of Social Anxiety Trajectories with Internet-Related Addictive Behaviors Among College Students: A Five-Wave Survey Study
12-04-2024 - Springer
Read more...
20. Referees
11-04-2024 - John Wiley & Sons
Addiction, Volume 119, Issue 5, Page 971-975, May 2024. Read more...
21. Addiction Lives
10-04-2024 - John Wiley & Sons
Addiction, EarlyView. Read more...
22. Prazosin and cyproheptadine in combination in the treatment of alcohol use disorder: A randomized, double-blind, placebo-controlled trial
10-04-2024 - John Wiley & Sons
Addiction, EarlyView. Read more...
23. Broad evidence of xylazine in the UK illicit drug market beyond heroin supplies: Triangulating from toxicology, drug-testing and law enforcement
09-04-2024 - John Wiley & Sons
Addiction, EarlyView. Read more...
24. Expanding and adapting prevention and treatment options for older adults who engage in harmful use of substances
09-04-2024 - John Wiley & Sons
Addiction, EarlyView. Read more...
25. Mapping the Landscape of Internet Pornography, Loneliness, and Social Media Addiction: A CiteSpace Bibliometric Analysis

09-04-2024 - Springer

[Read more...](#)

26. Prescribing practices in opioid agonist treatment and changes in compliance to clinical dosing guidelines in British Columbia, Canada

07-04-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

27. Commentary on Copeland et al.: Does xylazine in the United Kingdom foreshadow a European synthetic polysubstance drug crisis?

03-04-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

28. Commentary on Pardo et al.: Whatever the past situation, drug precursor chemicals may in future represent an important source for synthetic drug production in Afghanistan and surrounding countries

03-04-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

29. Strengthening oversight and integrity: The multi-faceted role of centralized player tracking systems in gambling

03-04-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

30. Commentary on Schmidt et al.: Informed patient preference and prioritizing access to medications for opioid use disorder for pregnant individuals

03-04-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

31. Integrated care van delivery of evidence-based services for people who inject drugs: A cluster-randomized trial

01-04-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

[Back to Top](#)

Abuse and Neglect

Abuse and neglect

1. Online sexual abuse and exploitation of children in the Philippines: An exploratory study of outcomes after reintegration into the community

27-04-2024 - Ovid

Author Names: Scroger M., Draper R.S., McQuillan B. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Online sexual abuse and exploitation of children in the Philippines: An exploratory study of outcomes after reintegration into the community Year: 2024 Issue: Volume: 152 Abstract: Background: This study examined psychosocial ... [Read more...](#)

2. The relationship between bullying victimization and problematic behaviors: A focus on the intrapersonal emotional competence and interpersonal social competence

27-04-2024 - Ovid

Author Names: Jiang C.,Shi J. Database Source: Embase Weekly Updates
Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: The relationship between bullying victimization and problematic behaviors: A focus on the intrapersonal emotional competence and interpersonal social competence
Year: 2024 Issue: Volume: 152 Abstract: Background: Evidence consistently demonstrated ... [Read more...](#)

[3. Dimensions of family stress and repetitive nonsuicidal self-injury in adolescence: Examining the interactive effects of impulsivity and emotion dysregulation](#)

27-04-2024 - Ovid

Author Names: Gao Y.,Liu J.,Liu X.,Wang Y.,Qiu S. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Dimensions of family stress and repetitive nonsuicidal self-injury in adolescence: Examining the interactive effects of impulsivity and emotion dysregulation Year: 2024 Issue: Volume: 152 Abstract: Background: Repetitive ... [Read more...](#)

[4. Arab mothers' viewpoints: Why their children are removed from home](#)

27-04-2024 - Ovid

Author Names: Sold A.,Refaeli T.,Omar N. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Arab mothers' viewpoints: Why their children are removed from home Year: 2024 Issue: Volume: 152 Abstract: Background: Many studies have explored the impact of child removal on both children and professionals, ... [Read more...](#)

[5. Detecting orphanage trafficking and exploitation](#)

27-04-2024 - Ovid

Author Names: Nhep R.,Deck S.,van Doore K.,Powell M. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Detecting orphanage trafficking and exploitation Year: 2024 Issue: Volume: 152 Abstract: Background: There is growing awareness that a proportion of children in orphanages have been recruited or transferred into the facility ... [Read more...](#)

[6. Longitudinal associations between childhood victimization and neuroticism from middle childhood to early adolescence](#)

27-04-2024 - Ovid

Author Names: Zhao Y.,Huebner E.S.,Liu W.,Tian L. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Longitudinal associations between childhood victimization and neuroticism from middle childhood to early adolescence Year: 2024 Issue: Volume: 152 Abstract: Background: Previous cross-sectional and unidirectional longitudinal ... [Read more...](#)

[7. "Instead of just taking my baby, they could've actually given me a chance": Experiences with plans of safe care among birth parents impacted by perinatal substance use](#)

27-04-2024 - Ovid

Author Names: He Y.,Chaiyachati B.H.,Matone M.,Bastos S.,Kallam S.,Mehta A.,Wood J.N. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: "Instead of just taking my baby, they could've actually given me a chance": Experiences with plans of

safe care among birth parents impacted by perinatal substance use Year: 2024 Issue: ... [Read more...](#)

8. Validation of the PediBIRN-7 clinical prediction rule for pediatric abusive head trauma

27-04-2024 - Ovid

Author Names: Hymel K.P.,Carroll C.L.,Frazier T.N.,Weeks K.,Herman B.E.,Marinello M.,Chen Y.,Wang M.,Boos S.C. Database Source: Embase Daily Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Validation of the PediBIRN-7 clinical prediction rule for pediatric abusive head trauma Year: 2024 Issue: Volume: 152 Abstract: Background: The PediBIRN-7 clinical ... [Read more...](#)

9. Organized sexualized and ritual violence: Results from two representative German samples

27-04-2024 - Ovid

Author Names: Gerke J.,Fegert J.,Rassenhofer M.,Fegert J.M. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Organized sexualized and ritual violence: Results from two representative German samples Year: 2024 Issue: Volume: 152 Abstract: Background: Organized sexualized and ritual abuse (ORA), ... [Read more...](#)

10. Does mental contamination mediate the association between childhood trauma and obsessive-compulsive symptoms in adults?

27-04-2024 - Ovid

Author Names: Corkish B.,Yap K. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Does mental contamination mediate the association between childhood trauma and obsessive-compulsive symptoms in adults? Year: 2024 Issue: Volume: 152 Abstract: Background: Previous research has shown that individuals with obsessive-compulsive ... [Read more...](#)

11. The relationship between childhood maltreatment subtypes and adolescent internalizing problems: The mediating role of maladaptive cognitive emotion regulation strategies

27-04-2024 - Ovid

Author Names: Zhang Y.,Xu W.,McDonnell D.,Wang J.-L. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: The relationship between childhood maltreatment subtypes and adolescent internalizing problems: The mediating role of maladaptive cognitive emotion regulation strategies Year: 2024 Issue: Volume: 152 Abstract: Background: ... [Read more...](#)

12. Sexual exploitation of young men: Background characteristics and needs from a life-course perspective

27-04-2024 - Ovid

Author Names: Mercera G.,Noteboom F.,Timmermans C.,Leijdesdorff S.,Heynen E.,van Amelsvoort T. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Sexual exploitation of young men: Background characteristics and needs from a life-course perspective Year: 2024 Issue: Volume: 152 Abstract: Background: Sexually exploited young men ... [Read more...](#)

13. Sexual and reproductive health while living with rheumatoid arthritis: The impact of the disease stage on patient perspectives

26-04-2024 - *Public Library of Science (PLoS)*

by Loraine Ledón-Llanes, Irazú Contreras-Yáñez, Guillermo Arturo Guaracha-Basáñez, Salvador Saúl Valverde-Hernández, Maximiliano Cuevas-Montoya, Ana Belén Ortiz-Haro, Virginia Pascual-Ramos Background Rheumatoid arthritis (RA) is one of the most prevalent rheumatic diseases that harms all aspects of patients' lives, including sexual and reproductive health (SRH), often neglected in patients' care. [Read more...](#)

14. Estimation of the number of motor units in the human extensor digitorum brevis using MScanFit

26-04-2024 - *Public Library of Science (PLoS)*

by Cliff S. Klein, Hui Liu, Yuan Xiong Objective Our aim was to determine the number and size parameters of EDB motor units in healthy young adults using MScanFit, a novel approach to motor unit number estimation (MUNE). Since variability in MUNE is related to compound muscle action potential (CMAP) size, we employed a procedure to document the optimal EDB electromyographic (EMG) electrode ... [Read more...](#)

15. Achieving more equitable access to assisted reproduction

26-04-2024 - *British Medical Journal*

Infertility affects one in six people in their lifetime yet remains a neglected global health problem.¹ The World Health Organization (WHO) recognises infertility as a disease and has highlighted the need for prevention and management to be more central in health research and policy, including wider and more equitable access to assisted reproductive technology (box 1). [Read more...](#)

16. Stimulus-Response Patterns: The Key to Giving Generalizability to Text-based Depression Detection Models

24-04-2024 - *National Library of Medicine*

Text content analysis for depression detection using machine learning techniques has become a prominent area of research. However, previous studies focused mainly on analyzing the textual content, neglecting the fundamental factors driving text generation. Consequently, existing models face the challenge of poor generalization to out-of-domain data as they struggle to capture the crucial ... [Read more...](#)

17. Navigating distress: Exploring factors affecting adolescent girls' wellbeing during and after a violence-focused survey in Maharashtra, India

20-04-2024 - *Ovid*

Author Names: Steinert J.I., Shukla S., Vasumati Satish R. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Navigating distress: Exploring factors affecting adolescent girls' wellbeing during and after a violence-focused survey in Maharashtra, India Year: 2024 Issue: Volume: 152 Abstract: Background: Ensuring the emotional ... [Read more...](#)

18. Longing to belong: The ambiguous loss of Indigenous fostered/adopted individuals

20-04-2024 - *Ovid*

Author Names: Simpson J.E., Landers A.L., White Hawk S. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and

Neglect Article Title: Longing to belong: The ambiguous loss of Indigenous fostered/adopted individuals Year: 2024 Issue: Volume: 148 Abstract: Background: Indigenous fostered/adopted individuals report high levels of grief because of their foster ... [Read more...](#)

19. Childhood trauma and alcohol misuse in college students: The moderating role of minimization

20-04-2024 - Ovid

Author Names: Tapia G.,Teyseyre J.,Brehonnet R.,Baud A.,Gauvreau G.,Gray M.,Oprescu F. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Childhood trauma and alcohol misuse in college students: The moderating role of minimization Year: 2024 Issue: Volume: 152 Abstract: Background: History of childhood trauma as a risk factor ... [Read more...](#)

20. State paid family leave policies and infant maltreatment

20-04-2024 - Ovid

Author Names: Tanis J.M.,Klein S.M.,Boyke H. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: State paid family leave policies and infant maltreatment Year: 2024 Issue: Volume: 152 Abstract: Background: Growing research points to economic policies as protective mechanisms for vulnerable families. [Read more...](#)

21. Impact of a family treatment court on child permanency and safety

20-04-2024 - Ovid

Author Names: Mersky J.P.,Lee C.P.,Liu X.,Janczewski C.E. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Impact of a family treatment court on child permanency and safety Year: 2023 Issue: Volume: 146 Abstract: Background: Family Treatment Courts have been linked to promising effects on key child welfare outcomes, ... [Read more...](#)

22. Gender, rights and responsibilities: The need for a global analysis of the sexual exploitation of boys

20-04-2024 - Ovid

Author Names: Josenhans V.,Kavenagh M.,Smith S.,Wekerle C. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Gender, rights and responsibilities: The need for a global analysis of the sexual exploitation of boys Year: 2020 Issue: Volume: 110 Abstract: The United Nations Convention on the Rights of the Child confirmed child and ... [Read more...](#)

23. Explaining how childhood physical abuse and physical neglect influence adult depression: An analysis with multiple sequential mediators

20-04-2024 - Ovid

Author Names: Zhang W.-B.,Jia F.-F.,Liu B.-P.,Li Q.,Jia C.-X. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Explaining how childhood physical abuse and physical neglect influence adult depression: An analysis with multiple sequential mediators Year: 2024 Issue: Volume: 152 Abstract: Background: Substantial evidence ... [Read more...](#)

24. Providers' experiences collaborating with child welfare workers: The good, the bad, and the impacts

20-04-2024 - Ovid

Author Names: Zilberstein K., Brown A., Hatcher A.J., Burton J., Gau J. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Providers' experiences collaborating with child welfare workers: The good, the bad, and the impacts Year: 2024 Issue: Volume: 152 Abstract: Background: Successful interprofessional collaborations have been ... [Read more...](#)

25. Developmental factors associated with inappropriate coping strategies among sexual aggressors of children

20-04-2024 - Ovid

Author Names: Garant E., Gauthier A., Deli C., Proulx J. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Developmental factors associated with inappropriate coping strategies among sexual aggressors of children Year: 2023 Issue: Volume: 146 Abstract: Background: Many studies in the field of sexual offending focus on the ... [Read more...](#)

26. Sexual Misconduct: What Does a 20-Year Review of Cases in Quebec Reveal about the Characteristics of Professionals, Victims, and the Disciplinary Process?

20-04-2024 - SAGE Publishing

Sexual Abuse, Ahead of Print. While there is a considerable body of literature on sexual aggression, we know much less about the violation of sexual boundaries within professional relationships. To address this knowledge gap, the characteristics of cases of sexual misconduct in the province of Quebec were extracted, based on a search of published disciplinary decisions between 1998 and 2020, ... [Read more...](#)

27. A deep learning-based dynamic deformable adaptive framework for locating the root region of the dynamic flames

17-04-2024 - Public Library of Science (PLoS)

by Hongkang Tao, Guhong Wang, Jiansheng Liu, Zan Yang Traditional optical flame detectors (OFDs) in flame detection are susceptible to environmental interference, which will inevitably cause detection errors and miscalculations when confronted with a complex environment. The conventional deep learning-based models can mitigate the interference of complex environments by flame image feature ... [Read more...](#)

28. Teenage Blues: Predictors of depression among adolescents in Nigeria

17-04-2024 - National Library of Medicine

CONCLUSION: Depressive syndromes are a significant health burden in adolescents. Being female, being bullied, having a history of sexual abuse, and family dysfunctionality are risk factors associated with depression among these population. [Read more...](#)

29. Collaboration between Criminal Justice and Child Protection in Cases of Child Sexual Abuse: Unveiling Inhibiting and Facilitating Factors

16-04-2024 - John Wiley & Sons

Child Abuse Review, Volume 33, Issue 2, March/April 2024. [Read more...](#)

30. Gender Differences in the Characterization of Child Sexual Abuse

15-04-2024 - National Library of Medicine

Research on child sexual abuse (CSA) has increased in recent decades. However, the study of gender differences in this field is still scarce. The aim of this study was to analyze the differences in the characterization of CSA between Spanish adult men and women. The Juvenile Victimization Questionnaire was administered to 162 cisgender victims of CSA aged 18-63. [Read more...](#)

31. Witnessing family violence and adolescent cyberbullying perpetration: A longitudinal moderated mediation model involving anger dysregulation and teacher support

13-04-2024 - Ovid

Author Names: Wu X.,Zhang L.,Luo H. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Witnessing family violence and adolescent cyberbullying perpetration: A longitudinal moderated mediation model involving anger dysregulation and teacher support Year: 2024 Issue: Volume: 152 Abstract: Background: Family violence has been ... [Read more...](#)

32. Executive functioning in child victims of sexual abuse: A multi-informant comparative study

13-04-2024 - Ovid

Author Names: Amedee L.M.,Cyr C.,Jean-Thorn A.,Hebert M. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Executive functioning in child victims of sexual abuse: A multi-informant comparative study Year: 2024 Issue: Volume: 152 Abstract: Background: Research examining the association between child sexual abuse and executive ... [Read more...](#)

33. Forensic interviewers' difficulty with the birthday narrative

13-04-2024 - Ovid

Author Names: Wylie B.E.,Henderson H.M.,Lundon G.M.,Lyon T.D. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Forensic interviewers' difficulty with the birthday narrative Year: 2024 Issue: Volume: 152 Abstract: Background: Narrative practice increases children's productivity in forensic interviews, ... [Read more...](#)

34. Prevention of child sexual abuse in the United States: Scoping review of United States legislative policies

13-04-2024 - Ovid

Author Names: Helpingstine C.E.,Jadue Zalaquett V.C.,Murphy C.A.,Merrick M.T.,Fickler W.,Bernier J.,Klika J.B. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Prevention of child sexual abuse in the United States: Scoping review of United States legislative policies Year: 2024 Issue: Volume: 152 Abstract: Background: States ... [Read more...](#)

35. A cross-cultural examination of adverse childhood experiences in low-and middle-income countries and their relation with adolescent educational aspirations

13-04-2024 - Ovid

Author Names: Alcaraz M.,Pierce H.,Eggum N.D.,Nuno-Gutierrez B.L.,Ghimire D. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: A cross-cultural examination of adverse childhood experiences in low-and middle-income countries and their

relation with adolescent educational aspirations Year: 2024 Issue: Volume: 152
Abstract: ... [Read more...](#)

36. The remote work of child protection professionals during COVID-19: A scoping review and thematic analysis

13-04-2024 - Ovid

Author Names: Katz C.,Cohen N.,Attrash-Najjar A.,Glucklich T.,Jacobson M.,Varela N.,Priolo-Filho S.R.,Chang O.D.,Haffejee S.,Kaawa-Mafigiri D.,Katz I.,Maguire-Jack K.,Massarweh N.,Tarabulsy G.M.,Levine D.T.,Wekerle C.
Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: The remote work of child protection professionals during ... [Read more...](#)

37. Service-seeking behaviors among male victims of violence in five African countries: The effects of positive and adverse childhood experiences

06-04-2024 - Ovid

Author Names: Denhard L.,Brown C.,Kanagasabai U.,Thorsen V.,Kambona C.,Kamagate F.,Ramphalla P.,Benevides R.,Kamami M.,McOwen J.,Augusto A.,Manuel P.,Coomer R.,Matthews S.,Patel P.,Annor F.B. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Service-seeking behaviors among male victims of violence in five African countries: ... [Read more...](#)

38. Adverse childhood experiences, mental distress, self-harm and suicidality, and cumulative HIV risk by sex in Lesotho

06-04-2024 - Ovid

Author Names: Perry Mohling E.W.,Recinos M.,Kwiringira J.N.,Phung E.,Olwit C.,Swahn M.H.,Masseti G.,Self-Brown S. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Adverse childhood experiences, mental distress, self-harm and suicidality, and cumulative HIV risk by sex in Lesotho Year: 2024 Issue: Volume: 150
Abstract: ... [Read more...](#)

39. Early adolescent development in the face of violence: A systematic review running

06-04-2024 - Ovid

Author Names: Jagasia E.,Bloom I.,Nelson K.E.,Campbell J. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Early adolescent development in the face of violence: A systematic review running Year: 2024 Issue: Volume: 151 Abstract: Background: Exposure to violence has severe and lasting effects on development. [Read more...](#)

40. Identifying infants at risk of sudden unexpected death with an automated predictive risk model

06-04-2024 - Ovid

Author Names: Reuben J.,Vaithianathan R.,Berger R. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Identifying infants at risk of sudden unexpected death with an automated predictive risk model Year: 2024 Issue: Volume: 151 Abstract: Background/objective: Sudden unexpected infant death (SUID) is a common cause of infant death. [Read more...](#)

41. Leveraging multivariate approaches to advance the science of early-life adversity

06-04-2024 - Ovid

Author Names: Briant A., Sisk L.M., Keding T.J., Cohodes E.M., Gee D.G.
Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Leveraging multivariate approaches to advance the science of early-life adversity Year: 2024 Issue: Volume: Abstract: Since the landmark Adverse Childhood Experiences (ACEs) study, ... [Read more...](#)

42. Adverse childhood experiences, HIV and sexual risk behaviors - Five sub-Saharan countries, 2018-2020

06-04-2024 - Ovid

Author Names: Kanagasabai U., Thorsen V., Zhu L., Annor F.B., Chiang L., McOwen J., Augusto A., Manuel P., Kambona C., Coomer R., Kamagate F., Ramphalla P., Denhard L., Cain M., Hegle J., de Barros R.B., Saenz S., Kamami M., Patel P. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Adverse childhood experiences, ... [Read more...](#)

43. Introduction to the child abuse and neglect special issue "epidemiology, risk factors, and impacts of adverse childhood experiences in low- and middle-income countries."

06-04-2024 - Ovid

Author Names: Gilbert L.K., Annor F.B., Brown C., Dube S.R. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Introduction to the child abuse and neglect special issue "epidemiology, risk factors, and impacts of adverse childhood experiences in low- and middle-income countries." Year: 2024 Issue: Volume: 150 Abstract: [Read more...](#)

44. Approaches for measuring cumulative childhood adversity: A study of youth from 5 sub-Saharan African countries

06-04-2024 - Ovid

Author Names: Gilbert L.K., Matthews S., Dube S.R., Annor F.B. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Approaches for measuring cumulative childhood adversity: A study of youth from 5 sub-Saharan African countries Year: 2024 Issue: Volume: 150 Abstract: Background: Adverse childhood experiences (ACEs) include forms of ... [Read more...](#)

45. Parental absence as an adverse childhood experience among young adults in sub-Saharan Africa

06-04-2024 - Ovid

Author Names: Annor F.B., Amene E.W., Zhu L., Stamatakis C., Picchetti V., Matthews S., Miedema S.S., Brown C., Thorsen V.C., Manuel P., Gilbert L.K., Kambona C., Coomer R., Trika J., Kamuingona R., Dube S.R., Massetti G.M. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Parental absence as an adverse childhood experience among young adults ... [Read more...](#)

46. Prevalence and associated factors of adverse childhood experiences (ACE) in a sample of Brazilian university students

06-04-2024 - Ovid

Author Names: Risso P.A.,Jural L.A.,Santos I.C.,Cunha A.J.L.A. Database
Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child
Abuse and Neglect Article Title: Prevalence and associated factors of adverse
childhood experiences (ACE) in a sample of Brazilian university students Year:
2024 Issue: Volume: 150 Abstract: Background: Adverse childhood experiences
(ACEs) have ... [Read more...](#)

[Back to Top](#)

[Powered by Vable](#) | [Privacy Policy](#)