



Mental Health Current Awareness Update

July 2024

Welcome to the monthly **Mental Health Current Awareness Alert** (MHCAU), produced by **UKHSA Knowledge and Library Services**. The purpose of this update is to provide you with the latest, best evidence about mental health, to help you make informed decisions.

If you have any queries, please contact us at libraries@ukhsa.gov.uk, and if you would like to request a literature search, please use the **Knowledge and Library Services Enquiries Portal**.

Please note that not all the articles and resources referred to in this alert are freely available. Some articles may require an Athens username and password. For further information on Athens accounts please visit [here](#). If you are not eligible to access our library services, then you may want to approach your **local health library service**.

We do not accept responsibility for the availability or reliability of the items of content included in this alert and their inclusion is not an endorsement of any views that may be expressed.

CONTENTS

Mental health

- [Mental health](#)

Prevention and mental well-being

- [Prevention and mental well-being](#)

Ageing and mental health

- [Ageing and mental health](#)

Child and infant mental health

- [Child and adolescent mental health](#)

Psychiatry

- [Psychiatry](#)

Psychology

- [Psychology](#)

Mental health and COVID-19

- [Mental health and COVID-19](#)

Depression

- [Depression](#)

Anxiety

- [Anxiety](#)

Post Traumatic Stress Disorder

- [Post Traumatic Stress Disorder](#)

Psychosis

- [Psychosis](#)

Schizophrenia

- [Schizophrenia](#)

Personality disorder

- [Personality disorder](#)

Attention Deficit Hyperactivity Disorder

- [Attention Deficit Hyperactivity Disorder](#)

Eating disorders

- [Eating disorders](#)

Self-harm

- [Self-harm](#)

Suicide

- [Suicide](#)

Addiction

- [Addiction](#)

Abuse and Neglect

- [Abuse and neglect](#)

Mental health

Mental health

1. Willingness to use mental health counseling in diverse groups of Asian Americans

26-07-2024 - National Library of Medicine

Responding to the underutilization of mental health services in Asian American communities, we examined factors associated with their willingness to use mental health counseling. Applying Andersen's Behavioral Health Service Model, we focused on the role of mental health needs and prior use of mental health counseling in shaping the attitudes toward mental health counseling of diverse groups ... [Read more...](#)

2. Mind the Gap: Understanding Palliative Care Clinician Attitudes Toward Mental Health Training

24-07-2024 - National Library of Medicine

Background: Palliative care (PC) clinicians provide mental healthcare to individuals with serious illnesses. Despite this, there is limited knowledge regarding their mental health training opportunities. Methods: To identify predictors of satisfaction with mental health training opportunities and assess the relationship between training opportunities and clinician comfort in managing mental ... [Read more...](#)

3. Community-Based Mental Health Services in Azerbaijan: a Course Toward Development:

24-07-2024 - National Library of Medicine

Community mental health care in Azerbaijan was established in 2011 in the line with the country's mental health reform. The main directions of the reform, as described in the National Mental Health Strategy, were deinstitutionalization, improving quality of care, integration of mental health into primary healthcare, and implementation of modern community-based services. [Read more...](#)

4. Social Vulnerability and Prevalence and Treatment for Mental Health and Substance Use Disorders

24-07-2024 - National Library of Medicine

CONCLUSIONS AND RELEVANCE: In contrast to previous studies using nonclinical symptom-based survey data, we found no association between SV and GAD or MDD. By contrast, there were associations of SV with prevalence of SSD, stimulant use disorder, and OUD with corresponding decreases in treatment. These results suggest that the SVM might assist in developing more comprehensive care models that ... [Read more...](#)

5. The WPA-IPS-SPF-AFPA Joint Panel Discussion Organized by the IPA: Voices from South Asia Regarding Older People's Mental Health Advocacy and Services: WPA-IPS-SPF-AFPA :

24-07-2024 - National Library of Medicine

Kicking off on 1 October with the United Nations' International Day of Older Persons (UNIDOP) and concluding on 10 October in conjunction with World Mental Health Day, the OLDER ADULT MENTAL HEALTH AWARENESS WEEK was a brand-new ten-day initiative launched by the International Psychogeriatric Association (IPA). It was focused on raising awareness of the importance of Better Mental Health for ... [Read more...](#)

6. Professional Values and Educational Needs among Mental Health Specialists in Russia: Survey Results

24-07-2024 - National Library of Medicine

CONCLUSION: The present study suggests that job opportunities, intellectual stimulation, and work-life balance are the most important professional values for future and practicing mental health specialists. These findings might be used as a basis for developing educational activities for mental health specialists. [Read more...](#)

7. Rethinking mental health interventions: leveraging resilience and targeted solutions to combat food insecurity in adults with obesity

24-07-2024 - National Library of Medicine

No abstract [Read more...](#)

8. DC:0-5 Diagnostic Classification of Mental Health and Developmental Disorders of Infancy and Early Childhood: Promotion in Russia

24-07-2024 - National Library of Medicine

The purpose of the report is to inform the community of Russian pediatric mental health professionals about the international DC:0-5™ Diagnostic Classification of Mental Health and Developmental Disorders of Infancy and Early Childhood: its purpose, target age, structure and

content of diagnostic axes, as well as about the steps already taken domestically to promote the Classification in Russia. [Read more...](#)

9. Mental Health of Older Adults: an Agenda for Action: :

24-07-2024 - National Library of Medicine

No abstract [Read more...](#)

10. Estimating survival in data-driven phenotypes of mental health symptoms and peripheral biomarkers: A prospective study

24-07-2024 - National Library of Medicine

CONCLUSIONS: This study emphasizes the role of patient self-report in stratified psychiatry. [Read more...](#)

11. Community Mental Health Services in Greece: Development, Challenges and Future Directions

24-07-2024 - National Library of Medicine

The current system of mental health care in Greece was created in accordance with the European Union and other international principles for mental health care provisions. Whereas Greece has been reforming its system of mental health care since at least the 1980s, the main recent Greek effort has been "Psychargos", a program which began in 2000 and is still in effect. [Read more...](#)

12. Deciphering Prefrontal Circuits Underlying Stress and Depression: Exploring the Potential of Volume Electron Microscopy

24-07-2024 - National Library of Medicine

Adapting to environmental changes and formulating behavioral strategies are central to the nervous system, with the prefrontal cortex being crucial. Chronic stress impacts this region, leading to disorders including major depression. This review discusses the roles for prefrontal cortex and the effects of stress, highlighting similarities and differences between human/primates and rodent brains. [Read more...](#)

13. 'Profound personal and professional impacts': A qualitative study of clinician experiences of a mental health disaster response to Australia's black summer bushfires

24-07-2024 - National Library of Medicine

CONCLUSION: Participant experiences had shared and distinct components before, during and after the mental health disaster response, culminating in profound personal and professional impacts. Findings highlight positive aspects and challenges for clinicians participating in a rural/metropolitan collaborative mental health disaster response. The findings of this study contribute new knowledge ... [Read more...](#)

14. Religious Coping, Resilience, and Military Spouse Mental Health

24-07-2024 - National Library of Medicine

CONCLUSIONS: This study draws attention to the role of religious coping and resilience in mental health outcomes for military spouses. Considering the role of military spouses in supporting service members, future research should explore how to strengthen military spouses' religious coping and resilience to mitigate mental distress, thereby facilitating service member success and military ... [Read more...](#)

15. Mental Health Promotion and Risk Reduction Strategies for Mental Disorders in Older Persons: Why Should Governments and Policymakers Care?: : ?

24-07-2024 - National Library of Medicine

There is no health without mental health. These are both indispensable human rights and are prerequisite to living one's life with dignity. Unfortunately, mental health systems have been in crisis, with burden of mental illness being among the ten leading healthcare-related issues worldwide, with no measurable reduction in such for over 30 years. Concurrently, ... [Read more...](#)

16. Community Mental Health Services in Egypt

24-07-2024 - National Library of Medicine

As far back as the 14th Century, Egypt had already developed mental health care in a community-based sense in Kalaoon Hospital in Cairo, 600 years before similar institutions were founded across the globe. By 2001, an Egyptian-Finnish bilateral comprehensive reform program was incorporated. A few years later, in 2007, the Minister of Health and Population initiated a proper appraisal of the ... [Read more...](#)

17. Community-Based Mental Health Services in India: Current Status and Roadmap for the Future

24-07-2024 - National Library of Medicine

An estimated 197.3 million people have mental disorders in India, and majority of the population have either no or limited access to mental health services. Thus, the country has a huge burden of mental disorders, and there is a significant treatment gap. Public mental health measures have become a developmental priority so that sustainable gains may be made in this regard. [Read more...](#)

18. Building food security: strategies to improve mental health among youth

24-07-2024 - National Library of Medicine

No abstract [Read more...](#)

19. Voice Assistants for Mental Health Services: Designing Dialogues with Homebound Older Adults

24-07-2024 - National Library of Medicine

The number of older adults who are homebound with depressive symptoms is increasing. Due to their homebound status, they have limited access to trained mental healthcare support, which leaves this support often to untrained family caregivers. To increase access, a growing interest is placed on using technology-mediated solutions, such as voice-assisted intelligent personal assistants (VIPAs), ... [Read more...](#)

20. Increased reproductive tract infections among secondary school girls during the COVID-19 pandemic: associations with pandemic-related stress, mental health, and domestic safety

24-07-2024 - National Library of Medicine

CONCLUSIONS: In this cohort of adolescent girls, BV and STIs increased following COVID-19-related school closures, and risk was mediated by depressive symptoms and feeling less safe in the home, which led to a higher likelihood of sexual exposures. [Read more...](#)

21. The Effect of Mindfulness-Based Interventions on Mental Health and Cognitive Function in Older Adults: A Systematic Review and Meta-Analysis

24-07-2024 - National Library of Medicine

OBJECTIVES: To assess whether mindfulness-based interventions (MBIs) affect mental health and cognitive abilities in older adults. [Read more...](#)

22. The Experience of the Crisis Clinic at the Scientific and Practical Center for Mental Health of Children and Adolescents named after G.E. Sukhareva

24-07-2024 - National Library of Medicine

CONCLUSION: The need to remedy severe crisis conditions and their associated psychopathological repercussions (including suicidal and self-harming behavior) calls for coordinated efforts on the part of specialists from different fields of knowledge related to childhood and adolescence. Our analysis of the experience of working with children and adolescents in the Crisis Clinic at the ... [Read more...](#)

23. The Quality of Care Provided by Outpatient Mental Health Services in Georgia

24-07-2024 - National Library of Medicine

Georgia has recently made a commendable effort to reform mental health care. The "Concept on Mental Health Care" adopted by the Government and the two strategic plans for 2014-2020 and 2021-2031, which aimed to develop comprehensive evidence-based, culturally appropriate, and human rights-oriented mental health care, have promoted the deinstitutionalization and development of community mental ... [Read more...](#)

24. Syrian refugee young adults as community mental health workers implementing problem management plus: Protocol for a pilot randomized controlled trial to measure the mechanisms of effect on their own wellbeing, stress and coping

24-07-2024 - National Library of Medicine

This pilot randomized controlled trial protocol aims to (1) assess the impact on the wellbeing of Syrian refugee young adults (18-24 years) of being a community mental health worker (CMHW) implementing WHO's evidence-based psychosocial intervention - Problem Management Plus (PM+) - with adults in their community, and (2) identify the mechanisms associated with the outcomes of enhanced ... [Read more...](#)

25. The impacts of Covid-19 on perinatal mental health - Part 2

24-07-2024 - National Library of Medicine

No abstract [Read more...](#)

26. Towards a WPA Position Document on the Human Rights of Older Adults with Mental Health Conditions:

24-07-2024 - National Library of Medicine

The increasing number of older adults in countries across the world is a huge challenge to those that are in charge of promoting, protecting, and implementing their human rights. This task is particularly difficult in the absence of a strong international framework addressing the principles required to guide the actions to combat all human rights violations. The existence of such a specific ... [Read more...](#)

27. Characteristics of children with a psychiatric disorder in 1999, 2004 and 2017: an analysis of the national child mental health surveys of England

24-07-2024 - National Library of Medicine

CONCLUSIONS: Our study reveals a concerning trend children with a disorder in 2017 experienced more severe difficulties and greater impact on functioning at school, home and in their daily lives, compared to children with a disorder in earlier decades. Research is needed to identify and understand factors that may explain the changing nature and level of need among children with a disorder. [Read more...](#)

28. Operational mental health. . .what practitioners and commanders should know

24-07-2024 - National Library of Medicine

CONCLUSION: More training is required to prepare both practitioners and commanders for the mental health issues that confront them on operational deployments. [Read more...](#)

29. Community-Based Mental Health Services in Mexico

24-07-2024 - National Library of Medicine

CONCLUSIONS: Evidence is available regarding the implementation of the transition from reliance on tertiary healthcare to reinforced primary care. At the same time, parity, financial protection, quality and continuity of care remain major challenges. [Read more...](#)

30. Recent Developments in Community-Based Mental Health Care in Japan: A Narrative Review

24-07-2024 - National Library of Medicine

CONCLUSION: This paper provided the first comprehensive review of Japan's community-based mental health care. Between 2010 and 2020, community mental health care in Japan evolved in many directions, with the understanding that various needs should be met. Home-visit nursing care and ACT can be considered as the most thoroughly investigated and better developed. [Read more...](#)

31. Psychiatric Healthcare Experiences of South Asian Patients with Severe Mental Illness Diagnoses and Their Families in New York City: A Qualitative Study

24-07-2024 - National Library of Medicine

South Asians (SAs) underutilize mental health services compared to many racial and ethnic groups in the United States (US), yet there is limited research on the experiences of SAs living with severe mental illness (SMI). This study examined psychiatric healthcare experiences of SA patients with SMI diagnoses (e.g., severe depression, bipolar disorder, schizophrenia) in New York City. [Read more...](#)

32. Community Mental Health Care in Aotearoa New Zealand: Past, Present, and the Road Ahead

24-07-2024 - National Library of Medicine

The healthcare system in Aotearoa New Zealand is currently undergoing a far-reaching overhaul. When it comes to mental health reforms, it is helpful to look at the road ahead, while paying attention to the road behind. Policies and services concerning the mental health and addiction sectors have undergone various reforms first, during the transition from a hospital-centered to the current ... [Read more...](#)

33. Development of Community Mental Health Infrastructure in Thailand: From the Past to the COVID-19 Pandemic

24-07-2024 - National Library of Medicine

Thailand is an upper middle-income country located in the center of mainland Southeast Asia with a population of 66.17 million as of 2021. The aim of this review article is to illustrate the development of community mental health in our country. We have divided the article into five main sections: namely, the mental health service infrastructure, the community mental health system, ... [Read more...](#)

34. Using natural language processing to facilitate the harmonisation of mental health questionnaires: a validation study using real-world data

24-07-2024 - BioMed Central

Pooling data from different sources will advance mental health research by providing larger sample sizes and allowing cross-study comparisons however, the heterogeneity in how variables are measured across st... [Read more...](#)

35. Effects of brief remote high ventilation breathwork with retention on mental health and wellbeing: a randomised placebo-controlled trial

23-07-2024 - National Library of Medicine

High ventilation breathwork with retention (HVBR) has been growing in popularity over the past decade and might be beneficial for mental and physical health. However, little research has explored the potential therapeutic effects of brief, remotely delivered HVBR and the tolerability profile of this technique. Accordingly, we investigated the effects of a fully-automated HVBR protocol, ... [Read more...](#)

36. Diagnostic Accuracy of Mental Health Screening Tools After Mild Traumatic Brain Injury

23-07-2024 - National Library of Medicine

CONCLUSIONS AND RELEVANCE: The findings of this diagnostic study suggest that the PHQ-9, GAD-7 and PC-PTSD-5 accurately screen for mental health disorders in patients with mTBI. Future research should corroborate optimal test cutoffs for this population. [Read more...](#)

37. Prolonged Fatigue and Mental Health Challenges in Critical COVID-19 Survivors

23-07-2024 - National Library of Medicine

Background: The aim of this study was to investigate the development of fatigue and mental illness between 3 and 12 months after critical COVID-19 and explore risk factors for long-lasting symptoms. **Study Design and Methods:** A prospective, multicenter COVID-19 study in southern Sweden, including adult patients (≥ 18 years) with rtPCR-confirmed COVID-19 requiring intensive care. [Read more...](#)

38. Association of resilience and psychological flexibility with surgeons' mental wellbeing

23-07-2024 - National Library of Medicine

CONCLUSION: Findings suggest that it is not only a surgeon's personality that is associated with their mental health, but the extent to which a surgeon demonstrates specific psychological qualities and skills (psychological flexibility and resilience). This has important implications for improving surgeons' mental wellbeing, because psychological flexibility and resilience are malleable, ... [Read more...](#)

39. The impacts of Covid-19 on perinatal mental health - Part 1

23-07-2024 - National Library of Medicine

No abstract [Read more...](#)

40. Assessing the effectiveness of internet-based interventions for mental health outcomes: an umbrella review

23-07-2024 - National Library of Medicine

Internet-based interventions (IBIs) for behavioural health have been prevalent for over two decades, and a growing proportion of individuals with mental health concerns prefer these emerging digital alternatives. However, the effectiveness and acceptability of IBIs for various mental health disorders continue to be subject to scholarly debate. We performed an umbrella review of meta-analyses ... [Read more...](#)

41. Integrating psychological assessment in achalasia management: addressing mental health to enhance patient outcomes

23-07-2024 - National Library of Medicine

Achalasia is a chronic esophageal disorder with a generally favorable prognosis however, approximately 20% of patients experience persistent or recurrent symptoms despite therapeutic

interventions. These ongoing symptoms can significantly diminish both disease-specific and overall quality of life. Although the physical manifestations of achalasia, such as regurgitation, dysphagia, chest pain, ... [Read more...](#)

42. Sex and mental health are related to subcortical brain microstructure

23-07-2024 - National Library of Medicine

Some mental health problems such as depression and anxiety are more common in females, while others such as autism and attention deficit/hyperactivity (AD/H) are more common in males. However, the neurobiological origins of these sex differences are poorly understood. Animal studies have shown substantial sex differences in neuronal and glial cell structure, while human brain imaging studies ... [Read more...](#)

43. Symptoms of anxiety, depression, and post-traumatic stress disorder 6 weeks and 6 months after ICU: Six out of 10 survivors affected

23-07-2024 - National Library of Medicine

CONCLUSION: The burden of mental health disease in ICU survivors is substantial, affecting their HRQOL. Six out of 10 patients experienced symptoms of anxiety, depression and PTSD, and more than half of those affected experienced co-occurrence of the conditions. A third of those affected developed these symptoms only beyond 6 weeks after hospital discharge. A potentially modifiable ... [Read more...](#)

44. The knowledge, attitude, and intention to use internet-based mental health services: A serial mediation model

23-07-2024 - National Library of Medicine

CONCLUSIONS: This study underscores the critical role of knowledge in shaping positive attitudes and intentions to use i-MHS, emphasizing the need for robust mental healthcare promotion strategies to raise knowledge and maximize the benefits of i-MHS. [Read more...](#)

45. Technology-Assisted Mental Health Intervention Delivered by Frontline Workers at Community Doorsteps for Reducing Anxiety and Depression in Rural Pakistan: Protocol for the mPareshan Mixed Methods Implementation Trial

23-07-2024 - National Library of Medicine

CONCLUSIONS: This trial will assess the feasibility of early home-based mental health screening, counseling, and prompt referrals by frontline health workers to reduce anxiety and depression in the community. The study findings will set the stage for integrating mental health into primary health care. [Read more...](#)

46. The relation between mental health and career-related stress among prospective graduates in higher education stage during the COVID-19 pandemic: an evidence based on network analysis

23-07-2024 - National Library of Medicine

INTRODUCTION: The outbreak of the COVID-19 pandemic has disrupted people's routine, bringing uncertainty and stress, leading to mental health issues. This situation is particularly acute among Chinese prospective graduates in higher education stage as they cannot predict the outcomes of their studies, graduation, and career development, and therefore experience career-related stress. [Read more...](#)

47. The Placebo Effect in Exercise and Mental Health Research

23-07-2024 - National Library of Medicine

This chapter describes the placebo effect in the context of physical activity and mental health. Following a brief historical overview, definitions for placebos, placebo effects, and related terminology are discussed. Next, three major methodological challenges posed from studying the

placebo effect in the context of exercise are described. Additionally, the role of a primary psychological ... [Read more...](#)

48. Access to Psychotherapy Notes: Review of Legal Standards for Mental Health Clinicians

23-07-2024 - National Library of Medicine

Patients' access to their psychotherapy records may be assumed to be well protected however, the matter is intricately regulated. In fact, the statutes and rights pertaining to patient access to psychotherapy notes vary across states. Taken together, federal and state laws indirectly and inconsistently delineate lawful access-as well as clinical exceptions to providing access-to psychotherapy ... [Read more...](#)

49. Development and validation of the Alimetry Gut-Brain Wellbeing Survey: a novel patient-reported mental health scale for patients with chronic gastroduodenal symptoms

23-07-2024 - National Library of Medicine

CONCLUSION: The AGBW Survey is a brief, valid, and reliable scale for assessing mental health in patients with chronic gastroduodenal symptoms. It can be used as a tool to complement physiological tests and has the potential to guide psychological referrals, inform multidisciplinary management, and evaluate treatment outcomes. [Read more...](#)

50. A Scoping Review of Equine-Assisted Therapies on the Mental Health and Well-Being of Autistic Children and Adolescents: Exploring the Possibilities

23-07-2024 - National Library of Medicine

Animals are increasingly being utilized to assist with therapies for people with various health conditions. Horses are often used as a mechanism of engagement and development for autistic children and adolescents. Horses offer a unique opportunity for interaction as the child or adolescent can physically ride and interact with the animal, thus creating a therapy that involves contact that is ... [Read more...](#)

51. Ethnic Density and Mental Health: Does it Matter Whether the Ethnic Density is Co-ethnic or Multi-ethnic and How Important is Change in Ethnic Density?

23-07-2024 - National Library of Medicine

The ethnic density thesis suggests a protective health benefit for ethnic minorities living in places with higher concentration of co-ethnic residents. This paper aims to make a step change in the examination of this thesis by proposing ethnic diversity rather than co-ethnic density will be more protective for mental health. The paper proposes ethnic diversity could be a community asset that ... [Read more...](#)

52. Sleep and mental health in patients with breast cancer

23-07-2024 - National Library of Medicine

No abstract [Read more...](#)

53. Linking heart and mind - lived experiences of parents to children with congenital heart disease and mental health issues

23-07-2024 - National Library of Medicine

Children with congenital heart disease are more likely to receive special educational services in schools and have an increased risk of mental health issues. We explored the lived experiences of parents caring for a child with heart disease and concurrent mental health issues in Denmark. Semi-structured interviews with ten parents (age 39-57 years) to these children (age 5-17 years) were ... [Read more...](#)

54. Effects of resilience, social support, and academic self-efficacy, on mental health among Peruvian university students during the pandemic: the mediating role of digital inclusion

23-07-2024 - National Library of Medicine

CONCLUSION: Mental health of university students during the pandemic shows alarming levels of general or emotional distress. The findings indicate that resilience, social support and self-efficacy protect college students' mental health by reducing general distress. However, the study shows that when there is a digital divide around internet quality the impact of these factors is affected.

[Read more...](#)

55. Association between stress types and adolescent suicides: findings from the Korea Youth Risk Behavior Survey

23-07-2024 - National Library of Medicine

CONCLUSION: Adolescents who experience stress from family and home, or school and friends, are more likely to think about suicide, or carry it out, as compared to those having different causes of stress. [Read more...](#)

56. Corrigendum to "PGC-1alpha in the hippocampus mediates depressive-like and stress-coping behaviours and regulates excitatory synapses in the dentate gyrus in mice" [Neuropharmacology 250 (2024) 109908]

23-07-2024 - National Library of Medicine

No abstract [Read more...](#)

57. Improving patient-centered mental health promotion in primary care in vulnerable communities through mindfulness training in Rio de Janeiro, Brazil

23-07-2024 - National Library of Medicine

CONCLUSION: Mindfulness-Based Intervention have shown to be a feasible, well-accepted and efficacious method of offering psychosocial support and promoting well-being for low-income patients in primary care in LAMIC. [Read more...](#)

58. Efficacy of mental health smartphone apps on stress levels: a meta-analysis of randomised controlled trials

23-07-2024 - National Library of Medicine

The management of stress has evolved in recent years due to widespread availability of mobile-device applications (apps) and their capacity to deliver psychological interventions. We evaluated the efficacy of mental health apps on stress and sought to identify characteristics associated with effect size estimates. Sixty-nine randomised controlled trials (RCTs) were included. [Read more...](#)

59. Applying Digital Technology to Understand Human Experiences of Climate Change Impacts on Food Security and Mental Health: Scoping Review

23-07-2024 - National Library of Medicine

CONCLUSIONS: Most digital apps identified provided a service to citizens to either prevent adverse climate change-related health impacts or manage these effects following an acute event or a natural disaster. The capacity of ubiquitous digital tools to enable near real-time communication, the involvement of various stakeholder groups, and their ability to share relevant educational resources ... [Read more...](#)

60. Changes in Adolescents' COVID-19-Health-Related Stress, Parent-Adolescent Relationships, and Mental Health During the COVID-19 Pandemic: The Effect of Personality Traits

23-07-2024 - National Library of Medicine

Previous studies investigated short-term effects of COVID-19 on families. However, much is unknown about how families with adolescents fared throughout the pandemic, as well as factors that might explain interindividual differences in adjustment. The current study used latent change score models to investigate associations between changes in adolescents' mental health, ... [Read more...](#)

61. Exploring the Efficacy of Large Language Models in Summarizing Mental Health Counseling Sessions: Benchmark Study

23-07-2024 - National Library of Medicine

CONCLUSIONS: While LLMs fine-tuned specifically on mental health domain data display better performance based on automatic evaluation scores, expert assessments indicate that these models are not yet reliable for clinical application. Further refinement and validation are necessary before their implementation in practice. [Read more...](#)

62. A Framework for Protecting and Promoting Employee Mental Health through Supervisor Supportive Behaviors

23-07-2024 - National Library of Medicine

The attention to workplace mental health is timely given extreme levels of burnout, anxiety, depression and trauma experienced by workers due to serious extraorganizational stressors - the COVID-19 pandemic, threats to climate change, and extreme social and political unrest. Workplace-based risk factors, such as high stress and low support, are contributing factors to poor mental health and ... [Read more...](#)

63. Cognitive interviewing to assess and adapt three measures of mental health symptoms among people living with HIV in Rakai, Uganda: the Thinking a Lot Questionnaire, the Patient Health Questionnaire 9 (PHQ-9), and the Hopkins Symptoms Checklist (HSCL)

23-07-2024 - National Library of Medicine

Mental health is conceptualized differently across cultures, making cross-cultural validation of screening tools critical. In Uganda, we used cognitive interviewing to assess and adapt three scales for measuring psychological distress: the Thinking a Lot Questionnaire, the Patient Health Questionnaire 9 (PHQ-9), and the Hopkins Symptoms Checklist (HSCL). We recruited 12 people living with HIV ... [Read more...](#)

64. Mental Health Care Resource Utilization of Victims of Interpersonal Violence in the Novel Coronavirus Era

23-07-2024 - National Library of Medicine

CONCLUSIONS: Racial and socioeconomic disparities were amplified and MH resource utilization was lower during COVID. Further injury prevention efforts should be focused on MH in future pandemics or disasters. [Read more...](#)

65. Perceived ambidextrous leadership and nurses' mental health: a work-family perspective

23-07-2024 - National Library of Medicine

CONCLUSION: Nursing supervisors' ambidextrous leadership interacted with work climate for sharing family concerns benefit the conservation of nurses' personal resources, which in turn facilitates nurses' work-to-family enrichment and improve their mental health. [Read more...](#)

66. Suicide-related internet use among mental health patients who died by suicide in the UK: a national clinical survey with case-control analysis

23-07-2024 - National Library of Medicine

BACKGROUND: Suicide-related internet use (SRIU) has been shown to be linked to suicide. However, there is limited research on SRIU among mental health patients, who are at 4 to 7 times increased risk of suicide compared to the general population. This study aims to address this gap by exploring the prevalence of SRIU among mental health patients who died by suicide in the UK and describing ... [Read more...](#)

67. Stress perception and associated factors among patients with Parkinson's disease: a cross-sectional study after the COVID-19 pandemic

23-07-2024 - BioMed Central

Parkinson's disease (PD) is a serious neurodegenerative disease that brings great stress to the physical and mental health of patients. At the same time, long-term treatment will also bring great economic loss... [Read more...](#)

68. Symptoms, work situation and work functioning 10 years after rehabilitation of stress-induced exhaustion disorder

23-07-2024 - BioMed Central

Stress-induced exhaustion disorder (SED) is the most common reason for long-term sick leave in Sweden and the recovery process may be long and troublesome. This study explores the symptoms of burnout, depressi... [Read more...](#)

69. Cognitions and Metacognitive Beliefs in Posttraumatic Stress Disorder

22-07-2024 - National Library of Medicine

CONCLUSION: The results provide further support for investigating what maintains trauma symptoms and what to target in treatment. This may have clinical implications for our theoretical and practical understanding of PTSD. [Read more...](#)

70. Racial discrimination and mental health in the context of anti-Asian xenophobia: An intersecting approach of race, ethnicity, nativity, and socioeconomic status

22-07-2024 - National Library of Medicine

The COVID-19 pandemic, polarized politics, and heightened stigma and discrimination are salient drivers for negative mental health outcomes, particularly among marginalized racial and ethnic minoritized groups. Intersectionality of race, ethnicity, foreign-born status, and educational attainment may distinctively shape an individual's experience of discrimination and mental health during such ... [Read more...](#)

71. Attitudes of the general population and mental health practitioners towards blended therapy in Austria

22-07-2024 - National Library of Medicine

CONCLUSION: Practitioners' attitudes are important for implementation of blended therapy. More awareness might help against the cautiousness as well as implementing digital health applications in Austrian health policies. [Read more...](#)

72. "Is there a Link Between Heat Waves and Mental Health Emergencies in the Emergency Department?"

22-07-2024 - National Library of Medicine

CONCLUSION: Beyond the results identified during heatwaves, our extensive analysis of the examined ED revealed no additional significant effects of heat on psychiatric emergencies. This contradicts findings from other studies. Other systemic influences, such as the utilization of the ED during the Covid-19 pandemic, could have modified the results. [Read more...](#)

73. Parenthood and the Physical and Mental Health of Sexual and Gender Minority Parents: A Cross-Sectional, Observational Analysis from The PRIDE Study

22-07-2024 - National Library of Medicine

CONCLUSIONS: In this national cohort of SGM adults, parenthood was associated with differences in physical and mental health measures. Understanding how parenthood influences the health and well-being of the estimated 3 million SGM parents in the US will help our health systems support diverse families. [Read more...](#)

74. Responding to the needs of survivors of intimate partner violence in Lithuania: perceptions of mental health and social care professionals

22-07-2024 - National Library of Medicine

Around eight-out-of-ten survivors of domestic violence in Lithuania are women, and of those, eight-out-of-ten suffer violence specifically from their intimate partners (IPV). Women who experience IPV are at higher risk of having mental health conditions. This study aims to explore the perspectives of mental health and social care professionals regarding the provision of mental health support ... [Read more...](#)

75. Enhancing Transition to Nursing Practice: The Mental Health Immersion Experience

22-07-2024 - National Library of Medicine

The number of people facing mental health issues continues to grow in the aftermath of COVID-19. Nurses are challenged with providing care for an increasing number of patients, including veterans, with complex mental health needs across healthcare settings. Of concern, many students transitioning into practice feel they lack the necessary confidence, education, ... [Read more...](#)

76. Mental Health Professionals' Perspectives on Group Intervention for Women Survivors of Intimate Partner Violence: A Qualitative Study

22-07-2024 - National Library of Medicine

CONCLUSION: Experts emphasized the importance of a holistic approach to IPV intervention. Group intervention addresses multiple issues that contribute to violence. Survivors need safe housing, counseling, legal help, and financial assistance. [Read more...](#)

77. The PROMIS-10 Mental Health T-Score an Independent Predictor of Recovery for Up to 1 Year following Elective Lumbar Spine Fusion

22-07-2024 - National Library of Medicine

CONCLUSION: The MHT was an independent predictor of pain, satisfaction, and ODI scores for up to 1 year post fusion, while a mental disorder diagnosis was not. An MHT score below 40 may be risk factor for patients undergoing elective lumbar fusion. [Read more...](#)

78. Uptake of COVID-19 vaccination among community-dwelling individuals receiving healthcare for substance use disorder and major mental illness: a matched retrospective cohort study

22-07-2024 - National Library of Medicine

INTRODUCTION: Patients with major mental illness (MMI) and substance use disorders (SUD) face barriers in accessing healthcare. In this population-based retrospective cohort study, we investigated the uptake of COVID-19 vaccination in Ontario, Canada among community-dwelling individuals receiving healthcare for major mental illness (MMI) and/or substance use disorders (SUD), ... [Read more...](#)

79. Incident pregnancy and mental health among adolescent girls and young women in rural KwaZulu-Natal, South Africa: an observational cohort study

22-07-2024 - National Library of Medicine

Pregnancy can place adolescent girls and young women (AGYW) at risk of poor mental health. However, evidence linking youth pregnancy to mental health in resource-limited settings is limited, especially where HIV incidence is high. We analysed a population-representative cohort of AGYW aged 13-25 in rural KwaZulu-Natal to assess how adolescent pregnancy predicts subsequent mental health. [Read more...](#)

80. Mediating mechanism of posttraumatic growth as buffers of burnout and PTSD among nurses during the COVID-19 pandemic

22-07-2024 - National Library of Medicine

CONCLUSION: Based on the results, it has been supported that deliberate rumination, emotional expression, and adaptive CER should be addressed as important variables in psychological interventions addressing nurses' adversities during the pandemic. These variables can prevent BO and PS by facilitating PTG. [Read more...](#)

81. Residential natural hazard risk and mental health effects

22-07-2024 - National Library of Medicine

Mental health effects are frequently reported following natural disasters. However, little is known about effects of living in a hazard-prone region on mental health. We analyzed data from 9,312 Gulf Long-term Follow-up Study participants who completed standardized mental health questionnaires including the Patient Health Questionnaire-9 (depression=score \geq 10), ... [Read more...](#)

82. Primary Care Quality Improvement Through Patient-Centered Medical Homes and the Impact on Emergency Department Utilization for Children With Autism and Mental Health Disorders

22-07-2024 - National Library of Medicine

CONCLUSIONS: Primary care quality improvement through access to a PCMH reduced ED visits for children, but the effect varied by autism and MHD conditions. Future PCMH efforts should continue to support children with autism and address unmet needs for children with MHDs with a focus on needed care coordination, family-centered care, and referrals. [Read more...](#)

83. Long-term Exposure to Ambient Air Pollution and its Association with Mental Well-Being, Depression and Anxiety: A Nationally Representative Study

22-07-2024 - National Library of Medicine

CONCLUSION: We did not find statistically significant associations between long-term exposure to PM10 and mental well-being or the frequency of probable diagnosis of common mental disorders. These results may be explained by the reduced variability in the exposure values, given the geographical distribution and functioning of the network of air quality monitoring stations. [Read more...](#)

84. Psychosocial Care Delivery in Intensive Home Treatment During a Mental Health Crisis: A Qualitative Thematic Analysis

22-07-2024 - National Library of Medicine

Community-based intensive home treatment (IHT) is delivered as an alternative to psychiatric hospital admission as part of crisis resolution services. People receiving IHT present with complex mental health issues and are acutely distressed. Home treatment options are often preferred and there is evidence of service fidelity, although less is known about psychosocial care in this setting. [Read more...](#)

85. Planetary Health and Mental Health Nexus: Least Understood and Embraced in Policy Decisions

22-07-2024 - National Library of Medicine

Planetary health influences mental health and a better management of climate, biodiversity and pollution has co-benefits of improving mental health outcomes. The recognition and treatment of mental health, however, has been marginalized within environmental and climate change sciences and a greater understanding of the complex underlying processes and societal costs is required to ... [Read more...](#)

86. Predictors of All-Cause 30-Day Readmissions in Patients with Heart Failure at an Urban Safety Net Hospital: The Importance of Social Determinants of Health and Mental Health

22-07-2024 - National Library of Medicine

CONCLUSION: Race/ethnicity, housing status, and substance use were associated with increased risk of 30-day all-cause readmission in HF patients in a safety net hospital. In contrast to prior studies, medical comorbidities were not associated with increased risk of readmission. [Read more...](#)

87. Exploring the relationship between YouTube video characteristics and a viewer's mental health traits among young adults

22-07-2024 - National Library of Medicine

We investigated the relationship between individuals' mental health traits and the characteristics of YouTube videos they watch. The mental health traits considered were stress, depression, anxiety, and self-esteem, which were measured using a survey questionnaire. We considered violence shown in a video, brightness and saturation of a video as video characteristics. [Read more...](#)

88. The Impact of User Engagement With Exposure Components on Posttraumatic Stress Symptoms in an mHealth Mobile App: Secondary Analysis of a Randomized Controlled Trial

22-07-2024 - National Library of Medicine

CONCLUSIONS: To our knowledge, this is the first study to show a relationship between symptom improvement and engagement with the active therapeutic components of an mHealth app (ie, exposure) for PTSD. This relationship held when controlling for overall app use, which suggests that it was engagement with exposure, specifically, that was associated with symptom change. [Read more...](#)

89. Opioid misuse and mental health in college student populations: A national assessment

22-07-2024 - National Library of Medicine

CONCLUSIONS: This large, multi-campus study underlines the need for more partnership between substance use and mental health services on campus. It also highlights that college peers could receive training in ways to best help students who misuse opioids, directing them to on- or off-campus care. [Read more...](#)

90. Migration and Mental Health in Two Contemporary Memoirs

22-07-2024 - National Library of Medicine

This article examines two autobiographical texts that address the relationship between migration and struggles with mental health: Karla Cornejo Villavicencio's *The Undocumented Americans* (2021) and Dina Nayeri's *The Ungrateful Refugee: What Immigrants Never Tell You* (2020). Both memoirs help bring mental health issues to light in situations of precarity, and the texts indicate that it is not ... [Read more...](#)

91. The Subaltern: Illuminating matters of representation and agency in mental health nursing through a postcolonial feminist lens

22-07-2024 - National Library of Medicine

Inpatient mental health nursing operates with an overarching goal to support people living with mental health challenges by managing risk of harm to self and others, decreasing symptoms, and promoting capacity to live outside of hospital settings. Yet, dominant, harmful stereotypes persist, constructing patients as less than, in need of saving, and lacking self-control and agency. [Read more...](#)

92. Pharmaceuticalization and Care Coordination in New York City Outpatient Mental Health

22-07-2024 - National Library of Medicine

US government quality measures prioritize pharmaceuticalization and care coordination to promote patient treatment adherence. How these measures affect outpatient mental health service delivery and patient-provider communication where psychiatrists and nonphysicians collaborate is understudied. Analyzing 500 hours of participant-observation, 117 appointments, ... [Read more...](#)

93. Is the Norwegian stepped care model for allocation of patients with mental health problems working as intended? A cross-sectional study

22-07-2024 - National Library of Medicine

CONCLUSION: The limited association between treatment level and symptoms and functional impairment reveals inconsistencies between treatment guidelines and clinical practice. How the existing organization affects patient outcomes and satisfaction should be investigated further. [Read more...](#)

94. Factors influencing mental health service delivery during public health emergencies: a scoping review protocol

22-07-2024 - National Library of Medicine

CONCLUSIONS: Considering the diverse research methodologies and the varied applicability of services in different contexts of PHEs, this review will offer insights into the type, effectiveness, and implementation barriers and facilitators of mental health interventions and supports delivered during PHEs. By employing the "Four Ss" framework, the review will guide decision-making bodies in ... [Read more...](#)

95. Depression, Anxiety, Stress, and Pain Severity in Patients With Recurrent Aphthous Stomatitis: A Cross-Sectional Study

22-07-2024 - National Library of Medicine

Background Recurrent aphthous stomatitis (RAS) is a chronic oral ulcerative condition with an elusive etiology that is associated with excruciating pain. Psychological factors have been suspected as a possible risk factor in its onset and development. Depression, anxiety, and stress play pivotal roles in how people experience pain. Hence, we aimed to explore the relationship between ... [Read more...](#)

96. Research progress on the association between screen content and mental health issue in children and adolescents

22-07-2024 - National Library of Medicine

With the wide use of screen media, screen exposure shows a trend of younger age, and the screen exposure of children and adolescents has become a global public health issue of concern. Childhood and adolescence are important stages of growth and development, as well as critical periods of cognitive ability, emotional development and socialization. Previous studies have shown that screen time ... [Read more...](#)

97. Characteristics of quality improvement interventions to improve physical healthcare in mental health settings: a scoping review protocol

22-07-2024 - National Library of Medicine

INTRODUCTION: Mental health concerns globally impact millions of people, resulting in significant financial impact and adverse health outcomes. People living with mental health concerns are at higher risk of developing physical health issues, which can lead to a shortened life expectancy. Barriers to physical healthcare, such as limited service capacity, low help seeking and stigma, ... [Read more...](#)

98. The impact of cognitive fusion on stress among nurses: Exploring gender as a moderator controlling for depressive symptoms

22-07-2024 - National Library of Medicine

CONCLUSION: This study underscores the importance of cognitive fusion in understanding and managing stress among nurses. The moderating effect of gender highlights the need for tailored interventions. Reducing stress among nurses may benefit their mental health and potentially enhance patient care and treatment outcomes. IMPLICATIONS FOR NURSING PRACTICE AND POLICY: The study highlights ... [Read more...](#)

99. Development of mental health first aid guidelines for psychosis for Brazil: A Delphi expert consensus study

22-07-2024 - National Library of Medicine

Psychotic symptoms can be highly debilitating for those experiencing them. Community members, including family and friends, can play a crucial role in providing support to a person during the early stages of psychosis, provided they have the necessary resources. Mental health first aid guidelines for psychosis have been developed for high-income countries and this study aimed to adapt those ... [Read more...](#)

[Back to Top](#)

Prevention and mental well-being

Prevention and mental well-being

1. Mental well-being of children and adolescents during COVID-19: evidence from the Italian context and possible future developments

25-07-2024 - National Library of Medicine

The article aims to discuss the increased emergence of mental health problems among children and adolescents, as an outcome of the COVID-19 pandemic. The results of a research study conducted among various professionals, such as psychiatrists and psychologists specialized in childhood and adolescence, are presented. The study, which uses both qualitative and quantitative methods, ... [Read more...](#)

2. Shame and depressive symptoms in men: The moderating role of environmental mastery and purpose in life

24-07-2024 - National Library of Medicine

CONCLUSIONS: Our findings suggest that promoting a sense of psychological wellbeing in men may confer protective proximal effects in the context of shame, potentially attenuating depression severity. The current study aligns with calls for strength-based approaches to reducing mental health problems in men. [Read more...](#)

3. Relationship between cyberbullying, anxiety, and depression among university students in Jeddah, Saudi Arabia: A cross-sectional study

23-07-2024 - National Library of Medicine

CONCLUSION: A considerable number of university students were found to be victims of cyberbullying, with a strong correlation between cyberbullying and anxiety, depression, and stress, indicating a potential impact on the psychological well-being of students. To address this issue, increased awareness of cyberbullying is needed, along with implementation of preventive measures such as ... [Read more...](#)

4. HIV vulnerabilities and psychosocial health among young transgender women in Lima, Peru: results from a bio-behavioural survey

23-07-2024 - National Library of Medicine

CONCLUSIONS: Findings show that the HIV epidemic for YTW in Lima, Peru is situated in the context of widespread social exclusion, including economic vulnerabilities, violence victimization and the mental health sequelae of transphobic stigma that starts early in life. Future research should aim to further understand the intersection of these vulnerabilities. Moreover, ... [Read more...](#)

5. Can an Online Course, Life101: Mental and Physical Self-Care, Improve the Well-Being of College Students?

23-07-2024 - National Library of Medicine

The COVID-19 pandemic has had a significant impact on the mental health of college students worldwide. As colleges shifted to online instruction, students faced disruptions and increased stressors, leading to a decline in mental health that appears to continue in the postpandemic era. To alleviate this problem, academic institutions have implemented various interventions to address mental ... [Read more...](#)

6. Professional psychological qualities of Chinese medical students: theoretical models, questionnaire development, and relationship with mental health

22-07-2024 - National Library of Medicine

INTRODUCTION: Professional psychological qualities are crucial for individuals' career development and overall well-being, especially in clinical medical professions. Medical students often face significant work, academic, and doctor-patient communication pressures, which can challenge their mental and emotional health. Measuring and understanding the relationship between medical students' ... [Read more...](#)

7. The role of adolescents' mental health and well-being in predicting their smoking status

21-07-2024 - National Library of Medicine

CONCLUSIONS: Adolescents' mental health affects their tobacco use at the level of 2.3 %. A significant relationship was noted across the adolescents' mental health and their perceptions towards smoking. [Read more...](#)

8. The relationship between emotional intelligence, resilience, and psychological distress among nurses in Jordan

21-07-2024 - National Library of Medicine

CONCLUSION: Emotional intelligence is critical to nurses' well-being. Higher emotional intelligence is associated with higher resilience and lower levels of depression, anxiety, and stress among nurses. Interventions and education programs emphasizing emotional intelligence and resilience are essential to improving their mental health. Healthcare organizations and governments should promote ... [Read more...](#)

9. Efficacy of technology-based mental health interventions in minimizing mental health symptoms among immigrants, asylum seekers or refugees systematic review

21-07-2024 - National Library of Medicine

Digital health technologies may offer an alternate approach to augmenting the established mental health care delivery systems for migrants and promoting their mental well-being. This review aims to provide a broad examination of literature, to determine the impact of technology-based interventions on outcomes of immigrants and refugees experiencing mental health symptoms associated with ... [Read more...](#)

10. Merck Animal Health Veterinary Team study reveals factors associated with well-being, burnout, and mental health among nonveterinarian practice team members

20-07-2024 - National Library of Medicine

CONCLUSIONS: Serious psychological distress was common among practice team members. Financial stress may play a role. Burnout and low levels of well-being were also common. [Read more...](#)

11. Virtues as protective factors for adolescent mental health

20-07-2024 - National Library of Medicine

This paper explores the decline in adolescent mental health and the weakening of traditional moral frameworks, positing education in the virtues as protective of mental health due to the intrinsic link between moral/existential wellbeing and psychological health. By integrating character education into school curricula, a continuous "dosage" of moral guidance may be an optimal way to ensure a ... [Read more...](#)

12. Investigating the role of organizational stress in nurses' psychosomatic complaints: Evidence from a study in northeastern Italy

19-07-2024 - National Library of Medicine

CONCLUSION: This study highlights the critical role of addressing organizational stressors, particularly those related to interpersonal relationships, in promoting nurse well-being and optimizing patient care delivery. Despite its strengths, including the use of a well-established measurement tool and a comprehensive assessment of psychosomatic complaints, limitations such as the ... [Read more...](#)

13. Resilience and social support as protective factors against suicidal ideation among tertiary students during COVID-19: a cross-sectional study

19-07-2024 - National Library of Medicine

CONCLUSIONS: The findings stress the importance of one's resilience and social support and explain why some people manage to maintain mental well-being despite finding themselves in difficult life circumstances, which was the case for many tertiary students during the COVID-19 pandemic. These insights may inform preventive efforts against developing suicidal ideation and may be used as ... [Read more...](#)

14. Behaviour and welfare assessment of autochthonous slow-growing rabbits: The role of housing systems

18-07-2024 - Public Library of Science (PLoS)

by Laura Ozella, Stefano Sartore, Elisabetta Macchi, Isabella Manenti, Silvia Mioletti, Barbara Miniscalco, Riccardo Crosetto, Patrizia Ponzio, Edoardo Fiorilla, Cecilia Mugnai Understanding the farming system impact on animals is crucial for evaluating welfare. Rabbits exhibit distinct behaviours influenced by their surroundings. The conditions in which they are raised directly influence ... [Read more...](#)

15. Adolescents perception of the COVID-19 pandemic restrictions and associated mental health and well-being: gender, age and socioeconomic differences in 22 countries

18-07-2024 - National Library of Medicine

CONCLUSIONS: The majority of adolescents perceived the pandemic measures as neutral or positive. Girls, 15-year-old adolescents, and those with low socioeconomic status were at higher risk of suffering from pandemic measures and associated problems of loneliness, multiple health complaints, and low life satisfaction. We conclude that adolescent's mental health and well-being should be ... [Read more...](#)

16. The pooled prevalence of attention-deficit/hyperactivity disorder among children and adolescents in Ethiopia: A systematic review and meta-analysis

18-07-2024 - National Library of Medicine

CONCLUSIONS: The overall pooled prevalence of attention-deficit/hyperactivity disorder among children and adolescents is high in Ethiopia as compared to previous literature. To reduce the prevalence of attention-deficit/hyperactivity disorder among children and adolescents, emphasis has to be given to prevention, early detection, and management of pregnancy-related complications. [Read more...](#)

17. 'I'm So Proud of How Hard You're Trying': A Photovoice Analysis of Youth Mental Health and Wellness in Wisconsin

18-07-2024 - National Library of Medicine

Understanding youth and young adult mental health and well-being is critical to addressing rates of suicide among this population. This qualitative study sought to gather additional perspectives of students across Wisconsin using photovoice methods to enhance understanding of their experiences and to inform future policies and programs. A total of 11 youth and young adults ages 14 to 26 ... [Read more...](#)

18. Characteristics of mental health literacy measurement in youth: a scoping review of school-based surveys

18-07-2024 - National Library of Medicine

Mental health literacy (MHL) was introduced 25 years ago as knowledge and beliefs about mental disorders which aid in their recognition, management, or prevention. This scoping review mapped the peer-reviewed literature to assess characteristics of secondary school-based surveys in school-attending youth and explore components of school-based programs for fostering MHL in this population. [Read more...](#)

19. The burden and its determinants of mental health distress among adolescents dwelling in Africa: a systematic review and meta-analysis

18-07-2024 - National Library of Medicine

CONCLUSION: The findings indicate a high prevalence of mental health distress among adolescents in Africa, highlighting the widespread impact on this demographic. These results underscore the urgent need for targeted interventions to prevent and address mental health distress among adolescents. Further research on a global scale is essential to develop effective prevention and treatment ... [Read more...](#)

20. Assessment of a Pilot Peer Support Program for Suicide Prevention on a Medical School Campus: Impact on Awareness, Stigma, and Self-Efficacy for Outreach

18-07-2024 - National Library of Medicine

With the continued rise in mental health concerns, including suicide on college campuses nationwide, many academic institutions have developed peer-support programs. Correspondingly,

the Medical College of Wisconsin developed and evaluated Seeking Peer Outreach* as its pioneer suicide prevention initiative. Seeking Peer Outreach* is an innovative approach to provide all medical students ... [Read more...](#)

21. Evaluating well-being and psychosocial risks in academia: Is management the "forgotten phase"?

18-07-2024 - National Library of Medicine

In recent years, there has been a noticeable increase in attention towards promoting well-being within academic settings. In the specific context of academia, a critical issue is understanding whether the current practices for assessing and managing well-being can bridge the implementation gap and increase opportunities for creating healthy academic conditions. [Read more...](#)

22. The relationship between line manager training in mental health and organisational outcomes

17-07-2024 - Public Library of Science (PLoS)

by Juliet Hassard, Teixiera Dulal-Arthur, Jane Bourke, Maria Wishart, Stephen Roper, Vicki Belt, Stavroula Leka, Nick Pahl, Craig Bartle, Louise Thomson, Holly Blake Background Line manager (LM) training in mental health is gaining recognition as an effective method for improving the mental health and wellbeing of workers. However, research predominantly focuses on the impacts of training at ... [Read more...](#)

23. Health Problems of Professional Ballet Dancers: an Analysis of 1627 Weekly Self-Reports on Injuries, Illnesses and Mental Health Problems During One Season

17-07-2024 - National Library of Medicine

CONCLUSION: Preventive interventions are urgently required to reduce the prevalence of health problems and especially injuries of professional dancers. Injury prevention measures should regard the balance of the load capacity of professional dancers and the workload in training, rehearsals and performances. [Read more...](#)

24. Practitioner Review: Continuity of mental health care from childhood to adulthood for youths with ADHD - who, how and when?

17-07-2024 - National Library of Medicine

Many youths with attention-deficit/hyperactivity disorder (ADHD) experience significant long-term impairment and may develop concurrent mental and somatic health difficulties as adults. This is associated with burden and costs for the individual and society which could be prevented through continued support in youth. Yet, only few young people transition to adult mental health services for ... [Read more...](#)

25. Depressive symptoms predict cannabis vaping initiation among young adults

17-07-2024 - National Library of Medicine

CONCLUSION: Findings indicate that initiation of cannabis vaping during young adulthood is common, and particularly more likely among those with greater depressive symptoms, thus underscoring the importance of prevention programs that include mental health support services tailored to young adults. [Read more...](#)

26. Preemptive Measures: Early intervention programs can prevent depression's onset, potentially changing teens' mental health trajectories for a lifetime

17-07-2024 - National Library of Medicine

No abstract [Read more...](#)

27. Parental physical activity, parental mental health, children's physical activity, and children's mental health

17-07-2024 - National Library of Medicine

INTRODUCTION: The benefits of physical activity for mental health and well-being and the associations between parental mental health and children's mental health have been well established. These important issues tend to be examined separately however, and there is limited research on the associations between parent and child physical activity and mental health when all considered together. [Read more...](#)

28. The impact of COVID-19 on the mental health of dental students at an Australian school

17-07-2024 - National Library of Medicine

CONCLUSIONS: The results indicate that the COVID-19 pandemic negatively impacted the mental health of dental students. While further research is still required, it is important for universities to recognize how this pandemic affected the mental wellbeing of students so that they can implement appropriate support programs and improve dental education. [Read more...](#)

29. The relationship between night shift work, sleep patterns, psychological well-being, and mental health among Jordanian healthcare workers

17-07-2024 - National Library of Medicine

This study examines the associations between working night shifts and various outcomes, including sleep patterns, healthcare workers' sleep quality, and physical, mental, and social well-being. A descriptive cross-sectional study was conducted, where the findings revealed that night shift healthcare workers experienced poor sleep quality and pattern. In addition, ... [Read more...](#)

30. Mental health priorities and cultural-responsiveness of the Mental Health First Aid (MHFA) ...

16-07-2024 - BioMed Central

AWFH is a peer-led, community-based network dedicated to advancing Asian women's health and wellbeing ... coronavirus-pandemic/. Richards M ... [Read more...](#)

31. Family and job microsystems as mediators between social integration and depression among rural-to-urban migrant workers in China: does having sons make a difference?

16-07-2024 - National Library of Medicine

CONCLUSION: This finding highlights the potential benefits of social integration and family happiness in promoting early prevention of depression among migrant workers. It indicates that the inclination toward having sons among migrant workers continues to impact their mental health. [Read more...](#)

32. Improving Mental Health Outcomes in Patients with Major Depressive Disorder in the Gulf States: A Review of the Role of Electronic Enablers in Monitoring Residual Symptoms

16-07-2024 - National Library of Medicine

Up to 75% of individuals with major depressive disorder (MDD) may have residual symptoms such as amotivation or anhedonia, which prevent full functional recovery and are associated with relapse. Globally and in the Gulf region, primary care physicians (PCPs) have an important role in alleviating stigma and in identifying and monitoring the residual symptoms of depression, ... [Read more...](#)

33. Impact of pole dancing on mental wellbeing and sexual self-concept: Protocol for a systematic review and meta-analysis

15-07-2024 - Public Library of Science (PLoS)

by Xizi Li, Jianyu Shen, Kai Cui, Ying Wang Background Despite the recognized psychological benefits of traditional dance forms, the impact of newer forms, such as pole dancing, on mental well-being and sexual self-concept remains underexplored. This protocol outlines a systematic review and meta-analysis aimed at elucidating the effects of pole dancing, a burgeoning non-pharmacological ... [Read more...](#)

34. Sixty seconds on . . . nasal sprays

15-07-2024 - British Medical Journal

Who nose what's going on?A group of UK researchers, that's who. Their large randomised trial1 has found that over-the-counter nasal sprays can keep coughs, colds, and flu at bay and prevent full blown symptoms from developing.Sniffing out the evidenceResearchers from the universities of Southampton and Bristol looked at data from nearly 12 000 adults from 332 GP practices. [Read more...](#)

35. Loneliness and social isolation: exploring the experiences of older women during the pandemic in terms of social connection, feeling of loneliness, and the impact on mental health and wellbeing

15-07-2024 - National Library of Medicine

CONCLUSION: The study highlights the significant impact of loneliness and social isolation on the mental health of older women during the COVID-19 pandemic, emphasizing the need for targeted interventions and support systems. [Read more...](#)

36. Branching out: mobilizing community assets to support the mental health and wellbeing of children in primary schools

15-07-2024 - National Library of Medicine

INTRODUCTION: Mobilizing existing creative, cultural and community assets is seen as a crucial pathway to improving public health. Schools have been identified as key institutional community assets and arts-in-nature practice has been shown to promote children's mental health. The 'Branching Out' research investigated how an established arts-in-nature practice called 'Artscaping' could be ... [Read more...](#)

37. Bidirectional Associations Between Mental Health Disorders and Chronic Diabetic Complications in Individuals With Type 1 or Type 2 Diabetes

15-07-2024 - National Library of Medicine

CONCLUSIONS: We found a consistent bidirectional association between CDCs and MHDs across the life span, highlighting the important relationship between CDCs and MHDs. Prevention and treatment of either comorbidity may help reduce the risk of developing the other. [Read more...](#)

38. A Mixed-Methods Cohort Study Evaluating the Impact of a One-Day Well-Being Course for Anesthesia Providers Working in Low-Resource Settings

15-07-2024 - National Library of Medicine

CONCLUSIONS: Causes of burnout are complex and multidimensional. VAST Wellbeing did not change measures of burnout and fulfillment 2 months postcourse but did have a meaningful impact by raising awareness, reducing stigma, fostering connection, providing skills to prioritize personal well-being, and empowering people to seek workplace change. [Read more...](#)

39. Pilot evaluation of a Psychological First Aid online training for COVID-19 frontline workers in American Indian/Alaska Native communities

15-07-2024 - National Library of Medicine

INTRODUCTION: The COVID-19 pandemic exacerbated mental health concerns and stress among American Indians and Alaska Natives (AI/ANs) in the United States, as well as among

frontline workers responding to the pandemic. Psychological First Aid (PFA) is a promising intervention to support mental wellbeing and coping skills during and after traumatic events, such as the COVID-19 pandemic. [Read more...](#)

40. The Impact of Stressors on Depressive Symptoms Among Youth Myanmar Migrant Workers in Thailand: A Cross-Sectional Study

15-07-2024 - National Library of Medicine

CONCLUSION: According to hierarchical linear regression analysis, workplace, security, and living stressors significantly increased depressive symptoms scores, whereas self-esteem decreased depressive symptoms scores among young 165 Myanmar migrant workers. Therefore, policymakers should be encouraged to establish preventive measures against specific stressors. [Read more...](#)

41. Healing Stitches: A Scoping Review on the Impact of Needlecraft on Mental Health and Well-Being

15-07-2024 - National Library of Medicine

Encompassing many crafts, needlecraft has been popular, particularly amongst women, for centuries. This scoping review mapped and explored primary research on sewing, crocheting, knitting, lacemaking, embroidery and quilting and its impact on mental health and well-being. A comprehensive systematic search across PubMed, CINAHL, Scopus and Google Scholar was conducted in January 2024, ... [Read more...](#)

42. Beyond Belief and Practice: An Exploratory Literature Review and Discussion of the Differential Impact of Spirituality and Religiosity on Mental Health Disorders

14-07-2024 - National Library of Medicine

The relationship between spirituality and religiosity and their impact on mental health is intricate and underexplored. This exploratory review aims to elucidate the distinct effects of these constructs, highlighting their contributions to psychological well-being and clinical practices. By dissecting the impacts of spirituality and religiosity on mental health, ... [Read more...](#)

43. A Systematic Literature Review of Strategies Implemented in Extended Education Settings to Address Children's Mental Health and Wellbeing

14-07-2024 - National Library of Medicine

Mental health and wellbeing problems in middle childhood are increasing worldwide which needs more support than just clinical services. Early intervention has been explored in other settings, but not in extended education care settings such as outside school hours care (OSHC). A systematic literature review was undertaken to determine what interventions have been tested in extended education ... [Read more...](#)

44. Admiration and motivation: key factors in managing PTSD among firefighters

14-07-2024 - National Library of Medicine

Post-traumatic stress disorder (PTSD) presents a significant challenge for firefighters. While research suggests that admiration may have a positive impact on individual psychological well-being, its specific influence on PTSD among firefighters remains unexplored. This study aims to investigate the association between admiration, motivation (both internal and external), ... [Read more...](#)

45. Conducting mental health research with rural and regional older Australians: Reflections and recommendations

14-07-2024 - National Library of Medicine

CONCLUSION: By adopting recommendations, researchers can maximise accessibility to and possible participation in mental health research, providing foundations for older rural Australians'

contributions to inform the development of policies and strategies to promote their health and well-being. [Read more...](#)

46. Adolescent Health in the Post-Pandemic Era: Evolving Stressors, Interventions, and Prevention Strategies amid Rising Depression and Suicidality

13-07-2024 - National Library of Medicine

Prior to COVID-19, there were already increasing rates of youth with mental health concerns, including an increase in youth presenting to medical emergency departments (EDs) with mental health chief complaints and limited access to treatment. This trend worsened during the pandemic, and rates of youth presenting to medical EDs with suicidal ideation and self-harm increased 50% from 2019 to 2022. [Read more...](#)

47. Effects of mass casualty incidents on anxiety, depression, and post-traumatic stress disorder among doctors and nurses: a systematic review

13-07-2024 - National Library of Medicine

CONCLUSIONS: MCIs have a significant impact on the mental health outcomes of emergency health workers. Preventive measures should be designed considering the high-risk group, personal, and organizational risk factors of mental health outcomes. [Read more...](#)

48. Productive Messaging to Promote Youth Mental Well-Being and Positive Development in Clinical and Advocacy Settings

13-07-2024 - National Library of Medicine

In the adolescent mental health crisis, negative narrative communication has unintended consequences. Supportive communication involves reframing communications to find a new narrative that does not evoke biases. This narrative must emphasize agency and highlight the strengths, potential, and common experiences of young people. It is clear that supporting positive development and well-being is ... [Read more...](#)

49. Support for Mental Health and Well-Being in the Transition to Residency

12-07-2024 - National Library of Medicine

No abstract [Read more...](#)

50. Adolescent mental health interventions: a narrative review of the positive effects of physical activity and implementation strategies

12-07-2024 - National Library of Medicine

INTRODUCTION: The psychological well-being of adolescents is a global concern due to increasing societal pressures and mental health issues. Physical activity is known to enhance physical health and has potential benefits for mental health, including reducing symptoms of anxiety and depression, boosting self-esteem, and improving social skills. This narrative review explores how physical ... [Read more...](#)

51. Use of an Opt-Out vs Opt-In Strategy Increases Use of Residency Mental Health Services

12-07-2024 - National Library of Medicine

Background Residents report high levels of distress but low utilization of mental health services. Prior research has shown several barriers that prevent residents from opting into available mental health services. Objective To determine the impact of a mental health initiative centered around an opt-out versus an opt-in approach to help-seeking, on the use of psychotherapy. [Read more...](#)

52. COVID-19 Pandemic Quarantines and Mental Health Among Adolescents in Norway

12-07-2024 - National Library of Medicine

CONCLUSIONS AND RELEVANCE: In this study, younger adolescents, those with parents with lower education, or those with low genetic liability for depression appeared more vulnerable when being quarantined several times. These findings emphasize the need for targeted support strategies to better protect adolescent well-being during future crises. Adolescents who experienced increased mental ... [Read more...](#)

53. Intersectionality informed and narrative-shifting whole school approaches for LGBTQ+ secondary school student mental health: A UK qualitative study

11-07-2024 - Public Library of Science (PLoS)

by Amy Morgan, Emily Cunningham, Juliet Dyrud, Liberty Elliott, Lauren Ige, Gemma Knowles, Lukasz Konieczka, Angela Mascolo, Ibrahim Sabra, Sara Sabra, E. Singh, Katharine A. Rimes, Charlotte Woodhead School is a key site for prevention and early intervention in public mental health, with sexual and gender minority students being a priority group for action. Context is important in ... [Read more...](#)

54. Mental health index of the elderly population in Medellin (Colombia)-2021: a factorial analysis

11-07-2024 - National Library of Medicine

CONCLUSION: A quantitative model was developed to predict either a positive or negative prognosis in the mental wellbeing of the population over 60 years of age in the city of Medellín. The model was also used for the development of a sociodemographic profile highlighting the impact on mental health among people over 60 years of age with limited economic resources. [Read more...](#)

55. A two-pronged approach to understanding reciprocity and mental health relationship in developing countries: evidence from young informal construction workers in Nigeria

11-07-2024 - National Library of Medicine

CONCLUSIONS: This study fills important gaps in understanding how social relationships impact mental health in developing country contexts. Findings emphasize the role of collective action and community-based support systems in promoting mental wellbeing among vulnerable populations. Insights can inform culturally relevant, systems-level mental health interventions. [Read more...](#)

56. Mental Health Stigma in the Workplace and its Association with Possible Actions of Managers to Prevent Sickness Absence of Employees with Mental Health Problems in the Swedish Private Sector: a Video Vignette Study

11-07-2024 - National Library of Medicine

CONCLUSION: This study substantiated the role of personal stigmatizing attitudes and contextual stigma in relation to possible actions of managers to prevent SA of employees with MHPs. The results emphasize the role of contextual stigma. Implications for practice and research are discussed. [Read more...](#)

57. Correction: A microcosting approach for planning and implementing community-based mental health prevention programs: what does it cost?

10-07-2024 - National Library of Medicine

No abstract [Read more...](#)

58. The General Neurocognitive Decline in Patients with Methamphetamine Use and Transient Methamphetamine-induced Psychosis Primarily Determined by Oxidative and AGE-RAGE Stress

10-07-2024 - National Library of Medicine

CONCLUSION: The use of MA induced mild cognitive impairments through MA-induced activation of detrimental outcome pathways, including oxidative and AGE-RAGE stress, and suppression of protective antioxidant pathways. Increased MPO, oxidative, and AGE-RAGE stress are new drug targets to prevent neurocognitive deficits and psychosis due to MA use. [Read more...](#)

59. Impact of a mindfulness-based intervention on well-being and mental health of elementary school children: results from a randomized cluster trial

10-07-2024 - National Library of Medicine

Prevention programs, such as mindfulness-based interventions (MBIs), are often implemented in schools to prevent psychological disorders from emerging in children and to support their mental health. This study used a randomized cluster design to evaluate the impact of a MBI, called Mission Méditation, on the well-being and the mental health of elementary school children's. [Read more...](#)

60. Neuroimage Analysis Methods and Artificial Intelligence Techniques for Reliable Biomarkers and Accurate Diagnosis of Schizophrenia: Achievements Made by Chinese Scholars Around the Past Decade

10-07-2024 - National Library of Medicine

CONCLUSIONS: We offer a valuable review of advanced neuroimage analysis and AI methods primarily focused on SZ research by Chinese scholars, aiming to promote the diagnosis, treatment, and prevention of SZ, as well as other mental disorders, both within China and internationally. [Read more...](#)

61. Assessing the impact of small firm dynamics on public mental health amid the pandemic in Latin America

10-07-2024 - National Library of Medicine

CONCLUSIONS: Our findings suggest a strong association between different indicators of psychological well-being and the level of activity in different sectors of the economy. Given the essential role of small and medium-sized enterprises (SMEs) in generating employment, especially during crises like the pandemic, it is imperative that they remain resilient and adaptable to support economic ... [Read more...](#)

62. COVID-related disruptions and adaptations to prison-based mental health and substance use services: a narrative review

10-07-2024 - National Library of Medicine

PURPOSE: Public health experts and advocates have long raised concerns about the pandemic preparedness of prison systems worldwide - an issue that became increasingly salient at the start of the COVID-19 pandemic. People in prison experience poorer health outcomes compared to the general population, making timely access to adequate health services in prison critical for their health and wellbeing. [Read more...](#)

63. A web-based video messaging intervention for suicide prevention in men: study protocol for a five-armed randomised controlled trial

09-07-2024 - National Library of Medicine

BACKGROUND: More than 50% of people who die by suicide have not been in contact with formal mental health services. The rate of people who fly 'under the radar' of mental health services is higher among men than women, indicating a need to improve engagement strategies targeted towards men who experience suicidal thoughts and/or behaviours. In Australia, a range of mental health support ... [Read more...](#)

64. The Effects of Mentoring Programs on Mental Health in Undergraduate Nursing Students: An Integrative Review

09-07-2024 - National Library of Medicine

CONCLUSION: Mentoring programs have positive effects on mental health outcomes in undergraduate nursing students. Implementation of structured programs at the start of undergraduate studies can facilitate increased mental and physical well-being and decrease stress and anxiety. [Read more...](#)

65. Reducing neuroendocrine psychosocial stress response through socio-emotional dyadic but not mindfulness online training

09-07-2024 - National Library of Medicine

INTRODUCTION: Stress-related diseases pose significant health risks and show wide prevalence. Empirical evidence suggests that contemplative practices, such as socio-emotional dyadic mental exercises, hold promise in mitigating the adverse effects of stress and promoting psychosocial well-being. This study aimed to investigate the differential effects of two online contemplative mental ... [Read more...](#)

66. Study protocol for a stepped-wedge implementation study investigating the intersectoral collaboration of implementing the TREAT INTERACT intervention for primary school teachers and the mhGAP for health care workers for child mental health promotion in Uganda

09-07-2024 - National Library of Medicine

BACKGROUND: Mental and neuropsychological disorders make up approximately 14% of the total health burden globally, with 80% of the affected living in low- and middle-income countries (LMICs) of whom 90% cannot access mental health services. The main objective of the TREAT INTERACT study is to adapt, implement, and evaluate the impact of a novel, intersectoral approach to prevent, identify, ... [Read more...](#)

67. The roles of dating and victimization on adverse mental health among teens: Survey findings during the COVID-19 pandemic

08-07-2024 - National Library of Medicine

CONCLUSIONS: Dating violence plays a critical role in the interconnectedness of victimizations, and the number of victimizations has a cumulative effect on teen mental health. The high prevalence of youth victimizations during the time when in-person interactions were limited suggests that victimizations may transfer from in-person forms to virtual forms and occur offline. [Read more...](#)

68. Quinic acid alleviates high-fat diet-induced neuroinflammation by inhibiting DR3/IKK/NF- κ B signaling via gut microbial tryptophan metabolites

07-07-2024 - National Library of Medicine

With the increasing of aging population and the consumption of high-fat diets (HFD), the incidence of Alzheimer's disease (AD) has skyrocketed. Natural antioxidants show promising potential in the prevention of AD, as oxidative stress and neuroinflammation are two hallmarks of AD pathogenesis. Here, we showed that quinic acid (QA), a polyphenol derived from millet, ... [Read more...](#)

69. Changes in complacency to adherence to COVID-19 preventive behavioral measures and mental health after COVID-19 vaccination among medical and dental healthcare professionals

07-07-2024 - National Library of Medicine

Medical and dental professionals should continue to adhere to preventive measures after COVID-19 vaccination due to their increased risk of exposure to the virus, particularly as new variants emerge that may heighten their risk perception and susceptibility. Therefore, this study aimed to

explore the effects of COVID-19 vaccination on complacency to adherence to COVID-19 preventive behavioral ... [Read more...](#)

70. Vigour as a marker of positive mental health among social media respondents

07-07-2024 - National Library of Medicine

CONCLUSIONS: Vigour may now be measured clinically as an indication of positive mental health and well-being. It may also be further investigated for its relations to other parameters of health, personality, and the efficacy of professional and self-enhancing interventions that aim for the cultivation of vigour. [Read more...](#)

71. The impact of financial stress on student wellbeing in Lebanese higher education

06-07-2024 - National Library of Medicine

CONCLUSIONS: A significant impact of financial stress on college students in Lebanon was obtained, affecting their well-being and mental health aspects. Marital status, gender, academic major, region of living, and financial independence also influences students' experiences. Tailored support and further research are needed to address these multifaceted challenges. [Read more...](#)

72. Addictive behavior and mental health of adolescents aged 11-17 years in Bangladesh in 2014: A cross-sectional study

05-07-2024 - National Library of Medicine

CONCLUSION: Considering the elevated prevalence of reported mental health concerns, identifying vulnerable groups and formulating intervention-oriented policies engaging youths can pave the way towards achieving robust health and well-being for them in Bangladesh. [Read more...](#)

73. The effect of right ventricle septal pacing versus apical pacing in dual-chamber pacemakers on patients' anxiety and depression: a one-year follow-up study

04-07-2024 - National Library of Medicine

CONCLUSIONS: A strong relationship was found between the level of depression and the R.V. site of implantation, as patients with the apical group had higher levels of depression post-implantation. The septal position has less stress and depression on the patient's well-being than the apical one. [Read more...](#)

74. Neurocognitive Disorders: Medical Illness or Mental Disorder: Examining the Mental Health and Wellbeing Act 2022 (Vic) Using Neurocognitive Disorders

04-07-2024 - National Library of Medicine

Victoria has new legislation, the Mental Health and Wellbeing Act 2022 (Vic) (MHWA) to govern the care and treatment of people with mental illness that came into effect on 1 September 2023. It takes a human rights approach with a focus on person-centred care. The definition of mental illness encompasses conditions such as dementia even though it is rarely used to manage such conditions. [Read more...](#)

75. Modifiable predictors of mental health literacy in the educational context: a systematic review and meta-analysis

04-07-2024 - National Library of Medicine

Mental health literacy is vital for well-being in educational settings, extending beyond academics to include social and emotional development. It empowers individuals, allowing them to recognize and address their mental health needs and provide essential support to their peers. Despite the acknowledged importance of modifiable factors, there is a noticeable research gap in those amenable to ... [Read more...](#)

76. Screen exposure, mental health and emotional well-being in the adolescent population: is it time for governments to take action?

04-07-2024 - National Library of Medicine

During the last decade, a multitude of epidemiological studies with different designs have been published assessing the association between the use of digital media and psychological well-being, including the incidence of mental disorders and suicidal behaviours. Particularly, available research has very often focused on smartphone use in teenagers, with highly addictive potential, ... [Read more...](#)

77. Religious Differences in Physical and Mental Health among Israeli Jews: Findings from the Global Flourishing Study

04-07-2024 - National Library of Medicine

Numerous studies have identified religious correlates of health indicators, but relatively few have been conducted among Jewish populations in Israel or the diaspora. This study investigates the possibility of a religious gradient in physical and mental health and well-being across the familiar categories of Jewish religious identity and observance in Israel: hiloni (secular), ... [Read more...](#)

78. Predictors of the sustainability for an evidence-based eating disorder prevention program delivered by college peer educators

04-07-2024 - BioMed Central

Despite ongoing efforts to introduce evidence-based interventions (EBIs) into mental health care settings, little research has focused on the sustainability of EBIs in these settings. College campuses are a na... [Read more...](#)

79. Co-occurrence of problematic facebook and video game use: prevalence and association with mental health disorders among adolescents

03-07-2024 - National Library of Medicine

CONCLUSION: Our study found that Problematic Facebook and Video Game Use were prevalent among Tunisian adolescents. The co-occurrence of these disorders is strongly linked to male gender, problematic internet use, depression, and anxiety disorders. These findings underscore the urgency of implementing tailored and effective awareness and prevention programs to address these emerging challenges. [Read more...](#)

80. Mental health outcomes of offspring exposed to parental intimate partner violence in Rwanda

03-07-2024 - National Library of Medicine

CONCLUSION: The study indicates that parental intimate partner violence (IPV) has an impact on the mental well-being of their offspring. Furthermore, it was observed that there is not only a correlation between IPV and poor mental health outcomes, but also a connection between different mental conditions, implying that children exposed to IPV are more prone to experiencing a range of mental ... [Read more...](#)

81. A holistic lifestyle mobile health intervention for the prevention of type 2 diabetes and common mental disorders in Asian women with a history of gestational diabetes: a randomised control trial with 3-year follow-up protocol

03-07-2024 - National Library of Medicine

BACKGROUND: Women with a history of gestational diabetes mellitus (GDM) are 12-fold more likely to develop type 2 diabetes (T2D) 4-6 years after delivery than women without GDM. Similarly, GDM is associated with the development of common mental disorders (CMDs) (e.g. anxiety and depression). Evidence shows that holistic lifestyle interventions focusing on physical activity (PA), ... [Read more...](#)

82. Women's mental health during late pregnancy: A survey conducted in Shandong Province, China

03-07-2024 - National Library of Medicine

CONCLUSION: The study highlights high rates of general mental health problems during late pregnancy, with unplanned pregnancy and elevated depression scores as key risk factors. Regular mental health screening and targeted interventions are essential to support women during this critical period and enhance the well-being of both mothers and babies. [Read more...](#)

83. Associations Between Suicidal Behaviour, Attitudes Towards Suicide, and Psychological Distress Among Students in a University in East Malaysia

02-07-2024 - National Library of Medicine

CONCLUSION: The prevalence of suicidal behaviour is high among students in a public university in East Malaysia. Services and education for mental health awareness and screening for early detection and intervention of psychological distress should be provided to university students. Implementation of suicide awareness policies and suicide prevention training is crucial. [Read more...](#)

84. Social prescribing for individuals with mental health problems: An ethnographic study exploring the mechanisms of action through which community groups support psychosocial well-being

02-07-2024 - National Library of Medicine

CONCLUSIONS: It is hoped that the findings of this study can help referring professionals increase their understanding of exactly how such groups support individuals' mental health, thus enhancing referring practices. [Read more...](#)

85. MDDBranchNet: A Deep Learning Model for Detecting Major Depressive Disorder Using ECG Signal

02-07-2024 - National Library of Medicine

Major depressive disorder (MDD) is a chronic mental illness which affects people's well-being and is often detected at a later stage of depression with a likelihood of suicidal ideation. Early detection of MDD is thus necessary to reduce the impact, however, it requires monitoring vitals in daily living conditions. EEG is generally multi-channel and due to difficulty in signal acquisition, ... [Read more...](#)

[Back to Top](#)

Ageing and mental health

Ageing and mental health

1. #BeSeen: understanding young peoples views of the motivation and impacts of sharing self-harm imagery online and use of their social media data for research-- a UK participatory arts-led qualitative study

24-07-2024 - BMJ Open

Objectives This study explored the views of young people from diverse backgrounds, with or without a history of self-harm, on the motivation and impacts of sharing self-harm imagery online and the use of their social media data for mental health research. Design Thematic analysis of 27 semi-structured one-to-one interviews. Setting Two workshops were conducted in 2021. [Read more...](#)

2. Golden steps: A nursing approach for vitality, agility, and rumination in geriatric clients with depressive disorders through mindful walking

21-07-2024 - National Library of Medicine

CONCLUSION: This study revealed that geriatric clients with depressive disorders showed more significant improvements in vitality, followed by improvement in rumination and agility. Integrating mindful walking as a part of care plans for those clients would promote their physical activity and mental well-being. [Read more...](#)

3. Is there a relationship of cortisol and sex steroid hormones with mental health in middle-aged adults? the FIT-AGEING study

20-07-2024 - National Library of Medicine

CONCLUSION: In summary, these results suggest that increased levels of steroid hormones - within the normal values - may be associated with better mental health in middle-aged adults. [Read more...](#)

4. Older caregivers' depressive symptomatology over time: evidence from the Survey of Health, Ageing and Retirement in Europe

19-07-2024 - National Library of Medicine

The prevalence of informal caregiving is increasing as populations across the world age. Caregiving has been found to be associated with poor mental health outcomes including depressive symptoms. The purpose of this study is to examine the mean trajectory of depressive symptomatology in older caregivers in a large European sample over an eight-year period, the effects of time-varying and ... [Read more...](#)

5. Revue des effets de l'institutionnalisation sur le developpement de la depression chez les personnes agees residant en maison de retraite

18-07-2024 - National Library of Medicine

Depression is a prevalent mental health issue among elderly people residing in nursing homes, with significant implications for quality of life. From an initial pool of 175 articles, seven met the inclusion criteria, including four longitudinal studies, two controlled trials, and one systematic review. The findings indicate mixed outcomes regarding the impact of institutionalization on the ... [Read more...](#)

6. Mental Health Diagnoses and Suicidality Among Transgender Youth in Hospital Settings

17-07-2024 - National Library of Medicine

Purpose: The purpose of this analysis is to: 1) describe the most common mental health diagnoses in the emergency department (ED) and inpatient hospital settings among transgender and gender diverse (TGD) youth vs. matched controls and 2) evaluate if a gender-affirming hormone therapy (GAHT) or gonadotropin-releasing hormone agonist (GnRHa) prescription decreased the risk of suicidality ... [Read more...](#)

7. The Bridge Between Childhood Trauma and Alexithymia Among Adolescents with Depressive and Bipolar Disorders: A Network Bridge Analysis

16-07-2024 - National Library of Medicine

Childhood trauma and alexithymia are significant risk factors for adolescent mental health issues. Prior research has linked these factors to psychopathology, but the complexities of their interrelation remain underexplored. This study aims to elucidate the relationship between various forms of childhood trauma and alexithymia in adolescents with depressive and bipolar disorders. [Read more...](#)

8. Gay-Straight Alliances, School Functioning, and Mental Health: Associations for Students of Color and LGBTQ Students

15-07-2024 - National Library of Medicine

Utilizing a school-based sample of 895,218 students aged 10-18 years old, we examine differences in students' school functioning, substance use, and mental health in schools with and without Gay-Straight Alliances (GSAs). In addition, we examine whether GSA presence is associated with these outcomes for students of color and LGBTQ students. Overall, students in schools with GSAs were found to ... [Read more...](#)

9. Understanding the factors related to how East and Southeast Asian immigrant youth and families access mental health and substance use services: A scoping review

15-07-2024 - National Library of Medicine

The objective of the review is to identify factors related to how East and Southeast Asian immigrant youth aged 12-24 and their families access mental health and substance use (MHSU) services. To address how East and Southeast Asian youth and their families access mental health and substance use services, a scoping review was conducted to identify studies in these databases: PubMed, ... [Read more...](#)

10. Mediating role of social disengagement and loneliness in the nexus between functional health and mental well-being in older individuals

14-07-2024 - National Library of Medicine

Few studies have focused sufficiently on the intricate link between functional health and depression among older people aged 60 and above in India. Therefore, the current study investigates the association between functional health and depression among older Indian adults through the mediating role of social disengagement and loneliness and the moderating role of living arrangements using ... [Read more...](#)

11. Abnormality in Peripheral and Brain Iron Contents and the Relationship with Grey Matter Volumes in Major Depressive Disorder

13-07-2024 - National Library of Medicine

Major depressive disorder (MDD) is a prevalent mental illness globally, yet its etiology remains largely elusive. Recent interest in the scientific community has focused on the correlation between the disruption of iron homeostasis and MDD. Prior studies have revealed anomalous levels of iron in both peripheral blood and the brain of MDD patients however, these findings are not consistent. [Read more...](#)

12. The Associations Between Physical Activity and Mental Health Problems in Middle-aged Indonesians

12-07-2024 - National Library of Medicine

CONCLUSIONS: Regular physical activity has been shown to affect mental health positively. Therefore, it is important to improve health education and efforts to raise awareness among middle-aged Indonesians about the importance of physical activity in maintaining good mental health. [Read more...](#)

13. Post-traumatic stress disorder symptoms following exposure to acute psychological trauma in children aged 8-16 years in South Africa: protocol for the Sinethemba longitudinal study

12-07-2024 - BMJ Open

Introduction Children exposed to trauma are vulnerable to developing post-traumatic stress disorder (PTSD) and other adverse mental health outcomes. In low-and middle-income countries (LMICs), children are at increased risk of exposure to severe trauma and co-occurring adversities. However, relative to high-income countries, there is limited evidence of the factors that predict good versus ... [Read more...](#)

14. Self-perceptions of aging, physical activity, and depressive symptoms in older community residents with varied neighborhood walkability in Taiwan

11-07-2024 - National Library of Medicine

CONCLUSIONS: This study emphasizes key areas on intervention programs and policy formulation to promote mental health in older adults. [Read more...](#)

15. Comparative effects of lifelong moderate-intensity continuous training and high-intensity interval training on blood lipid levels and mental well-being in naturally ageing mice

11-07-2024 - National Library of Medicine

CONCLUSION: Lifelong exercise, whether moderate-intensity continuous or high-intensity interval training, can preserve body health during ageing, prevent anxiety and depression, and maintain stable blood lipid levels. Both exercise types are equally effective, suggesting that exercise intensity may not be the critical factor underlying these beneficial adaptations. [Read more...](#)

16. Residential Proximity to Oil and Gas Development and Mental Health in a North American Preconception Cohort Study: 2013-2023

11-07-2024 - National Library of Medicine

Objectives. To evaluate associations between oil and gas development (OGD) and mental health using cross-sectional data from a preconception cohort study, Pregnancy Study Online. Methods. We analyzed baseline data from a prospective cohort of US and Canadian women aged 21 to 45 years who were attempting conception without fertility treatment (2013-2023). We developed residential proximity ... [Read more...](#)

17. The association of the Prime Diet Quality Score (PDQS) with depression and anxiety symptoms: the Isfahan functional disorders (ISFUN) cohort study

10-07-2024 - National Library of Medicine

Background: Due to scarce epidemiologic data regarding the Prime Diet Quality Score (PDQS) and mental health disorders, this study aimed to investigate the association of PDQS with depression and anxiety symptoms in Iranian adults. Methods: This cross-sectional analysis was performed using the baseline data collected for the Isfahan functional disorders (ISFUN) cohort study. [Read more...](#)

18. Severe Mental Illness as a risk factor for recorded diagnosis of osteoporosis and fragility fractures in people aged 50 and above: retrospective cohort study using UK primary care data

10-07-2024 - National Library of Medicine

CONCLUSION: SMI is associated with increased likelihood of fragility fractures and osteoporosis underdiagnosis. Interventions should be considered to mitigate the increased risk of fractures in people with SMI. [Read more...](#)

19. Twenty-year changes of adolescent mental health and substance use: a Finnish population-based time-trend study

10-07-2024 - National Library of Medicine

This time-trend study assesses changes in mental health and substance use among Finnish adolescents from 1998 to 2018. Representative samples of adolescents (N = 6,600) aged 13-16 years participated in school-based, almost identical cross-sectional studies in 1998 (n = 1,446), 2008 (n = 2,009), 2014 (n = 1,800) and 2018 (n = 1,345), respectively. The Strengths and Difficulties Questionnaire ... [Read more...](#)

20. Improvements in mental health associated with increased electronic communication and deterioration in physical health in adults aged 50+ during the COVID-19 pandemic

08-07-2024 - National Library of Medicine

CONCLUSION: Future policies should thus consider the positive impact of electronic contacts on mental health to promote overall health in adults aged 50 and older. [Read more...](#)

21. Early Changes in Nutritional Status of Elderly Patients with Lung Cancer Undergoing Chemotherapy Are Positively Related with Symptoms of Depression: A Prospective Follow-Up Study

08-07-2024 - National Library of Medicine

This study aims to assess early effects of chemotherapy on symptom alleviation, nutritional status, and mental health in elderly patients with advanced non-small-cell lung cancer (NSCLC). This prospective study included 45 NSCLC patients (32 males, 13 females) aged 65-82 years (mean age 70.0 ± 4.5 years) with good performance status. Assessments were conducted immediately after diagnosis and ... [Read more...](#)

22. Health Outcomes around Pregnancy and Exposure to HIV/Antiretrovirals (HOPE) study protocol: a prospective observational cohort study of reproductive-aged women living with HIV

05-07-2024 - BMJ Open

Introduction Over 265 000 women are living with HIV in the USA, but limited research has investigated the physical, mental and behavioural health outcomes among women living with HIV of reproductive age. Health status during the reproductive years before, during and after pregnancy affects pregnancy outcomes and long-term health. Understanding health outcomes among women living with HIV of ... [Read more...](#)

23. Predictors of treatment outcome of psychological therapies for common mental health problems (CMHP) in older adults: A systematic literature review

05-07-2024 - National Library of Medicine

Identifying factors that impact psychological treatment outcomes in older people with common mental health problems (CMHP) has important implications for supporting healthier and longer lives. The aim of the present study was to synthesise the evidence on predictors of psychological treatment outcomes in older people (aged 65+). PubMed, Scopus, Web of Science and PsycINFO were searched and ... [Read more...](#)

24. Associations between mental health symptoms, trauma, quality of life and coping in adults living in Ukraine: A cross-sectional study a year after the 2022 Russian invasion

05-07-2024 - National Library of Medicine

We aimed to assess the mental health of adults living in Ukraine one year after onset of the Russo-Ukrainian war, along with quality of life and coping strategies. Quota sampling was used to collect online survey data from 2364 adults aged 18-79 years living in Ukraine from April 5, 2023 to May 15, 2023. Among adults living in Ukraine, 14.4 % had probable post-traumatic stress disorder (PTSD), ... [Read more...](#)

25. Association between mental health and sleep condition with social frailty: evidence from ardakan cohort study on aging (ACSA)

04-07-2024 - Taylor & Francis Online

. [Read more...](#)

26. Suicidal ideation and suicide attempts among students aged 12 to 24 after the lifting of COVID-19 restrictions in China: prevalence and associated factors

04-07-2024 - National Library of Medicine

CONCLUSIONS: Suicidal ideation and suicide attempts remain prevalent among young people in China. The potential associated factors identified in our study may be useful for targeting appropriate psychosocial interventions and developing mental health policies. [Read more...](#)

27. Prevalence of major depressive disorder and its determinants among young married women and unmarried girls: Findings from the second round of UDAYA survey

02-07-2024 - Public Library of Science (PLoS)

by Shromona Dhara, Joyeeta Thakur, Neelanjana Pandey, Arupendra Mozumdar, Subho Roy
Introduction Depression is a prevalent and debilitating mental illness affecting young women worldwide. This study aimed to identify psychosocial determinants of major depressive disorder (MDD) among young women in Bihar and Uttar Pradesh, India. Methods Data from "Understanding the Lives of Adolescents and ... [Read more...](#)

28. Demographic and clinical profile of adolescents suicide attempters admitted to an emergency department during the COVID-19 pandemic - a retrospective cohort study using hospital information system

02-07-2024 - National Library of Medicine

CONCLUSIONS: Adolescents attempting suicide during COVID-19 were most likely female, aged 15-17, city dwellers, undergoing psychiatric treatment mainly for depressive disorders. The mental health consequences of the pandemic may be more long term, and further monitoring will be needed in the years to come. [Read more...](#)

29. Cognitive reserve modulates mental health in adulthood

02-07-2024 - National Library of Medicine

Cognitive Reserve (CR) reflects acquired knowledge, skills, and abilities throughout life, and it is known for modulating cognitive efficiency in healthy and clinical populations. CR, which was initially proposed to explain individual differences in the clinical presentation of dementia, has subsequently been extended to healthy ageing, showing its role in cognitive efficiency also during ... [Read more...](#)

30. Risk factors and methods in suicides of elderly patients connected to mental health services from 1999-2024

02-07-2024 - National Library of Medicine

INTRODUCTION: Suicide prevention is an important aspect of psychiatric care, with older men being a population identified at especially high suicide risk and a recent increase in suicides among older women. [Read more...](#)

31. Regional trends in mental health inequalities in young people aged 16-25 in the UK and the role of cuts to local government expenditure: Repeated cross-sectional analysis using the British household panel Survey/UK household longitudinal survey

02-07-2024 - National Library of Medicine

Young people's mental health globally has been in decline. Because of their low perceived need, young people's services tend to be the first cut when budgets are reduced. There is a lack of evidence on how a reduction in services and opportunities for young people is associated with their mental health. Additionally, how this may be magnified by place and the assets and challenges of place. [Read more...](#)

32. Assessing the efficacy of a brief universal family skills programme on child behaviour and family functioning in Gilgit-Baltistan, Pakistan: protocol for a feasibility randomised controlled trial of the Strong Families programme

01-07-2024 - *BMJ Open*

Purpose The global burden of mental health difficulties among children underscores the importance of early prevention. This study aims to assess the efficacy, feasibility and acceptability of the Strong Families programme in enhancing child behaviour and family functioning in low-resource settings in Gilgit-Baltistan, Pakistan. **Methods and analysis** This is a two-arm, ... [Read more...](#)

33. Accountable Care Organizations, Mental Health, and Aging in the New Era of Digital Health

01-07-2024 - *National Library of Medicine*

No abstract [Read more...](#)

34. Temporal trends and age-period-cohort analysis of depression in U.S. adults from 2013 to 2022

29-06-2024 - *National Library of Medicine*

CONCLUSION: The prevalence of adult depression in the United States is showing an increasing trend. Middle-aged people and those born later in life deserve more attention as high-risk groups. It is recommended that the condition burden of depression be reduced with the promotion of healthy lifestyles, the promotion of interpersonal communication, as well as enhanced mental health education ... [Read more...](#)

35. Brief Aging Education Impacts Continuing Education Preferences and Behaviors of Mental Health Providers

29-06-2024 - *National Library of Medicine*

BACKGROUND AND OBJECTIVES: This study examined the impact of receiving foundational information about aging on continuing education (CE) interests, preferences, and behaviors of mental health providers. [Read more...](#)

36. Social activities and depressive symptoms among migrant middle-aged and older adults in China: a network analysis

28-06-2024 - *National Library of Medicine*

CONCLUSION: The findings underscore the importance of addressing depressed mood in treating depression among migrant middle-aged and older adults. Recognizing the differential impacts of various social activities can aid in the development of customized prevention and intervention strategies aimed at enhancing the mental well-being of this demographic in China. [Read more...](#)

37. Social media use and mental health indicators among US adolescents: A population-based study

28-06-2024 - *National Library of Medicine*

Social media use among young people has raised concerns about its potential impact on mental health. However, research is limited regarding whether certain subgroups may be differently affected. This study uses data from the 2022 National Youth Tobacco Survey, a nationally representative sample of middle and high school students aged approximately 11-18 years (n = 23,366). [Read more...](#)

[Back to Top](#)

Child and infant mental health

Child and adolescent mental health

1. Perspectives, Treatment Goals, and Approaches of Prevention-Specialist Mental Health Professionals in Working With Clients Attracted to Children

26-07-2024 - SAGE Publishing

Sexual Abuse, Ahead of Print. The provision of effective mental health services to individuals attracted to children is rapidly expanding. However, these services have not yet been integrated into general mental healthcare systems and are mainly offered by organizations that predominantly provide services to child sexual abuse perpetrators. Little is known about the perspective, ... [Read more...](#)

2. The effect of childhood family adversity on adulthood depression among Chinese older migrant workers: gender differences in the mediating role of social-ecological systems

26-07-2024 - National Library of Medicine

CONCLUSIONS: The findings suggest that childhood family adversity has a lasting impact on the mental health of OMWs, and that social-ecological systems factors play an important role in this relationship. The study also highlights the need for gender-specific interventions to address the mental health needs of OMWs. [Read more...](#)

3. Eye movements desensitization and reprocessing with finger movements and Elite mobile health software on guilt feeling of parents of children with autism: A randomized trial

26-07-2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView. [Read more...](#)

4. Mapping Adolescent Mental Well-Being - 30 PLADs, China, 2019

25-07-2024 - National Library of Medicine

WHAT IS ALREADY KNOWN ABOUT THIS TOPIC?: High levels of mental well-being are linked to favorable life outcomes. Nonetheless, compared to the research on psychiatric disorders, the understanding of mental well-being among Chinese adolescents is still relatively underexplored. [Read more...](#)

5. Puberty blockers: No evidence that a ban has led to "surge" in suicides, finds review

24-07-2024 - British Medical Journal

Claims that a ban on the use of puberty blockers in the care of children and adolescents with gender dysphoria has led to a "surge" or "explosion" of suicides has been denounced as false by a leading expert on suicide in a government review. Louis Appleby, professor of psychiatry at the University of Manchester and lead at the Centre for Mental Health and Risk, ... [Read more...](#)

6. What comes next? A cross-sectional study on post-discharge referrals of adolescents treated in emergency services following a suicide attempt

23-07-2024 - National Library of Medicine

CONCLUSION: A high number of adolescents were discharged from emergency departments without co-ordination with the mental health network, and the involvement of the multi-professional team was positively associated with addressed referrals. [Read more...](#)

7. Conceptualizing the social networks of children of parents with serious mental illness: a thematic analysis

23-07-2024 - Frontiers

Imogen Nevard Judith Gellatly Helen Brooks Penny Bee [Read more...](#)

8. Mental health intervention development for indigenous youth: Essential elements and guiding principles

21-07-2024 - National Library of Medicine

There is a need for intervention studies to address mental health issues with Indigenous youth. The purpose of this work is to: 1) consider calming approaches introduced by Native-American adolescents who described in writing how they manage day-to-day stress and 2) identify culturally relevant constructs (elements and principles) for development of mental health promotion interventions for ... [Read more...](#)

9. The Impact of School Reopening on Chinese Adolescents' Mental Health During COVID-19: Considering the Role of Academic Stress and Academic Orientation

21-07-2024 - National Library of Medicine

PURPOSE: Existing studies found that school closure during the COVID-19 pandemic negatively influenced adolescents' mental health. Yet, it remains unclear how adolescent mental health changed during the transition of school reopening as well as the academic-related risk and protective factors. [Read more...](#)

10. Adverse Childhood events of individuals and its relationship with resilience

21-07-2024 - National Library of Medicine

CONCLUSION: In this study, gender, educational status, presence of mental illness, and the total score on the Adverse Childhood Events Scale were determined to be predictive variables affecting resilience. Considering the research findings, it is recommended that nurses plan studies for the protection of the mental health of children and adolescents and the groups exposed to trauma should be ... [Read more...](#)

11. Hospital admissions and community health service contacts for mental illness following self-reported child maltreatment: Results from the Childhood Adversity and Lifetime Morbidity (CALM) study

20-07-2024 - Ovid

Author Names: Trott M., Bull C., Najman J.M., Arnautovska U., Siskind D., Warren N., Kisely S. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Hospital admissions and community health service contacts for mental illness following self-reported child maltreatment: Results from the Childhood Adversity and Lifetime Morbidity (CALM) ... [Read more...](#)

12. Maternal adverse childhood experiences, child resilience factors, and child mental health problems: A multi-wave study

20-07-2024 - Ovid

Author Names: Turgeon J., Racine N., McDonald S., Tough S., Madigan S. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect, Child Abuse and Neglect Article Title: Maternal adverse childhood experiences, child resilience factors, and child mental health problems: A multi-wave study Year: 2024 Issue: Volume: 154 Abstract: Background: Research suggests that maternal ACEs ... [Read more...](#)

13. Exposure to parental problem drinking during adolescence and symptoms of depression and anxiety in young adulthood: A Swedish national cohort study

20-07-2024 - National Library of Medicine

INTRODUCTION: Previous research has shown associations between parental problem drinking and adverse mental health outcomes in children. However, while many studies assess parental

alcohol problems based on clinical measures, longitudinal studies that investigate the impact of potentially less severe levels of parental alcohol problems are scarce. The aim of this study was to examine if the ... [Read more...](#)

14. Officer gunpoint during police stops: Repercussions for youth mental health and perceived safety

20-07-2024 - National Library of Medicine

Youth-police contact is increasingly acknowledged as a stressor and a racialized adverse childhood experience that can undermine youths' mental health. The present study investigates a particularly distressing feature of youths' direct and witnessed in-person police stops-officer gunpoint (i.e., officers drawing of firearms and pointing them at youth, their peers, or other community members). [Read more...](#)

15. Early treatment for children with mental health problems and genetic conditions through a parenting intervention (The GAP): study protocol for a pragmatic randomized controlled trial

20-07-2024 - National Library of Medicine

BACKGROUND: Children with genetic conditions are at increased risk for mental health and neurodevelopmental problems, often accompanied by significant parental distress. Genetic and family factors can impact children and parents' mental health. Early parenting interventions, like the Incredible Years® programs, have demonstrated to improve parental distress and children's mental health. [Read more...](#)

16. The impact of the first phase of the COVID-19 pandemic on referral patterns and therapeutic service provision for children and young people's psychosocial distress in a Low-or Middle-Income Country: A service evaluation of routinely collected data from a non-government organisation operating in schools in the Western Cape, South Africa

19-07-2024 - National Library of Medicine

INTRODUCTION: In low- and middle-income countries (LMICs), including South Africa, there is a paucity of psychosocial support services. Therefore, services are often provided in schools by non-government organisations like Community Keepers (CK). The COVID-19 pandemic and resultant restrictions meant that children and young people's (CYP) lives changed, negatively affecting their mental health. [Read more...](#)

17. Nurture clinic: Promoting mental health of children and adolescents

19-07-2024 - National Library of Medicine

CONCLUSION: Need-based nursing interventions help in promoting the mental health of children and adolescents. This approach may be extended to primary care facilities and community mental healthcare by nurses. [Read more...](#)

18. Mental Health Diagnoses Risk Among Children and Young Adults With Cerebral Palsy, Chronic Conditions, or Typical Development

19-07-2024 - National Library of Medicine

CONCLUSIONS AND RELEVANCE: In this case-control study of children and young adults with CP and matched comparisons, anxiety and conduct or impulse diagnoses were higher in individuals with CP. The lower diagnosis rates of depression and suicidal ideation may indicate underdiagnosis among individuals with CP. There is likely a need for assessment tools that are more suitable for children with CP. [Read more...](#)

19. Three years of COVID-19-related school restrictions and mental health of children and adolescents in Japan

19-07-2024 - National Library of Medicine

During the 3 years of the COVID-19 pandemic, Japanese children had to live with strict mitigation measures at school, such as eating school lunches silently and wearing masks during physical exercise classes, even after those mitigation measures have been relaxed worldwide. Excursions and other school events were frequently cancelled, especially in 2020 and 2021. [Read more...](#)

20. Cortical structure and subcortical volumes in conduct disorder: a coordinated analysis of 15 international cohorts from the ENIGMA-Antisocial Behavior Working Group

18-07-2024 - *ClinicalKey (Elsevier)*

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages 620-632 | Gao, Yidian, PhD Staginnus, Marlene, MResSummaryBackgroundConduct disorder is associated with the highest burden of any mental disorder in childhood, yet its neurobiology remains unclear. Inconsistent findings limit our understanding of the role of brain structure alterations in conduct ... [Read more...](#)

21. Beyond the mind: Understanding the influence of mental health on youth NEET status in Europe-A systematic literature review

18-07-2024 - *National Library of Medicine*

CONCLUSION: Mental health issues, whether mild or severe, heighten significant the risk of adverse education and employment outcomes in early adulthood, extending to young individuals with personality disorders, borderline personality disorder, and psychoses. These observations inform early intervention strategies for children and young people grappling with mental health challenges. [Read more...](#)

22. Self-Esteem Among U.S. African American and Latinx Adolescents With Depressive Symptoms and Overweight and/or Obesity

18-07-2024 - *National Library of Medicine*

CONCLUSION: Adolescent self-esteem varied based on gender, racial and ethnic group, and changed over time in the African American population but remained static in the Latinx population. [Journal of Psychosocial Nursing and Mental Health Services, xx(xx), xx-xx.]. [Read more...](#)

23. A community case detection tool to promote help-seeking for mental health care among children and adolescents in Ugandan refugee settlements: a stepped wedge cluster randomised trial

18-07-2024 - *National Library of Medicine*

BACKGROUND: Strategies to promote mental health care help-seeking among children are needed, especially in low-income and middle-income countries and in complex settings. The aim of this trial was to compare a vignette-based, community-level, proactive case detection tool (CCDT) against standard awareness raising for promoting mental health help-seeking among children and adolescents. [Read more...](#)

24. Mental health help-seeking by children and adolescents in Uganda's refugee settlements

18-07-2024 - *National Library of Medicine*

No abstract [Read more...](#)

25. Quality of life in children with epilepsy: The role of parental mental health and sleep disruption

18-07-2024 - *National Library of Medicine*

CONCLUSION: These results suggest that child co-occurrences mediate the relationship between parental variables and child health-related quality of life. The current data highlight the need for a systemic approach to epilepsy management and suggest that support for co-occurrences could benefit health-related quality of life for children and their parents. [Read more...](#)

26. Effectiveness of a group psychological intervention to reduce psychosocial distress in adolescents in Pakistan: a single-blind, cluster randomised controlled trial

18-07-2024 - National Library of Medicine

BACKGROUND: Emotional problems in adolescents living in low-income and middle-income countries (LMICs) remain largely unaddressed key reasons include a scarcity of trained mental health professionals and unavailability of evidence-based, scalable psychological interventions. We aimed to evaluate the effectiveness of a non-specialist-delivered, group psychological intervention to reduce ... [Read more...](#)

27. Evaluating the accuracy and completeness of Secondary Uses Service (SUS) data against clinical records for children and young people admitted to general paediatric wards for primarily mental health reasons

18-07-2024 - National Library of Medicine

No abstract [Read more...](#)

28. Trajectories of mental health in children and adolescents during the COVID-19 pandemic: findings from the longitudinal COPSYS study

18-07-2024 - National Library of Medicine

CONCLUSIONS: The mental health of most children and adolescents remained resilient throughout the pandemic. However, a sizeable number of youths had consistently poor or deteriorating mental health. Those children and adolescents need special attention in schools and mental health care. [Read more...](#)

29. Commentary: Expanding the vision of Registered Reports for qualitative mental health research: A response and extension to 'Misaligned incentives in mental health research – the case for Registered Reports', Baldwin (2023)

18-07-2024 - John Wiley & Sons

Journal of Child Psychology and Psychiatry, EarlyView. [Read more...](#)

30. Randomised controlled trial of an online mental health and suicide gatekeeper resource for parents and caregivers: study protocol

17-07-2024 - BMJ Open

Introduction Rates of help-seeking for mental disorders and suicide are low among children and adolescents. Parents are viewed as gatekeepers for their care, yet they may lack the knowledge and skills to identify needs or facilitate service access. The primary aim is to test the effect of a new gatekeeper resource for parents and caregivers on their self-efficacy to recognise, ... [Read more...](#)

31. Assessing Health Equity in Partnership with Children's Mental Health Organizations: Considerations Before the Implementation of Parenting Programs

17-07-2024 - National Library of Medicine

CONCLUSION: Although this HEIA focused on parenting programs, the findings address equity issues applicable to the provision of a wide spectrum of children's mental health services. [Read more...](#)

32. Nursing in the digital age: The role of nursing in addressing cyberbullying and adolescents mental health

17-07-2024 - National Library of Medicine

CONCLUSION: The study concludes that cyberbullying is a prevalent issue among adolescents in Egypt, with a majority of students experiencing moderate to high levels of cybervictimization and aggression. This leads to varying degrees of anxiety, stress, and depression. The study also

established a significant relationship between cyberbullying and mental health issues among adolescents. [Read more...](#)

33. Financial strain, schooling modality and mental health of US adults living with children during the COVID-19 pandemic

17-07-2024 - National Library of Medicine

CONCLUSION: Associations between financial strain and online-only schooling with poor mental health increased during the COVID-19 pandemic. Policies to support parents in the face of external stressors, such as economic instability and school closures, may improve overall population mental health. [Read more...](#)

34. Hope Groups: a protocol for a cluster randomized controlled trial of psychosocial, mental health, and parenting support groups for Ukrainian caregivers during war and conflict

17-07-2024 - National Library of Medicine

BACKGROUND: In 2021, more than two-thirds of the world's children lived in a conflict-affected country. In 2022, 13 million Ukrainians were forced to flee their homes after Russia's full-scale invasion. Hope Groups are a 12-session psychosocial, mental health, and parenting support intervention designed to strengthen parents, caregivers, and children affected by war and crisis. [Read more...](#)

35. Adolescents' Mental Health Concerns in Pre- and During COVID-19: Roles of Adverse Childhood Experiences and Emotional Resilience

17-07-2024 - National Library of Medicine

Limited research has explored the trend of adolescent mental health concerns pre- and during the COVID-19 pandemic and how such mental health concerns are explained by emotional resilience and Adverse Childhood Experiences (ACEs). The purpose of this study is to investigate the prevalence and severity of mental health concerns among U.S. adolescents and examine the mediating role of emotional ... [Read more...](#)

36. A simulation-based network analysis of intervention targets for adolescent depressive and anxiety symptoms

17-07-2024 - National Library of Medicine

Although previous research has well explored central and bridge symptoms of mental health problems, little examined whether these symptoms can serve as effective targets for intervention practices. Based on the Ising model, this study constructed a network structure of depressive and anxiety symptoms. The NodeIdentifyR algorithm (NIRA) was used to simulate interventions within this network, ... [Read more...](#)

37. Practitioner Review: Continuity of mental health care from childhood to adulthood for youths with ADHD – who, how and when?

16-07-2024 - John Wiley & Sons

Journal of Child Psychology and Psychiatry, EarlyView. [Read more...](#)

38. Impact of COVID-19 on emotional and behavioral problems among preschool children: a meta-analysis

16-07-2024 - National Library of Medicine

The impact of the Coronavirus Disease 2019 (COVID-19) on society is continuous, resulting in negative psychological consequences. Given the vulnerability and sensitivity to the environment among preschool children, their emotional and behavioral problems deserve more attention. The current study aimed to explore the impact of the epidemic on preschool children's mental health by determining ... [Read more...](#)

39. Measurement-Based Care for Pediatric and Adolescent Mental Health Disorders as a Decision-Making Support Paradigm for Clinical Practice: A Review

16-07-2024 - National Library of Medicine

This article makes a case to encourage pediatric/adolescent care providers and healthcare systems to implement measurement-based standardized assessments of patient's baseline and longitudinal health outcomes for mental disorders to help institute evidence-based treatments. The article discusses the current underutilization, challenges, barriers, and concerns from stakeholders with ... [Read more...](#)

40. The Critical Role of Attachment Theory in Child and Adolescent Mental Health Care

16-07-2024 - National Library of Medicine

No abstract [Read more...](#)

41. Knowledge, attitudes, and practices on child and adolescent mental health among healthcare workers in sub-Saharan Africa: a scoping review

16-07-2024 - National Library of Medicine

CONCLUSION: It is crucial to build capacity and improve healthcare workers' practices, knowledge, and attitudes toward child and adolescent mental health in sub-Saharan Africa. This could lead to better access to mental health services for children and adolescents in the region. [Read more...](#)

42. Analysis of the associations between moderate-to-vigorous physical activity and screen time on psychological symptoms among university students: a cross-sectional survey based on six geographic regions in China

16-07-2024 - BioMed Central

Declining physical activity and increasing screen time (ST) among Chinese adolescents have become major concerns shared by scholars, while mental health issues are also on the rise. Previous studies have confi... [Read more...](#)

43. Physical activity and mental health trends in Korean adolescents: Analyzing the impact of the COVID-19 pandemic from 2018 to 2022

15-07-2024 - National Library of Medicine

CONCLUSIONS: These insights emphasize the vital role of regular PA in improving mental health among adolescents, particularly during a health crisis such as the pandemic. [Read more...](#)

44. A protocol for the formative evaluation of the implementation of patient-reported outcome measures in child and adolescent mental health services as part of a learning health system

15-07-2024 - National Library of Medicine

BACKGROUND: Mental health conditions affect one in seven young people and research suggests that current mental health services are not meeting the needs of most children and youth. Learning health systems are an approach to enhancing services through rapid, routinized cycles of continuous learning and improvement. Patient-reported outcome measures provide a key data source for learning ... [Read more...](#)

45. Impact of corrupt admission on the mental health of Chinese adolescents

15-07-2024 - National Library of Medicine

Through preferential treatment by education officials or through bribery, some adolescents can obtain admission to a junior high school. However, it is unclear whether it affects the mental health of adolescents. This study used Propensity Score Matching to examine the effects of corruption

on adolescent mental health. A total of 17,254 junior high school students sample (11-18 years old 48. [Read more...](#)

46. Population-adjusted numbers, demographics and mental health among children and adolescents referred to the Norwegian National Center for Gender Incongruence over two decades

15-07-2024 - National Library of Medicine

Over the last decade, there has been a sharp increase in young people seeking medical treatment for gender dysphoria/gender incongruence (GD/GI). The aims of this study were to calculate yearly population-adjusted numbers of children and adolescents referred to the Norwegian National Center for Gender Incongruence (NCGI) at Oslo University Hospital (OUS) from 2000 to 2022 to describe the ... [Read more...](#)

47. Mental Health of Transgender Youth Following Gender Identity Milestones by Level of Family Support

15-07-2024 - National Library of Medicine

CONCLUSION: These results demonstrate that without a supportive family environment, gender identity development increases the risk of transgender youth attempting suicide or running away from home. Social services and community resources to establish supportive relationships between transgender children and their parents are essential. [Read more...](#)

48. Health Equity and Perinatal Mental Health

15-07-2024 - National Library of Medicine

PURPOSE OF REVIEW: Pregnancy and the postpartum period are vulnerable times to experience psychiatric symptoms. Our goal was to describe existing inequities in perinatal mental health, especially across populations, geography, and in the role of childbirth. [Read more...](#)

49. Intentions and barriers to help-seeking in adolescents and young adults differing in depression severity: cross-sectional results from a school-based mental health project

15-07-2024 - National Library of Medicine

CONCLUSIONS: Youths with higher levels of depressive symptoms are more reluctant to seek professional help and perceive higher barriers. This underlines the need for effective and low-threshold interventions to tackle barriers, increase help-seeking, and lower depressive symptoms in adolescents and young adults differing in depression severity. [Read more...](#)

50. Bullying experiences in childhood and health outcomes in adulthood

15-07-2024 - National Library of Medicine

This study examines whether the experience of being bullied at school has a long-term impact on three health outcomes in adulthood in Japan: subjective health, mental health, and activity restriction due to health conditions. We employed a random effects model and the Karlson-Holm-Breen method to decompose the total effect of being bullied at school on health inequality into a direct effect ... [Read more...](#)

51. Interprofessional perspectives on ACEs: Results from a statewide interprofessional training program

14-07-2024 - Ovid

Author Names: Benton M.,Dicke R.,Kapp J.M. Database Source: Embase Weekly Updates
Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Interprofessional perspectives on ACEs: Results from a statewide interprofessional training program Year: 2024
Issue: Volume: 154 Abstract: Background: Adverse childhood experiences (ACEs) are pervasive and well-recognized as having ... [Read more...](#)

52. Why do young men not seek help for affective mental health issues? A systematic review of perceived barriers and facilitators among adolescent boys and young men

14-07-2024 - National Library of Medicine

Men are less likely to seek help for their mental health than women, but less is known about the specific patterns of help-seeking in adolescent boys and young men. This is concerning as adolescent boys and young men have high suicide rates but a low take-up of services. It is therefore of particular importance that the access needs of this group are understood. [Read more...](#)

53. MENTAL HEALTH OF CHILDREN AND ADOLESCENTS: MAIN CHARACTERISTICS, SOME THEORETICAL ASPECTS

14-07-2024 - National Library of Medicine

According to official figures, almost 1 billion people suffer from mental disorders worldwide, including adolescents 10-19 years old account for about 13% of the global burden of disease in this age group. The current state of the problem of mental health of children and adolescents, which is formed under the influence of environmental factors and is critical for the personal, ... [Read more...](#)

54. Investigating the under-recognition of childbirth-related post-traumatic stress disorder among the public and mental health professionals

13-07-2024 - National Library of Medicine

BACKGROUND: Childbirth posttraumatic stress disorder (PTSD) poses significant challenges, impacting both mothers and infants. This work investigates whether childbirth PTSD is less recognized than PTSD caused by other index events. [Read more...](#)

55. Reciprocal developmental pathways between future-related thinking and symptoms of adolescent depression and anxiety: A systematic review and meta-analysis of longitudinal studies

13-07-2024 - National Library of Medicine

Adolescence is a time when important decisions about the future are made and vulnerability to mental health problems increases. We reviewed longitudinal studies examining the reciprocal pathways between future-related thinking (hopelessness, hope, optimism/positive future expectations) and adolescent depression and anxiety symptoms. Evidence from 22 studies (N = 10, ... [Read more...](#)

56. Investigating the Differential Impact of Short- and Long-Term Informal Caregiving on Mental Health Across Adolescence: Data From the Tokyo Teen Cohort

13-07-2024 - National Library of Medicine

PURPOSE: Young caregivers experience, on average, poorer mental health outcomes than non-caregiving young people. However, it is unknown to what extent these effects differ with age, or among short-term versus long-term caregivers. Using repeated assessment of young caregiving across multiple waves of a prospective adolescent cohort study, we conducted repeated cross-sectional analyses of ... [Read more...](#)

57. Psychosocial Risks and Adolescent Mental Health: The Moderating Role of Objective Neighborhood Characteristics

13-07-2024 - National Library of Medicine

PURPOSE: Although previous studies have examined the association between youth psychosocial risks and their perceptions of their neighborhood, it is unclear how objective neighborhood characteristics are associated with psychosocial risks and mental health symptoms

among adolescents. We investigated how neighborhood characteristics moderate the relationship between youth psychosocial ... [Read more...](#)

58. Parental Neglect and Childhood Obesity Amidst COVID-19: A Developmental Psychopathology Perspective on Health and Developmental Risks

13-07-2024 - National Library of Medicine

The COVID-19 pandemic has profoundly impacted the mental health and developmental trajectories of children and adolescents, catalyzing a range of psychological and behavioral issues due to enforced lockdowns and other restrictions. This text explores these impacts through the lens of developmental psychopathology, which integrates clinical psychology and developmental science to examine the ... [Read more...](#)

59. Adolescent Mental Health and Suicidal Behaviors in the Context of Expanded Supplemental Nutrition Assistance Program Eligibility

13-07-2024 - National Library of Medicine

PURPOSE: Food insecurity is a risk factor for poor mental health and suicidal behaviors among adolescents. Prior research shows that states with policies that expand Supplemental Nutrition Assistance Program (SNAP) eligibility have a lower prevalence of food insecurity. The primary aim of this study was to compare the prevalence of feelings of sadness or hopelessness, suicidal ideation, ... [Read more...](#)

60. Mental Health, Climate Change, and Bodily Autonomy: An Analysis of Adolescent Health Policy in the Post-Pandemic Climate

13-07-2024 - National Library of Medicine

The COVID-19 pandemic exacerbated the vulnerability of adolescents and young adults (AYAs) who face economic disadvantage, depend on social safety net resources, have politically targeted identities, are geopolitically displaced, and/or are racially or ethnically marginalized. A rapid change in social safety net policies has impacts that reverberate throughout interrelated domains of AYA ... [Read more...](#)

61. School modality, race and ethnicity, and mental health of U.S. adolescents during the COVID-19 pandemic

13-07-2024 - National Library of Medicine

CONCLUSIONS: Fully online learning may have benefitted the mental health of Black adolescents during the COVID-19 pandemic, perhaps because it buffered racial discrimination and social anxiety in schools. Additional interventions should be explored to promote in-person school environments that better support the mental health of Black adolescents. Moreover, prioritizing equitable access to ... [Read more...](#)

62. Screen Media Use and Mental Health of Children and Adolescents: A Secondary Analysis of a Randomized Clinical Trial

12-07-2024 - National Library of Medicine

CONCLUSIONS AND RELEVANCE: This secondary analysis of a randomized clinical trial found that a short-term reduction in leisure-time screen media use within families positively affected psychological symptoms of children and adolescents, particularly by mitigating internalizing behavioral issues and enhancing prosocial behavior. More research is needed to confirm whether these effects are ... [Read more...](#)

63. Childhood intra- and extra-familial maltreatment and later-life trajectories of depressive symptoms: evidence from China

12-07-2024 - National Library of Medicine

CONCLUSIONS: Findings in this study suggest that childhood maltreatment is not only associated with later-life poorer mental health but contributes to increasing inequalities in mental health as people age, especially among peer-bullying victims and women. [Read more...](#)

64. Retraction: Mental health identification of children and young adults in a pandemic using machine learning classifiers

12-07-2024 - *Frontiers*

Frontiers Editorial Office [Read more...](#)

65. The prenatal caregiving expectations questionnaire-revised version: Factor structure, internal consistency, and initial construct validity

11-07-2024 - *John Wiley & Sons*

Infant Mental Health Journal, EarlyView. [Read more...](#)

66. Somos Esenciales, We are Essential: Our Mental Health is Essential. Research for, by and of the Latinx Community in the Mission District during the Pandemic

11-07-2024 - *National Library of Medicine*

We are Latinx immigrants and children of Latinx immigrants. We provided emergency volunteer services at the Mission Food Bank during the pandemic to provide food assistance to low-income families in the Mission District and the city of San Francisco. In March 2021, we were invited to lead a research project that we call "We are Essential". Here we share our process and a few of our findings ... [Read more...](#)

67. The role of maternal and child healthcare providers in identifying and supporting perinatal mental health disorders

11-07-2024 - *National Library of Medicine*

CONCLUSION: Although certain screening practices were performed well, especially by the obstetrician group, screening deficits were noted within each group, and screening practices differed between groups. Training offered to maternal child health primary care providers on addressing perinatal mental health disorders may help improve provider screening practices and detection of PND symptoms ... [Read more...](#)

68. It's not what you say it's what you do: School diversity ideologies and adolescent mental health and academic engagement

11-07-2024 - *National Library of Medicine*

This study examined the relation between schools' color-evasive versus multicultural diversity ideologies, school characteristics, and adolescent development. Across two datasets linking individual-level survey data (N = 1692) and administrative records (N = 300,063 M(age) = 12.4, 52% female, 48% male), schools' stated support for diversity (via a pro-diversity mission statement) was related ... [Read more...](#)

[Back to Top](#)

Psychiatry

Psychiatry

1. An online evidence-based dictionary of common adverse events of antidepressants - BMC Psychiatry

25-07-2024 - *BioMed Central*

Adverse event. AR: Adverse reaction. CC: Clinical Code. CTCAE: Common Terminology Criteria for Adverse Events. HLGT: High-Level Group Term. HLT: High ... [Read more...](#)

2. I am the psychiatric patient and the psychiatric patient is me: Retelling a lived experience narrative of professional sexual misconduct

20-07-2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView. [Read more...](#)

3. Nurse prescribers as key players in shared decision making in psychiatry

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages 580-581 | Zhao, Junqiang Aoki, Yumi Zisman-Ilani, YaaraPsychiatric nurse prescribers (PNPs) are registered nurses who have earned extended training and have the authority to prescribe psychiatric medicines to individuals with various mental health conditions, including severe mental illness. A steady ... [Read more...](#)

4. Correction to Lancet Psychiatry 2024 11: 413

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages e10-e10Burki T. Helena Hansen. Lancet Psychiatry 2024 11: 413 —In this Profile, the name of the person being profiled was incorrect. This correction has been made as of June 14, 2024. [Read more...](#)

5. Correction to Lancet Psychiatry 2024 11: 451–60

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages e10-e10Kiviruusu O, Ranta K, Lindgren M, et al. Mental health after the COVID-19 pandemic among Finnish youth: a repeated, cross-sectional, population-based study. Lancet Psychiatry2024 11: 451–60 —Figure 1 of this Article has been updated. This correct... [Read more...](#)

6. Correction to Lancet Psychiatry 2024 11: 504–15

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages e10-e10Brown J, James K, Lisk S, et al. Clinical effectiveness and cost-effectiveness of a brief accessible cognitive behavioural therapy programme for stress in school-aged adolescents (BESST): a cluster randomised controlled trial in the UK. Lancet Psy... [Read more...](#)

7. Unmet care needs in psychiatric healthcare context: A systematized literature review

17-07-2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView. [Read more...](#)

8. Utilization and outcomes of transcranial magnetic stimulation and usual care for MDD in a large group psychiatric practice

09-07-2024 - BioMed Central

General psychiatrists' practice standards vary regarding when to implement transcranial magnetic stimulation (TMS) for care of patients with major depressive disorder (MDD). Furthermore, few studies have exami... [Read more...](#)

9. Spanish experts consensus on emergency psychiatric care in hospital emergency departments

04-07-2024 - BioMed Central

The demand for urgent psychiatric care is increasing, but in Spain there are no clear recommendations for emergency departments (ED) on how to optimize care for patients with psychiatric emergencies. We aimed ... [Read more...](#)

10. A systematic review of research examining mothers, infants, family and staff in psychiatric mother-baby units

03-07-2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

11. Exploring the interplay of psychiatric symptoms, antipsychotic medications, side effects, employment status, and quality of life in Chronic Schizophrenia

02-07-2024 - BioMed Central

Many factors contribute to quality of life (QoL) in patients with schizophrenia, yet limited research examined these factors in patients in China. This cross-sectional study explores subjective QoL and its ass... [Read more...](#)

12. JAMA Psychiatry

01-07-2024 - The JAMA Network

Mission Statement: JAMA Psychiatry strives to publish original, state-of-the-art studies and commentaries of general interest to clinicians and researchers in psychiatry, mental health, behavioral science, and allied fields. The journal seeks to inform its readers, to stimulate discussion into the nature, causes, treatment, and public health importance of mental illness, ... [Read more...](#)

13. Advancing Diversity, Equity, and Inclusion at JAMA Psychiatry

22-05-2024 - The JAMA Network

Recently, Kirsten Bibbins-Domingo, MD, PhD, MAS, Editor of JAMA and the JAMA Network, and the editors and diversity, equity, and inclusion (DEI) editors from JAMA and the JAMA Network specialty journals, including JAMA Psychiatry, coauthored an article affirming the JAMA Network's commitment to DEI and reviewing markers of progress in the makeup of the editorial boards across the network. [Read more...](#)

14. Clozapine Proficiency as a Milestone in Psychiatric Training

01-05-2024 - The JAMA Network

This Viewpoint advocates for the addition of clozapine prescribing as a milestone in psychiatric education. [Read more...](#)

[Back to Top](#)

Psychology

Psychology

1. Assessing the Anxiolytic and Relaxation Effects of Cinnamomum camphora Essential Oil in University Students: A Comparative Study of EEG, Physiological Measures, and Psychological Responses

26-07-2024 - Frontiers

Xiangfei Gong Yujun Yang Tong Xu Dongsheng Yao Shengyu Lin Weiyin Chang [Read more...](#)

2. The Relationship Among Body Image, Psychological Distress, and Quality of Life in Young Breast Cancer Patients: A Cross-Sectional Study

26-07-2024 - Frontiers

Hongmei Yao Meidi Xiong Yuping Cheng Ying Luo Xiegang Ding Qingyuan Zhang Zhang Chunhua [Read more...](#)

3. Evaluating the before operational stress program: comparing in-person and virtual delivery

25-07-2024 - *Frontiers*

Gabriela Ioachim Nicole Bolt Michelle Redekop Andrew Wakefield Andrii Shulhin Jilani Dabhoya Juliana M. B. Khoury Kathy Bélanger Sarah Williams Tessa Chomistek [Read more...](#)

4. Editorial: Rising Stars In: Quantitative Psychology and Measurement

25-07-2024 - *Frontiers*

Pietro Cipresso Alessandro Giuliani [Read more...](#)

5. The relationship between effort-reward imbalance and quality of working life among medical caregivers: mediating effects of job burnout

25-07-2024 - *Frontiers*

Huang Qi Sun Hongyan He Song Zhou Zhihang Huang Ruiyin Ma Youjia Li Xia [Read more...](#)

6. Influence of Teacher Autonomy Support in Feedback on High School Students' Feedback Literacy: The Multiple Mediating Effects of Basic Psychological Needs and Intrinsic Motivation

25-07-2024 - *Frontiers*

Shang Zhang Jie Xu Hao Chen Lan Jiang Xinfu Yi [Read more...](#)

7. A Longitudinal Study on the Relation between Parenting and Toddler's Disruptive Behavior: What is the Role of Toddler's Negative Emotionality and Physiological Stress Reactivity?

24-07-2024 - *Frontiers*

Marijke Huijzer-Engbrenghof Loes Van Rijn Hannah Spencer Christiane Wesarg-Menzel Nicole Creasey Esmee S. Lalihatu Geertjan Overbeek [Read more...](#)

8. Psychological well-being of Italian students and clinical assessment tools at university counseling services during the COVID-19 pandemic: A Systematic Review

24-07-2024 - *Frontiers*

Giovanna Celia Gianluigi Serio Eugenio Trotta Francesca Tessitore Mauro Cozzolino [Read more...](#)

9. "Nexus between Organizational Citizenship Behavior and Psychological Well-being: Emotional Intelligence as a pathway"

24-07-2024 - *Frontiers*

KDV PRASAD Rajesh Waman Vaidya Ved Srinivas [Read more...](#)

10. Emotional loneliness, perceived stress, and academic burnout of medical students after the COVID-19 pandemic

23-07-2024 - *Frontiers*

Cem Malakcioglu [Read more...](#)

11. Myths of trauma memory: on the oversimplification of effects of attention narrowing under stress

22-07-2024 - *Frontiers*

Deborah Davis Alexis A. Hogan Demi J. Hart [Read more...](#)

12. Psychological resilience, athletic experience, and competitive level of judokas. A transversal study

22-07-2024 - *Frontiers*

María Garrido-Muñoz Cecilia Blanco-García Ignacio Díez-Vega Sonia García-Merino Jorge Acebes-Sánchez Gabriel Rodríguez-Romo [Read more...](#)

13. An explorative study on consequences of abuse on psychological wellbeing and cognitive outcomes in victims of gender-based violence

19-07-2024 - *Frontiers*

Giulia Lausi Clarissa Cricenti Emanuela Mari Jessica Burrai Alessandro Quagliari Anna Maria Giannini Benedetta Barchielli [Read more...](#)

14. A study on the relationship and path between mental health and burnout of Chinese athletes

19-07-2024 - *Frontiers*

Yun Gao Lei Wang [Read more...](#)

15. Stress, repetitive negative thinking, and mental health in Chilean university students: an ecological momentary assessment study

19-07-2024 - *Frontiers*

Carolina Inostroza Claudio Bustos Vasily Bühring Lorena González Félix Cova [Read more...](#)

16. Exploring the sustained impact of the Mindfulness-Based Stress Reduction program: a thematic analysis

19-07-2024 - *Frontiers*

Meltem Yavuz Sercekman [Read more...](#)

17. Evaluating EEG neurofeedback in sport psychology: a systematic review of RCT studies for insights into mechanisms and performance improvement

19-07-2024 - *Frontiers*

Ming-Yang Cheng Chien-Lin Yu Xin An Letong Wang Chi-Lun Tsai Fengxue Qi Kuo-Ping Wang [Read more...](#)

18. Effect of Mindfulness-Based Interventions on Anxiety, Depression and Stress in Patients with Coronary Artery Disease: A Systematic Review and Meta-Analysis of Randomized Controlled Trials

18-07-2024 - *Frontiers*

Hanani Abdul Manan Imtiyaz Ali Mir Syeda Humayra Rong Yuen Tee Deepak Thazhakkattu Vasu [Read more...](#)

19. Is adding resources always beneficial? Multiplicative impact of psychological capital and goal-oriented climate on Spanish public worker satisfaction and engagement

18-07-2024 - *Frontiers*

Pedro Antonio Díaz-Fúnez Giuseppina María Cardella Brizeida Raquel Hernández-Sánchez José Carlos Sánchez-García Miguel Ángel Mañas-Rodríguez [Read more...](#)

20. Positive Psychology and Employee Adaptive Performance: Systematic Literature Review

18-07-2024 - *Frontiers*

Guihong Tang Raida Abu Bakar Safiah Omar [Read more...](#)

21. Assessing the Anxiolytic and Relaxation Effects of Cinnamomum camphora Essential Oil in College Students: A Comparative Study of EEG, Physiological Measures, and Psychological Responses

17-07-2024 - *Frontiers*

Gong Xiang fei Yujun Yang Tong Xu Dongsheng Yao Shengyu Lin Weiyin Chang [Read more...](#)

22. Optimism and mental health in college students: the mediating role of sleep quality and stress

16-07-2024 - *Frontiers*

Yun-Ju Lai En-Yun Tsai Ploypapus Jarustanaput Yi-Syuan Wu Yi-Hau Chen Samantha E. O'Leary Sumatchara Manachevakul Yuan Zhang Jiabin Shen Yan Wang [Read more...](#)

23. Validation of the Maslach Burnout Inventory-General Survey 9-item short version: psychometric properties and measurement invariance across age, gender, and continent

16-07-2024 - *Frontiers*

Anni Wang Yinfei Duan Peter G. Norton Michael P. Leiter Carole A. Estabrooks [Read more...](#)

24. Social media use for work during non-work hours and turnover intention: The mediating role of burnout and the moderating role of resilience

15-07-2024 - *Frontiers*

Zhenbang Fang Yuanjie Bao Min Hua [Read more...](#)

25. Prevalence and predictors of persistent cognitive and psychological symptoms in non-hospitalized post-COVID-19 patients seeking care at an outpatient post-COVID-19 clinic

15-07-2024 - *Frontiers*

Gisela Claessens Iris Gerritzen Frits van Osch Joop Van Den Bergh Daan Verberne Debbie Gach Eric van Balen Caroline van Heugten [Read more...](#)

26. Group Psychological Counseling to Contrast Academic Burnout: A Research Protocol for a Randomized Controlled Trial

15-07-2024 - *Frontiers*

Irene Messina Tatiana Rossi Flavia Bonaiuto Gianluigi Granieri Paola Cardinali Irene Petruccelli Roberto Maniglio Pietro Spataro [Read more...](#)

27. The psychological resilience of teenagers in terms of their everyday emotional balance and the impact of emotion regulation strategies

15-07-2024 - *Frontiers*

Zengyan Yu Wen Liu [Read more...](#)

28. Corrigendum: Intercultural communication competence and job burnout in MNC employees: the mediation role of job stress

15-07-2024 - *Frontiers*

Xiaoxia Xie Yulu Tu Chienchung Huang [Read more...](#)

29. The psychological impact of diagnosis of sinonasal, nasopharyngeal, and laryngeal cancers: a systematic review

15-07-2024 - *Frontiers*

Michela Bonafede Angelo d'Errico Sabrina Rugarli Carolina Mensi Lucia Miligi Roberto Calisti Rosa della Gatta Sara Piro Paola Melis Donatella Vasselli [Read more...](#)

30. Exploring the meaning of life among Chinese adolescents with nephrotic syndrome: determinants and psychological correlates

12-07-2024 - *Frontiers*

Ying Liang Ruijie Huang Xiuzhuang Luo Shuyan Mo Zhichuan He Junhong Tian Lijuan Yang Yi Xue Xiaomi Luo [Read more...](#)

31. Editorial: Insights in: Evolutionary Psychology 2022

12-07-2024 - *Frontiers*

Karlijn Massar Mark Collard Peter Karl Jonason [Read more...](#)

32. Internalizing psychological symptoms in children and adolescents with fructose malabsorption

12-07-2024 - *Frontiers*

Annabel Maurer Adrian Lieb Stephan Bongard [Read more...](#)

33. Linking Teacher Support to Achievement Emotion Profile: the mediating role of Basic Psychological Need Satisfaction

11-07-2024 - *Frontiers*

Yang Yang Shaoying Gong Yang Cao Yin Qiu Xizheng Xu Yanqing Wang [Read more...](#)

34. The relationship between psychological distress and cognitive failure among breast cancer survivors: a network analysis

10-07-2024 - *Frontiers*

Bingxue Han Jialin Yan Ruoyu Xiong Miaomiao Wang Jinxia Liu Liping Jia Jinhua Dou Xiaoli Liu Huaju Fan Jianying Li [Read more...](#)

35. Exploring College Students' Resistance to Mandatory Use of Sports Apps: A Psychological Reactance Theory Perspective

10-07-2024 - *Frontiers*

Guo Jian [Read more...](#)

36. The impact pathways of personality and psychosocial stress on depression among adult community residents in China: a fuzzy-set qualitative comparative analysis

05-07-2024 - *Frontiers*

Xi Yang Liuruyu Yu Shengming Zhang Zhaoguo Wei Gaoqiang Xie Jianhong Wang [Read more...](#)

37. Emotional Loneliness, Perceived Stress, and Academic Burnout of Medical Students after COVID-19 Pandemic

05-07-2024 - *Frontiers*

CEM MALAKCIOGLU [Read more...](#)

38. Postoperative factors associated with psychological well-being of living kidney donors: results of a retrospective and qualitative study

05-07-2024 - *Frontiers*

Vasiliki Galani Viridiana Mazzola Paco Prada Guido Bondolfi [Read more...](#)

39. Investigating Adolescent Psychological Well-being in an Educational Context Using PISA 2018 Canadian Data

05-07-2024 - *Frontiers*

Yan Liu Natasha S Maltais Marina Milner-Bolotin Svetlana Chachashvili-Bolotin [Read more...](#)

40. Longitudinal effects of basic psychological need support on the development of intrinsic motivation and perceived competence in physical education. A multilevel study

05-07-2024 - *Frontiers*

Felix Kruse Sonja Büchel Christian Brühwiler [Read more...](#)

41. Validation of the Maslach Burnout Inventory-General Survey 9-item short version (MBI-GS9): Psychometric properties and measurement invariance across age, gender and

04-07-2024 - *Frontiers*

Anni Wang Yinfei Duan Peter Norton Michael P Leiter Carole Estabrooks [Read more...](#)

42. Psychometric Properties of the Sinhala Perceived Stress Questionnaire (PSQ8-11) in Sri Lankan Primary School Children

04-07-2024 - *Frontiers*

D.L.I.H.K. Peiris Yanping Duan Corneel Vandelanotte Wei LIANG [Read more...](#)

43. An explorative study on consequences of abuse on psychological wellbeing and cognitive ...

03-07-2024 - *Frontiers*

An explorative study on consequences of abuse on psychological wellbeing and cognitive outcomes in victims of Gender Based Violence. Provisionally ... [Read more...](#)

44. The relationship between acculturative stress and psychological outcomes in international students: a systematic review and meta-analysis

03-07-2024 - *Frontiers*

Rasa Soufi Amlashi Mohammadreza Majzooobi Simon Forstmeier [Read more...](#)

45. Perceived COVID-19 crisis strength and teachers' emotional labor: Mediating role of interpersonal stress and moderating role of gender

02-07-2024 - *Frontiers*

Yantao Shi le qing hu huan qing tao [Read more...](#)

46. Analysis of the Causes, Psychological Mechanisms, and Coping Strategies of Short Video Addiction in China

02-07-2024 - *Frontiers*

Mingyue Liao [Read more...](#)

47. Editorial: Reviews in personality and social psychology

02-07-2024 - *Frontiers*

Gerald Matthews Neil Dagnall Guillermo Felipe López Sánchez [Read more...](#)

48. Evaluating EEG Neurofeedback in Sport Psychology: A Systematic Review of RCT Studies for Mechanism Insight and Performance Enhancement

01-07-2024 - *Frontiers*

Ming-Yang Cheng Xin An Letong Wang Chi-Lun Tsai Fengxue Qi Kuo Pin Wang [Read more...](#)

49. "Is Adding Resources Always Beneficial? Multiplicative Impact of Psychological Capital and Goal-Oriented Climate on Spanish Public Worker Satisfaction and Engagement"

01-07-2024 - *Frontiers*

Pedro Antonio Díaz Fúnez Giuseppina Maria Cardella Brizeida Raquel Hernández-Sánchez Jose Carlos Sánchez-García Miguel Ángel Mañas Rodríguez [Read more...](#)

50. Birth expectations, birth experiences and childbirth-related post-traumatic stress symptoms in mothers and birth companions: Dyadic investigation using response surface analysis

26-06-2024 - John Wiley & Sons

British Journal of Health Psychology, EarlyView. [Read more...](#)

[Back to Top](#)

Mental health and COVID-19

Mental health and COVID-19

1. Exploring the relationship between peritraumatic dissociative experiences, post-traumatic stress disorder, stigma, and fear: A three-wave study during the COVID-19 pandemic

21-07-2024 - National Library of Medicine

COVID-19 has emerged as a pervasive global challenge, giving rise to both significant public health concerns and a range of psychological experiences, such as fear, stigma, and post-traumatic stress disorder. Importantly, healthcare professionals have been subjected to immense mental health problems as they battle against this disease. This study aimed to investigate the mediating roles of ... [Read more...](#)

2. The impact of alcohol and other psychoactive substance use during the covid-19 pandemic: problems and consequences

14-07-2024 - National Library of Medicine

This article discusses issues related to the use of surfactants during the COVID-19 pandemic. The global nature of this crisis has had a significant impact on the lives of people around the world, including their mental health. The introduction of quarantine and «isolation» measures have become one of the measures to control the spread of the disease, but such restrictions have led to various ... [Read more...](#)

3. Stress and the Consumption of Ultra-Processed Foods during COVID-19's Social Distancing: Are Mental Disorders Mediators in This Association? ELSA-Brasil Results

13-07-2024 - National Library of Medicine

The COVID-19 pandemic exacerbated various determinants of mental disorders. Several behavioral changes were observed given this increase, including harmful health consequences, such as excessive consumption of ultra-processed foods (UPFs). To assess this relationship, we investigated the meditational role of symptoms of mental disorders (anxiety and depression) in the association between ... [Read more...](#)

4. Mental Health, Parenting Stress, and Parenting Practices of Parents of Deaf or Hard of Hearing Children During the Pandemic

08-07-2024 - National Library of Medicine

The authors investigated parent mental health during the COVID-19 pandemic and its association with parenting behaviors of parents of children who are deaf or hard of hearing. An electronic survey was distributed to parents (N = 103). The results showed that they were experiencing

elevated anxiety, depression, and symptoms of post-traumatic stress disorder. A combined model demonstrated that ... [Read more...](#)

5. Prevalence of depression, anxiety and stress and their risk and protective factors among secondary students in Rwanda during the first wave of COVID-19 pandemic

01-07-2024 - *Public Library of Science (PLoS)*

by Marie Bienvenue Mukantwali, Japhet Niyonsenga, Liliane Uwingeneye, Claudine Uwera Kanyamanza, Jean Mutabaruka Introduction Compelling evidence shows that the COVID-19 pandemic has detrimental effects on the mental health of university students. However, little is known about the psychological distress experienced by students from high schools during the pandemic. [Read more...](#)

[Back to Top](#)

Depression

Depression

1. Monoamine oxidase inhibitors in depression treatment: Addressing gaps and future directions

26-07-2024 - *John Wiley & Sons*

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

2. Behavioral skill practice as a predictor of mood and family functioning in adolescents with bipolar and depressive mood disorders: Results of a 6-month randomized trial of family-focused therapy

26-07-2024 - *John Wiley & Sons*

Abstract Objective Behavioral interventions require considerable practice of treatment skills in between therapy sessions. The effects of these treatments may vary with the degree to which patients are able to implement these practices. In offspring of parents with bipolar and major depressive disorders, we examined whether youth who frequently practiced communication and problem-solving ... [Read more...](#)

3. Sex Differences in Suicide Attempts: A Cross-Sectional Study in Patients with First-Episode and Drug-Naïve Major Depression Disorder

26-07-2024 - *John Wiley & Sons*

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

4. Longitudinal cross-lagged analysis of depression, loneliness, and quality of life in 12 European countries

25-07-2024 - *National Library of Medicine*

CONCLUSIONS: This study highlighted the need to simultaneously assess and manage depression, loneliness, and quality of life in the older European population. It is suggested that sex-specific policies can be created, including social support, in order to reduce depression and loneliness, and promote quality of life. [Read more...](#)

5. Does Helping Others Always Benefit Health? Longitudinal Evidence on the Relationship between Helping Behavior and Depression: The Mediating Role of Life Satisfaction and the Moderating Effect of IADL

25-07-2024 - *John Wiley & Sons*

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

6. Prevalence and clinical correlates of abnormal lipid metabolism in older Chinese patients with first-episode drug-naïve major depressive disorder

25-07-2024 - BioMed Central

Older major depressive disorder (MDD) patients have more complex clinical symptoms and higher abnormal lipid metabolism (ALM) rates. This study aimed to compare clinical differences between those with and with... [Read more...](#)

7. Brain structural and functional abnormalities in affective network are associated with anxious depression

25-07-2024 - BioMed Central

Anxious depression (AD) is a common subtype of major depressive disorder (MDD). Neuroimaging studies of AD have revealed inconsistent and heterogeneous brain alterations with the use of single-model methods. T... [Read more...](#)

8. Digital nature: Unveiling the impact and safety of FlowVR group intervention for depression in a feasibility trial

24-07-2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

9. Who benefits from digital interventions for bipolar disorder? Stage of illness characteristics as predictors of changes in quality of life

24-07-2024 - John Wiley & Sons

Abstract Objectives This study explored the potential role of stage-related variables in intervention outcomes in bipolar disorder (BD). Specifically, we aimed to identify which subgroups of individuals were most likely to experience improved quality of life following digitally delivered psychosocial interventions for BD. **Methods** The study involved a secondary analysis of combined data from ... [Read more...](#)

10. How to study psychological mechanisms of mania? A systematic review on the methodology of experimental studies on manic mood dysregulation of leading theories on bipolar disorder

24-07-2024 - John Wiley & Sons

Abstract Introduction Although there are several psychological theories on bipolar disorders (BD), the empirical evidence on these theories through experimental studies is still limited. The current study systematically reviews experimental methods used in studies on the main theories of BD: Reward Hypersensitivity Theory (RST) or Behavioral Activation System (BAS), ... [Read more...](#)

11. Need for further exploring at the intersection of ADHD medications and bipolar disorder

24-07-2024 - John Wiley & Sons

[Read more...](#)

12. Causes of death in individuals with lifetime major depression: a comprehensive machine learning analysis from a community-based autopsy center

24-07-2024 - BioMed Central

Depression can be associated with increased mortality and morbidity, but no studies have investigated the specific causes of death based on autopsy reports. Autopsy studies can yield valuable and detailed info... [Read more...](#)

13. Serum neurofilament light chain levels are associated with depression among US adults: a cross-sectional analysis among US adults, 2013–2014

24-07-2024 - BioMed Central

Serum neurofilament light chain (sNfL) has been identified as a biomarker for neurologic diseases. However, sNfL remains unknown to be responsible for depression. [Read more...](#)

14. The expression analysis of long noncoding RNAs PCAT-1, PCAT-29, and MER11C in bipolar disorder

23-07-2024 - BioMed Central

Long non-coding RNAs (lncRNAs) are transcripts with a length of usually more than 200 nucleotides (nt) that have promised functions in varied biological processes. lncRNAs participate in the regulation of diff... [Read more...](#)

15. Dynamics of postnatal depressive symptoms in early parenthood

23-07-2024 - BioMed Central

New mothers and fathers are at risk of developing postnatal depressive problems. To understand how postnatal depressive symptoms unfold over time, analyses at the within-person level are necessary. Inspecting ... [Read more...](#)

16. Association between pregnancy loss and depressive symptoms in women: a population-based study

23-07-2024 - BioMed Central

Depression is a common mental disorder with a much higher prevalence in women than in men. Although there has been a gradual increase in research on the association between reproductive health and depression, ... [Read more...](#)

17. Comorbidity of bipolar disorder and borderline personality disorder: Phenomenology, course, and treatment considerations

22-07-2024 - John Wiley & Sons

Abstract Aim Bipolar disorder (BD) and borderline personality disorder (BPD) are both serious psychiatric conditions that elevate the risk for harmful outcomes. Although these conditions represent distinct diagnostic entities, existing research suggests that approximately 20% of individuals with BD meet the criteria for comorbid BPD. Individuals with comorbid BD/BPD appear to have a markedly ... [Read more...](#)

18. Brain-derived neurotrophic factor and C-reactive protein (CRP) biomarkers in suicide attempter and non-attempter major depression disorder (MDD) patients

22-07-2024 - BioMed Central

In the available literature, levels of BDNF and CRP have been reported to correlate with suicide in depressive patients but there are inconsistencies in the results. We aimed to evaluate and compare BDNF and C... [Read more...](#)

19. Multilevel perspectives on the implementation of the collaborative care model for depression and anxiety in primary care

22-07-2024 - BioMed Central

The Collaborative Care Model (CoCM) is an evidence-based mental health treatment in primary care. A greater understanding of the determinants of successful CoCM implementation, particularly the characteristics... [Read more...](#)

20. Exploring actigraphy as a digital phenotyping measure: A study on differentiating psychomotor agitation and retardation in depression

19-07-2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

21. Mediation of depressive symptoms in the association between blood urea nitrogen to creatinine ratio and cognition among middle-aged and elderly adults: evidence from a national longitudinal cohort study

19-07-2024 - *BioMed Central*

The relationships between BUNCr (blood urea nitrogen and creatinine ratio) and cognitive function, as well as depressive symptoms, remain unclear. We aim to investigate the association between BUNCr and cognit... [Read more...](#)

22. Comparing the effectiveness of behavioral activation in group vs. self-help format for reducing depression, repetitive thoughts, and enhancing performance of patients with major depressive disorder: a randomized clinical trial

19-07-2024 - *BioMed Central*

Behavioral activation has gained increasing attention as an effective treatment for depression. However, the effectiveness of Behavioral Activation Group Therapy (BAGT) in controlled conditions compared to its... [Read more...](#)

23. A randomized controlled pilot study of daily intravenous ketamine over three days for treatment-resistant depression

18-07-2024 - *BioMed Central*

Studies have confirmed the rapid antidepressant action of ketamine in depressive episodes. Nevertheless, a standardized procedure for the delivery of ketamine infusion in individuals suffering from treatment-r... [Read more...](#)

24. Income Deprivation Over Time, Moving in Childhood, and Adult Risk of Depression

17-07-2024 - *The JAMA Network*

This cohort study comprising more than 1 million individuals evaluates whether changing neighborhood income deprivation and residential moves during childhood are associated with the risk of depression in adulthood. [Read more...](#)

25. Unveiling Transitions in Disease States: Study of Depressive and Anxiety Symptom Networks over Time

16-07-2024 - *John Wiley & Sons*

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

26. Switching concerns: Bipolar disorder and the antidepressant dilemma

16-07-2024 - *John Wiley & Sons*

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

27. Use of Esketamine Nasal Spray in Patients with Treatment-Resistant Depression in Routine Practice: A Real-World French Study

16-07-2024 - *John Wiley & Sons*

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

28. Examining illness perceptions over time: an exploratory prospective analysis of causal attributions in individuals with depressive symptoms

16-07-2024 - *BioMed Central*

According to the Common-Sense Model of Illness Representations, illness beliefs, such as causal attributions, can influence the way people assess and cope with their illness and vice versa. To date, causal att... [Read more...](#)

29. Association of both depressive symptoms scores and specific depressive symptoms with all-cause and cardiovascular disease mortality

15-07-2024 - *BioMed Central*

The presence of depression related to an increased risk of all-cause and cardiovascular disease (CVD) mortality has been reported. However, studies conducted on certain specific depressive symptoms are scarce.... [Read more...](#)

30. Functional Near-Infrared Spectroscopy-Based Computer-Aided Diagnosis of Major Depressive Disorder Using Convolutional Neural Network with a New Channel Embedding Layer Considering Inter-Hemispheric Asymmetry in Prefrontal Hemodynamic Responses

14-07-2024 - *John Wiley & Sons*

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

31. Demographic, socioeconomic and health determinants of depressive symptoms in adults 50 years and older from Mexico: a secondary data longitudinal analysis from the Mexican Health and Aging Study

13-07-2024 - *National Library of Medicine*

CONCLUSIONS: The prevalence of depressive symptoms in Mexican adults aged 50 and older is high. Our findings show that they are longitudinally associated with the individual's demographic, socioeconomic, health and disability characteristics. Efforts in public policy should focus on preventing chronic conditions and disability, as well as fighting inequalities to reduce the prevalence of ... [Read more...](#)

32. Resting-State Brain Dynamics Unique to Anxiety in Major Depressive Disorder

12-07-2024 - *John Wiley & Sons*

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

33. Efficacy and tolerability of monoamine oxidase inhibitors for the treatment of depressive episodes in mood disorders: A systematic review and network meta-analysis

12-07-2024 - *John Wiley & Sons*

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

34. Is a vegetarian diet beneficial for bipolar disorder? Relationship between dietary patterns, exercise and pharmacological treatments with metabolic syndrome and course of disease in bipolar disorder

12-07-2024 - *John Wiley & Sons*

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

35. Ecological Momentary Assessment versus Weekly Questionnaire Assessment of Change in Depression

11-07-2024 - *John Wiley & Sons*

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

36. The Effects of College Education on Depressive Symptoms: An Instrument Variable Approach

11-07-2024 - *John Wiley & Sons*

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

37. Linguistic style as a digital marker for depression severity: An ambulatory assessment pilot study in patients with depressive disorder undergoing sleep deprivation therapy

10-07-2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

38. Letter to the Editor concerning “Electroconvulsive therapy in the maintenance phase of psychotic unipolar depression”

10-07-2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

39. Accelerated Intermittent Theta-Burst Stimulation and Treatment-Refractory Bipolar Depression

10-07-2024 - The JAMA Network

This randomized clinical trial assesses the effectiveness of accelerated intermittent theta-burst stimulation for depressive symptom reduction in patients with treatment-refractory bipolar depression. [Read more...](#)

40. Heterogeneity in Antidepressant Treatment and Major Depressive Disorder Outcomes Among Clinicians

10-07-2024 - The JAMA Network

This cohort study investigates differences between outpatient clinicians in treatment selection and outcomes for their patients diagnosed with major depressive disorder across academic medical centers, community hospitals, and affiliated clinics. [Read more...](#)

41. Exploration-Exploitation and Suicidal Behavior in Borderline Personality Disorder and Depression

10-07-2024 - The JAMA Network

This case-control study explores the exploration-exploitation dilemma in suicidal behavior. [Read more...](#)

42. The association between self-rated health, number of family members, and cognitive function in community-dwelling older adults: Mediating role of depression

09-07-2024 - National Library of Medicine

With the increasing number of older adults, research on cognitive function has expanded. However, studies examining the mediating effect of depression on the association between complex factors and cognitive function in older adults are still insufficient. Additionally, there is a lack of studies that have investigated these relationships by integrating multiple factors related to the ... [Read more...](#)

43. Rash caused by lurasidone in old chinese patient with bipolar disorder: case-based review

08-07-2024 - BioMed Central

Recently, study which base on the FDA Adverse Event Reporting System (FAERS) database (from 4th quarter of 2010 to the 3rd quarter of 2023) ... [Read more...](#)

44. Gut microbiome and major depressive disorder: insights from two-sample Mendelian randomization

08-07-2024 - BioMed Central

Existing evidence suggests that alterations in the gut microbiome are closely associated with major depressive disorder (MDD). We aimed to reveal the causal relationships between MDD and various microbial taxa... [Read more...](#)

45. Assessing the Association of Smoking and Alcohol Consumption With Chronic Pain in Depression and Anxiety Disorders

05-07-2024 - Springer

[Read more...](#)

46. The Association between Depression, Anxiety, and Thyroid Disease: A UK Biobank Prospective Cohort Study

04-07-2024 - John Wiley & Sons

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

47. Emotional awareness for self and others and empathic abilities in clinical depression during acute illness and recovery

04-07-2024 - BioMed Central

The present longitudinal investigation had two major goals. First, we intended to clarify whether depressed patients are characterized by impairments of emotional awareness for the self and the other during ac... [Read more...](#)

48. Adherence to clinical practice guidelines for using electroconvulsive therapy in elderly depressive patients

03-07-2024 - BioMed Central

Electroconvulsive therapy (ECT) is one of the most effective treatments in mood disorders, mainly in major depressive episode (MDE) in the context of either unipolar (MDD) or bipolar disorder (BD). However, EC... [Read more...](#)

49. Prevalence and risk factors of depression among elderly people in nursing homes from 2012 to 2022: a systematic review and meta-analysis

02-07-2024 - Taylor & Francis Online

[. Read more...](#)

50. Long-term effects of benzodiazepine discontinuation among older adults: potential improvements on depressive symptoms

02-07-2024 - Taylor & Francis Online

[. Read more...](#)

51. Burden of depression and its associated factors among older people living in Gondar town, Ethiopia: a community based cross-sectional study

02-07-2024 - Taylor & Francis Online

[. Read more...](#)

52. Structural equation modeling to explain the relationship between intergenerational relationships and depressive symptoms with the mediation of social isolation in the Iranian older adults

02-07-2024 - Taylor & Francis Online

[. Read more...](#)

53. Temporal dynamics of depressive symptoms and cognitive decline in the oldest old: dynamic time warp analysis of the Leiden 85-plus study

02-07-2024 - National Library of Medicine

CONCLUSION: Depressive symptoms preceded cognitive impairment in a population based sample of the oldest old. [Read more...](#)

54. Longitudinal Association between Bullying Victimization and Depressive Symptoms in Chinese Early Adolescents: The Effect of Life Satisfaction

29-06-2024 - John Wiley & Sons

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

55. Exploring the pathways linking visual green space to depression in older adults in Shanghai, China: using street view data

29-06-2024 - Taylor & Francis Online

. [Read more...](#)

56. Assessing age invariance of the Male Depression Risk Scale-22 in younger and older adult males

29-06-2024 - Taylor & Francis Online

. [Read more...](#)

57. Music's Dual Role in Emotion Regulation: Network Analysis of Music Use, Emotion Regulation Self-Efficacy, Alexithymia, Anxiety, and Depression

28-06-2024 - John Wiley & Sons

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

58. Enhancing Agency in Individuals with Depressive Symptoms: The Roles of Effort, Outcome Valence, and Its Underlying Cognitive Mechanisms and Neural Basis

27-06-2024 - John Wiley & Sons

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

59. Depression, Anxiety, and Cognitive Distortion among College Students: A Cross-Lagged Prospective Network Study during and after the COVID-19 Pandemic

27-06-2024 - John Wiley & Sons

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

60. Magnetic Seizure Therapy vs Electroconvulsive Therapy for Major Depressive Episode—Reply

24-04-2024 - The JAMA Network

In Reply We appreciate the opportunity to respond to the letter by McCall et al and to clarify important aspects of our study recently published in JAMA Psychiatry. [Read more...](#)

61. Magnetic Seizure Therapy vs Electroconvulsive Therapy for Major Depressive Episode

24-04-2024 - The JAMA Network

To the Editor Electroconvulsive therapy (ECT) is widely regarded as the most effective short-term treatment for major depressive episodes, including treatment-resistant depression (TRD). Deng et al recently reported in JAMA Psychiatry the Clinical Outcomes of Magnetic Seizure Therapy (MST) vs ECT for Major Depressive Episode study, finding that the efficacy of ECT and MST were “indistinguishable. [Read more...](#)

62. Susceptibility to Treatment-Resistant Depression Within Families

03-04-2024 - The JAMA Network

This cohort study evaluates susceptibility to treatment-resistant depression by family. [Read more...](#)

[Back to Top](#)

Anxiety

Anxiety

1. Prevalence and factors associated with generalized anxiety disorder among patients with chronic pain: A single center cross sectional study in Malaysia

26-07-2024 - *Public Library of Science (PLoS)*

by Norlaila Abd Rahman, Suthahar Ariaratnam, Nurul Azreen Hashim, Zahir Izuan Azhar
Background Managing chronic pain was not only a major challenge but also a source of significant disability associated with mental illness. Studies on generalized anxiety disorder (GAD) in chronic pain population was rather limited. This study was aimed to determine the prevalence of GAD and its associated ... [Read more...](#)

2. Prevalence of Anxiety and Depression among patients with glaucoma

26-07-2024 - *Frontiers*

Heloisa Helena Abil Russ Giacometti Liana Grupenmacher Iankilevich Laura Fernandes Coelho Livia Stocco Sanches Valentin Luciana Amizo Ferreira Marcos Balbino Regina Cele Silveira Seixas [Read more...](#)

3. Anxiety and depression symptoms among a sample of Khartoum civilians during the 2023 Sudan armed conflict: A cross-sectional study

25-07-2024 - *Public Library of Science (PLoS)*

by Ahmed Balla M. Ahmed, Ahmed A. Yeddi, Salma S. Alrawa, Esraa S. A. Alfadul Background Mental health during armed conflicts is of paramount importance, as such situations often lead to increased risks of anxiety and depression symptoms among civilians. The military conflict between the Sudanese army and Rapid Support Forces, which began on April 15, 2023, is currently ongoing mainly in ... [Read more...](#)

4. Effect of reminiscence therapy-involved program on anxiety, depression, and quality of life in cancer patients: A meta-analysis of randomized controlled trials

25-07-2024 - *Frontiers*

Xingliang Sun Wenlian Su Mengyue Yin Ling Xia [Read more...](#)

5. Inclusive inquiry: a compassionate journey in trauma-informed qualitative research with GBV survivors from displaced communities

25-07-2024 - *Frontiers*

Jasmin Lilian Diab Dana Al-Azzeh [Read more...](#)

6. Diagnosing and Treating Depression and Anxiety in Patients with Cardiovascular Disorders and Diabetes Mellitus in Primary Healthcare: Is Training of Physicians Enough for Improvement?

24-07-2024 - *National Library of Medicine*

CONCLUSIONS: Anxiety and depression are prevalent in patients with CVD and DM treated in primary care facilities, but these patients may not be receiving the indicated pharmacological treatment. Barriers to referral and the use of psychiatric consultation exist despite the focused training of PCPhs and the straightforward referral protocol provided. [Read more...](#)

7. Validation of the Spanish Childhood Trauma Questionnaire-Short Form in adolescents with suicide attempts

24-07-2024 - National Library of Medicine

CONCLUSION: The Spanish CTQ-SF is a reliable, valid instrument for assessing traumatic experiences in adolescents at high risk of suicide. It appears appropriate for use in routine clinical practice to monitor maltreatment in this group. [Read more...](#)

8. Exploring the association between social support and anxiety during major public emergencies: a meta-analysis of the COVID-19 pandemic

24-07-2024 - National Library of Medicine

CONCLUSION: The relationship between social support and anxiety can differ across different cultural areas and throughout the phrase of the pandemic. Consequently, we advocate for a nuanced assessment of the role of social support in mitigating public anxiety, taking into account the mediating effects of these factors in the context of major public emergencies. [Read more...](#)

9. ASSOCIATION BETWEEN ANXIETY AND DEPRESSION IN METABOLIC DYSFUNCTION-ASSOCIATED STEATOTIC LIVER DISEASE (MASLD)

24-07-2024 - National Library of Medicine

CONCLUSION: The findings point to the presence of anxiety and depression in more than one third of MASLD patients, most with severe symptoms. The group is concentrated in the elderly, with many comorbidities, including MetS. There was a positive correlation between anxiety, depression and being female also, being significant between MetS and depression. [Read more...](#)

10. Association of Anxiety and Depression with Objective and Subjective Cognitive Decline in Outpatient Healthcare Consumers with COVID-19: Cross-Sectional Study

24-07-2024 - National Library of Medicine

CONCLUSION: We found no linear association between objective cognitive deficit and the affective state of respondents. Patients' subjective complaints about cognitive dysfunction were mostly caused by their emotional state than an objective decrease of their cognitive functions. Therefore, in case of subjective complaints on cognitive decline, it is necessary to assess not only the cognitive ... [Read more...](#)

11. The Effect of Walking on Depressive and Anxiety Symptoms: Systematic Review and Meta-Analysis

24-07-2024 - National Library of Medicine

CONCLUSIONS: Various forms of walking can be effective in reducing symptoms of depression and anxiety, and the effects of walking are comparable to active controls. Walking can be adopted as an evidence-based intervention for reducing depression and anxiety. More evidence on the effect of low-intensity walking is needed in the future. [Read more...](#)

12. The prevalence of depression and anxiety in premenopausal and menopausal women: A cross-sectional study

24-07-2024 - National Library of Medicine

CONCLUSION: our study found a higher incidence of depression during premenopause compared to menopause, possibly due to greater hormonal fluctuations. Despite this, there wasn't a significant confirmation of this hypothesis compared to other groups. Nonetheless, there's a higher prevalence of depression and anxiety among premenopausal women, emphasizing the need for screening and intervention, ... [Read more...](#)

13. Sport anxiety and subjective happiness of college athletes: a self-determination theory perspective

24-07-2024 - *Frontiers*

Zhiwen Zhang Xiaoyu Chen Liyu Xu Xiao Qin Arsaythamby Veloo [Read more...](#)

14. "Left on Read" Examining Social Media Users' Lurking Behavior: An Integration of Anxiety and Social Media Fatigue

24-07-2024 - *Frontiers*

XiaoYu Liu Ran Feng Xiaobing Chen Yu Yuan [Read more...](#)

15. Childhood trauma as a mediator between autistic traits and depression: evidence from the ALSPAC birth cohort

23-07-2024 - *National Library of Medicine*

CONCLUSIONS: Autism/ autistic traits increase the odds of experiencing childhood trauma and of being diagnosed with depression at age 18 and 24. Depressive symptom trajectories emergent in childhood persist into adulthood. The combined effect of SCDs and childhood trauma is greater than the individual exposures, suggesting worse depression symptomatology following trauma in individuals with SCDs. [Read more...](#)

16. Efficacy of Web-Based Interventions on Depression and Anxiety in Cancer Caregivers: A Systematic Review and Meta-Analysis

23-07-2024 - *National Library of Medicine*

CONCLUSIONS: Web-based interventions might be effective in reducing depression and anxiety among informal caregivers of patients with cancer. Nevertheless, several studies with an overall high risk of bias were included. As a result of the limited number and heterogeneity of the studies included in the subgroup analysis, deriving definitive conclusions on the most effective intervention ... [Read more...](#)

17. Trauma-Informed Care Addressing the Mental and Emotional Needs of Patients With Cancer

23-07-2024 - *National Library of Medicine*

BACKGROUND: The oncology care environment includes a wide range of traumatic physical and emotional experiences that can be challenging for patients and healthcare providers. [Read more...](#)

18. Semaglutide Attenuates Anxious and Depressive-Like Behaviors and Reverses the Cognitive Impairment in a Type 2 Diabetes Mellitus Mouse Model Via the Microbiota-Gut-Brain Axis

23-07-2024 - *National Library of Medicine*

Newly conducted research suggests that metabolic disorders, like diabetes and obesity, play a significant role as risk factors for psychiatric disorders. This connection presents a potential avenue for creating novel antidepressant medications by repurposing drugs originally developed to address antidiabetic conditions. Earlier investigations have shown that GLP-1 (Glucagon-like Peptide-1) ... [Read more...](#)

19. Mechanism of Dabugan Decoction in treatment of generalized anxiety disorder based on network pharmacology and experimental verification

23-07-2024 - *National Library of Medicine*

This study aims to explore the mechanism of Dabugan Decoction in the treatment of generalized anxiety disorder(GAD) based on network pharmacology, molecular docking, and animal experiments. Network pharmacology and molecular docking technology were used to obtain the possible targets and related signaling pathways of Dabugan Decoction in the treatment of GAD. [Read more...](#)

20. Pharmacologic Management of the Sequelae of Traumatic Brain Injuries

23-07-2024 - National Library of Medicine

The Psychiatric Consultation Service at Massachusetts General Hospital sees medical and surgical inpatients with comorbid psychiatric symptoms and conditions. During their twice-weekly rounds, Dr Stern and other members of the Consultation Service discuss diagnosis and management of hospitalized patients with complex medical or surgical problems who also demonstrate psychiatric symptoms or ... [Read more...](#)

21. Current status and influencing factors of test anxiety of senior one students in Yanji, China: a cross-sectional study

23-07-2024 - Frontiers

Xin-Yang Xing Gui-Meng Wang Ying Li Wen-Xuan Zhang Xiang-Dan Shen [Read more...](#)

22. Creon: Shortages of pancreatic enzyme replacement therapy are causing "worry and stress"

22-07-2024 - British Medical Journal

An ongoing shortage of the pancreatic enzyme replacement therapy (PERT) Creon in the UK is causing "significant worry and stress" for patients, doctors, and pharmacists, representative groups have warned. In May this year the Department of Health and Social Care issued a national patient safety alert about shortages of the drug, which is used to treat pancreatic exocrine insufficiency in ... [Read more...](#)

23. A PROGRESS-driven approach to cognitive outcomes after traumatic brain injury: A study protocol for advancing equity, diversity, and inclusion through knowledge synthesis and mobilization

22-07-2024 - Public Library of Science (PLoS)

by Thaisa Tylinski Sant'Ana, Sara Hanafy, Esme Fuller-Thomson, Michelle McDonald, Angela Colantonio, Daithi Cee, Gráinne McGettrick, Brian Lawlor, Tatyana Mollayeva Evidence syntheses for advancing equitable traumatic brain injury (TBI) research, policy, and practice presents formidable challenges. Research and clinical frameworks are currently not specific to equity, diversity, ... [Read more...](#)

24. "Estuvimos en una hielera": Migration trauma and detainment among newcomer Latinx adolescents

22-07-2024 - National Library of Medicine

CONCLUSIONS: Results contribute new understanding of the unique experiences of immigration detainment and its psychological sequelae and can inform legal, policy, and educational practices that directly impact recently resettled Latinx youth. (PsycInfo Database Record (c) 2024 APA, all rights reserved). [Read more...](#)

25. The relationship between depression, anxiety and lower urinary tract symptoms in men

22-07-2024 - National Library of Medicine

CONCLUSION: Men with LUTS are more likely to experience anxiety. Therefore, it is essential to assess and address anxiety when managing men with LUTS. [Read more...](#)

26. Mutual eye gaze and vocal pitch in relation to social anxiety and depression: A virtual interaction task

22-07-2024 - National Library of Medicine

CONCLUSION: Our findings highlight nuanced relationships among SIA, depression, emotions, self-perceptions, and biobehavioral indicators of submissive behavior-in response to an ambiguously negative/positive social interaction. Sex/gender may interact with these effects, emphasizing considerations for research method designs. [Read more...](#)

27. Introduction to the special issue on the consequences of immigration policies on children, youth, and families who experience migration-related trauma

22-07-2024 - National Library of Medicine

We are excited to introduce this special issue on the consequences of immigration policies on children, youth, and families who experience migration-related trauma. International migration has increased over the last 5 decades. Recent estimates suggest that 281 million people live in a country other than the one in which they were born (McAuliffe & Triandafyllidou, 2021). [Read more...](#)

28. Migration-related trauma and PTSD among Latinx parents in the southeast during COVID-19

22-07-2024 - National Library of Medicine

CONCLUSIONS: Results from our CBPR study highlight the need for policies and practices that address compounding effects of migration-related trauma, policy vulnerability, and the COVID-19 pandemic to promote mental health equity among Latinx immigrant families. (Psychnfo Database Record (c) 2024 APA, all rights reserved). [Read more...](#)

29. A longitudinal examination of appraisal, coping, stress, and mental health in students: A cross-lagged panel network analysis

22-07-2024 - National Library of Medicine

In their seminal Transactional Theory of Stress, Lazarus and Folkman described a complex adaptation mechanism that involves appraisal and coping processes that lead to the subjective experience of stress. In this study, we examined the temporal order of all components of this theory using a cross-lagged panel analysis. A sample of 354 students (62.10% female, mean age = 20.63 y.o. [Read more...](#)

30. The impact of social isolation on smartphone addiction among college students: the multiple mediating effects of loneliness and COVID-19 anxiety

22-07-2024 - Frontiers

Ye Wang Qianying Ma [Read more...](#)

31. Association between cumulative trauma and severity of psychotic symptoms among patients experiencing psychosis

21-07-2024 - National Library of Medicine

Psychosis-related trauma is a prevalent condition that significantly impacts patients and often leads to an increased reliance on psychiatric nursing services. This study aimed to provide a deeper understanding of the complex relationship between cumulative trauma and the severity of psychosis symptoms among patients experiencing psychosis. Utilizing a cross-sectional research design, ... [Read more...](#)

32. Parental psychological control and depression, anxiety among adolescents: The mediating role of bedtime procrastination and moderating role of neuroticism

21-07-2024 - National Library of Medicine

Studies have shown that maladaptive parenting styles, particularly parental psychological control may be an important risk factor for emotional problems in adolescence. However, the potential mechanisms behind this association are still not fully understood. To fill the research gap, this study investigated the relationship between parental psychological control and depression and anxiety ... [Read more...](#)

33. Bullying Victimization is Associated with Heightened Rates of Anxiety and Depression Among Autistic and ADHD Youth: National Survey of Children's Health 2016-2020

21-07-2024 - National Library of Medicine

Autistic youth and youth with ADHD have heightened rates of bullying victimization, anxiety, and depression. The purpose of this research is to use nationally representative US data to 1) estimate the prevalence of anxiety and depression among bullied neurodivergent youth and 2) investigate whether the association between bullying victimization and anxiety or depression is significantly ... [Read more...](#)

34. Assessing the impact of elexacaftor/tezacaftor/ivacaftor on anxiety & depression symptom scores in adults with Cystic Fibrosis

21-07-2024 - National Library of Medicine

The mental health effects of elexacaftor/tezacaftor/ivacaftor (ETI) on adults with CF are still uncertain with mixed findings from published studies. To systematically investigate the impact of ETI on symptoms of anxiety and depression in adults with CF, Generalized Anxiety Disorder-7 (GAD-7) and Patient Health Questionnaire (PHQ-9) scores were evaluated at baseline, 6 months, ... [Read more...](#)

35. Comparing the Efficacy of Electronically Delivered Cognitive Behavioral Therapy (e-CBT) to Weekly Online Mental Health Check-Ins for Generalized Anxiety Disorder-A Randomized Controlled Trial: Comparaison de l'efficacite de la therapie cognitivo-comportementale delivree par voie electronique (e-TCC) aux controles hebdomadaires en ligne de sante mentale pour le trouble d'anxiete generalisee - un essai randomise controle

21-07-2024 - National Library of Medicine

CONCLUSIONS: The findings support the effectiveness of e-CBT and mental health check-ins for the treatment of GAD. [Read more...](#)

36. LPS-induced whole-blood cytokine production and depressive symptoms in dementia spousal caregivers: The moderating effect of childhood trauma

20-07-2024 - National Library of Medicine

Dementia spousal caregivers are at risk for adverse mental and physical health outcomes. Caregiver burden, anticipatory grief, and proinflammatory cytokine production may contribute to depressive symptoms among caregivers. People who report childhood trauma are more likely to have exaggerated stress responses that may also contribute to depressive symptoms in adulthood. [Read more...](#)

37. A scoping review of over-the-counter products for depression, anxiety and insomnia in older people

20-07-2024 - National Library of Medicine

CONCLUSION: There is a substantial gap in evidence for OTC products for anxiety in older people. This should be addressed in future trials. Research should also focus on products that are widely used, and these need to be tested in older populations that are similar to those who would use them in practice. [Read more...](#)

38. Effects of depression and stress on oral self-care among perinatal women in Appalachia: A longitudinal study

20-07-2024 - National Library of Medicine

CONCLUSION: Interventions targeting stress and depression throughout the perinatal period might be helpful in improving oral self-care behaviours and oral health among women in Appalachia, in addition to the benefit of decreasing emotional distress. [Read more...](#)

39. Change in cardiorespiratory fitness and risk of depression, anxiety, and cerebrovascular disease

20-07-2024 - National Library of Medicine

CONCLUSIONS: The findings indicate that there is a longitudinal association between negative change in estCRF and increased risk of depression, anxiety, and cerebrovascular disease later in life. Decreasing levels of estCRF could be a helpful indicator when identifying these disorders at a population level. [Read more...](#)

40. Gray matter volume alterations in de novo Parkinson's disease: A mediational role in the interplay between sleep quality and anxiety

20-07-2024 - National Library of Medicine

CONCLUSION: This study has shed further light on the relationship between sleep disturbances and anxiety symptoms in PD patients. Given the pivotal roles of the FG and the ITG in facial recognition and the recognition of emotion-related facial expressions, our findings indicate that compromised sleep quality, under the pathological conditions of PD, may exacerbate the reduction in GMV within ... [Read more...](#)

41. The association of early life factors with depression and anxiety in adults aged 40-69 years: a population-based cohort study

20-07-2024 - National Library of Medicine

This study was aimed to explore the longitudinal association of five early life factors (breastfeeding, maternal smoking around birth, birth weight, being born in a multiple birth, and adoption) during the in-utero, perinatal, and early childhood development stages with incidence of depression and anxiety in adults aged 40-69 years. We used data from the UK biobank, 5,02, ... [Read more...](#)

42. Effects of mindfulness-based stress reduction on quality of life of breast cancer patient: A systematic review and meta-analysis

19-07-2024 - Public Library of Science (PLoS)

by Xiaohui Wang, Zhicheng Dai, Xinying Zhu, Yu Li, Limin Ma, Xinghui Cui, Tongxia Zhan
Background Breast cancer is the most common malignancy that occurs in women. Due to the pain caused by the disease itself and the adverse reactions in the treatment process, breast cancer patients are prone to anxiety, depression, fear of recurrence, and other negative emotions, ... [Read more...](#)

43. Evaluation of burnout levels among healthcare staff in anesthesiology departments in Greece - Is there a connection with anxiety and depression?

19-07-2024 - National Library of Medicine

CONCLUSIONS: As physicians and nurses working in anesthesiology departments have stressful jobs and work long hours, it is important to further study their physical, emotional, and mental exhaustion as well as psychological resilience levels. [Read more...](#)

44. Elevated level of prenatal testosterone and vitamin D3 deficiency during pregnancy, in the presence of prenatal maternal stress, and their association with the development of attention deficit hyperactivity disorder (ADHD)-like symptoms in toddlers

19-07-2024 - National Library of Medicine

CONCLUSIONS: The study supported the hypothesis that prenatal maternal stress, increased level of prenatal testosterone, and low level of vitamin D3 during pregnancy increases the risk of development of ADHD-like symptoms in toddlers (< 2 years old). Also, the obtained results support the hypothesis that the influence of prenatal factors causes ADHD-like symptoms in offspring through a ... [Read more...](#)

45. Cannabidiol in anxiety disorders: Current and future perspectives

19-07-2024 - National Library of Medicine

Anxiety disorders are highly prevalent psychiatric disorders, characterized by a chronic course and often accompanied by comorbid symptoms that impair functionality and decrease quality of life. Despite advances in basic and clinical research in our understanding of these disorders, currently available pharmacological options are associated with limited clinical benefits and side effects that ... [Read more...](#)

46. Investigating adverse daily life effects following a psychosocial laboratory stress task, and the moderating role of Psychopathology

19-07-2024 - National Library of Medicine

Laboratory stress tasks are necessary to closely investigate the stress response in a controlled environment. However, to our knowledge, no study has tested whether participating in such tasks can pose any daily life adverse effect. Fifty-three healthy participants (46 women) took part in a laboratory session where stress was induced using a typical psychosocial stressor: the repeated ... [Read more...](#)

47. An evaluation of digital intervention for perinatal depression and anxiety: A systematic review

19-07-2024 - National Library of Medicine

Digital intervention has been shown to be helpful in improving perinatal mental health. However, the design characteristics of such interventions have not been systematically reviewed. Considering that a lack of support-especially from a partner-is one of the major contributing factors to perinatal depression and anxiety, it is crucial to determine whether digital interventions have included ... [Read more...](#)

48. Borderline personality features in relationship to childhood trauma in unipolar depressive and bipolar disorders

19-07-2024 - National Library of Medicine

CONCLUSION: Given the high prevalence of childhood trauma and borderline personality features, screening for these factors in individuals with mood disorders is crucial. Identifying these elements can inform and enhance the management of the often fluctuating and complex nature of these comorbid conditions, leading to more effective and tailored treatment strategies. [Read more...](#)

49. Translated and culturally adapted internet-delivered cognitive therapy for social anxiety disorder in Japanese clinical settings: study protocol for a randomised controlled trial

19-07-2024 - National Library of Medicine

BACKGROUND: Cognitive therapy for social anxiety disorder (CT-SAD) has extensive empirical support and is recommended in several national guidelines. However, ensuring access to evidence-based psychological therapies such as CT-SAD remains a global challenge. An internet-delivered version of this treatment protocol (iCT-SAD) has recently been developed in the UK as a way to overcome this ... [Read more...](#)

50. Evaluation of the association of physical activity levels with self-perceived health, depression, and anxiety in Spanish individuals with high cholesterol levels: a retrospective cross-sectional study

19-07-2024 - National Library of Medicine

CONCLUSION: The physically inactive people had a higher risk of negative SPH, depression and anxiety. Regular PA may improve SPH and mental health in people with high cholesterol, but more studies are needed to establish causal relationships, mechanisms, and optimal doses. [Read more...](#)

51. Effects of the Internet-based rehabilitation information sharing program on psychological stress of family caregivers of inpatients: A non-randomized controlled study

19-07-2024 - National Library of Medicine

The psychological impact of Internet-based rehabilitation information provision on family caregivers of inpatients has not yet been investigated. This study investigated the impact of the Internet-based rehabilitation information sharing program on anxiety and depression among family caregivers of inpatients. Participants were patients admitted to a rehabilitation hospital and their families. [Read more...](#)

52. The Association Between Spirituality, Self-Esteem, Anxiety and Depression: A Comparative Exploratory Study Between People with a Spinal Cord Injury and Healthy Subjects in Greece

19-07-2024 - National Library of Medicine

The purpose of this study was to evaluate spirituality, religiosity, self-esteem, depression, and stress in people with spinal cord injuries. The Royal Free Questionnaire for Spiritual and Religious Beliefs, the Rosenberg Self-Esteem Scale, the Center for Epidemiologic Studies Depression Scale, and the Spielberger State-Trait Anxiety Scale were all designed for the current study to collect ... [Read more...](#)

53. Screening for Anxiety, Depression, and Suicide Risk in Children and Adolescents

19-07-2024 - National Library of Medicine

No abstract [Read more...](#)

54. Impulsivity, trauma history, and interoceptive awareness contribute to completion of a criminal diversion substance use treatment program for women

19-07-2024 - Frontiers

Emily Michelle Choquette Katie L. Forthman Namik Kirlic Jennifer Lorraine Stewart Mallory J Cannon Elisabeth Akeman Nick McMillan Micah Mesker Mimi Tarrasch Rayus Tiberius Kuplicki [Read more...](#)

55. Integration of guidance following mass trauma

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages 583-585 | Forbes, David Doeniyas-Barak, Keren Greenberg, NeilThe impacts of mass trauma on the psychological wellbeing of individuals and communities are well documented, with guidelines and expert statements outlining health-focused interventions promoting psychological recovery. However, such guidelines r... [Read more...](#)

56. Polypharmacy for perinatal mood and anxiety disorders

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages 575-577 | Viguera, Adele CA substantial proportion of people receiving treatment for mood and anxiety disorders during pregnancy are prescribed multiple psychotropic medications. In clinical practice, polypharmacy during pregnancy (defined as the use of more than one psych... [Read more...](#)

57. Evaluation of Depression, Self-esteem, Anxiety, and Dermatological Quality of Life Index in Adolescent Acne Patients: A Case-Control Study

18-07-2024 - National Library of Medicine

CONCLUSION: The study shows that acne vulgaris has a significant impact on the depression, anxiety, and self-esteem levels of adolescent patients. Dermatologists should pay attention to the psychological well-being of patients and provide psychiatric evaluation if necessary. [Read more...](#)

58. The chronic unpredictable mild stress (CUMS) Paradigm: Bridging the gap in depression research from bench to bedside

18-07-2024 - National Library of Medicine

Depression is a complicated neuropsychiatric condition with an incompletely understood etiology, making the discovery of effective therapies challenging. Animal models have been crucial in improving our understanding of depression and enabling antidepressant medication development. The CUMS model has significant face validity since it induces fundamental depression symptoms in humans, ... [Read more...](#)

59. Web-based interpretation bias training to reduce anxiety: A sequential, multiple-assignment randomized trial

18-07-2024 - National Library of Medicine

CONCLUSIONS: Web-based CBM-I appears effective, but supplemental coaching may not mitigate the challenge of dropout. (PsyInfo Database Record (c) 2024 APA, all rights reserved). [Read more...](#)

60. Association between number of confidants and adolescent anxiety/depression: a school-based study

18-07-2024 - National Library of Medicine

CONCLUSIONS: Adolescents who had no or few confidants had more anxiety/depressive symptoms. Attention needs to be paid to better identify these adolescents, and avenues to support them need to be established. [Read more...](#)

61. Parental education and children's depression, anxiety, and ADHD traits, a within-family study in MoBa

18-07-2024 - National Library of Medicine

Children born to parents with fewer years of education are more likely to have depression, anxiety, and attention-deficit hyperactivity disorder (ADHD), but it is unclear to what extent these associations are causal. We estimated the effect of parents' educational attainment on children's depressive, anxiety, and ADHD traits at age 8 years, in a sample of 40, ... [Read more...](#)

62. A network analysis of the interrelationships between depression, anxiety, insomnia and quality of life among fire service recruits

18-07-2024 - National Library of Medicine

CONCLUSION: Depression and anxiety were important mental health issues to address among fire service recruits in the post-COVID-19 era in China. Targeting central and bridge symptoms identified in network analysis could help address depression and anxiety among fire service recruits in the post-COVID-19 era. [Read more...](#)

63. Association between personality traits and symptoms of depression and anxiety via emotional regulation and distress tolerance

18-07-2024 - National Library of Medicine

The Big Five personality traits have shown associations with symptoms of depression and anxiety among college students, but it is unclear which factors mediate these relationships. Past research suggests that psychological distress is closely related to difficulties in affect regulation (e.g., low distress tolerance). Therefore, the present study examined the associations between personality ... [Read more...](#)

64. Temporal dynamics of socioeconomic inequalities in depressive and anxiety symptoms during the COVID-19 pandemic: a scoping review

18-07-2024 - National Library of Medicine

CONCLUSION: Overall, to the detriment of those with lower socioeconomic status, mental-health inequalities persisted or increased in most analyses. Continually monitoring socioeconomic inequalities over time is crucial, since this makes it possible to adapt prevention and intervention strategies to specific pandemic phases. Interventions targeting job security, ... [Read more...](#)

65. Curative care expenditure of outpatient anxiety disorder in Liaoning Province, 2015-2020-based on "System of Health Accounts 2011"

18-07-2024 - National Library of Medicine

CONCLUSION: Initiatives to improve the essential drug system, reduce the out-of-pocket (OOP) ratio, and strengthen primary health care to effectively reduce the medical burden on patients. [Read more...](#)

66. Longitudinal associations between family functioning and generalized anxiety among adolescents: the mediating role of self-identity and cognitive flexibility

18-07-2024 - National Library of Medicine

CONCLUSION: Findings indicated that family functioning can be a protective factor of GA, and self-identity and cognitive flexibility act as a crucial role in the association between family functioning and GA. Future studies should adopt more time points and long-term follow-up assessments using more robust approaches to improve the reliability of the study findings. [Read more...](#)

67. The Maintenance Model of Restrictive Practices: A Trauma-Informed, Integrated Model to Explain Repeated Use of Restrictive Practices in Mental Health Care Settings

18-07-2024 - National Library of Medicine

Nurses are at the forefront of care in mental health services but their role is conflicted they carry the most responsibility for care and also for restrictive practices. The harmful effects of restrictive practices for mental health patients are well documented, have attracted negative media attention, public concern, and criticism directed specifically at nursing staff. [Read more...](#)

[Back to Top](#)

Post Traumatic Stress Disorder

Post Traumatic Stress Disorder

1. Impact of cognitive behavioural therapy on neural, inflammatory, & autonomic markers in a sample with PTSD and cardiovascular risk: protocol for a pilot randomised controlled trial

24-07-2024 - National Library of Medicine

Background: Individuals with posttraumatic stress disorder (PTSD) are at heightened risk for cardiovascular disease (CVD) compared to the general population. Inflammation and autonomic dysfunction are candidate mechanisms of CVD risk in PTSD however, these mechanisms have not been well-characterised in the PTSD-CVD link. Further, these mechanisms may operate through altered stress-related ... [Read more...](#)

2. Gender Differences in the Relationship Between PTSD and Youth Alcohol Use

23-07-2024 - Springer

[Read more...](#)

3. A history of PTSD changes the way people express themselves during the COVID-19 pandemic

22-07-2024 - National Library of Medicine

Background: The words people use in everyday life tell us about their emotions, their mental state and allow us to understand how people process and interpret an event. Previous research has established a link between the content analysis of narrative texts and the psychopathology of people who have experienced trauma. Objectives: This study examines whether the development of PTSD following ... [Read more...](#)

4. Cannabidiol effects on fear processing and implications for PTSD: Evidence from rodent and human studies

19-07-2024 - National Library of Medicine

Cannabidiol (CBD) modulates aversive memory and its extinction, with potential implications for treating anxiety- and stress-related disorders. Here, we summarize and discuss scientific evidence showing that CBD administered after the acquisition (consolidation) and retrieval (reconsolidation) of fear memory attenuates it persistently in rats and mice. CBD also reduces fear expression and ... [Read more...](#)

5. HIV status affects PTSD symptom severity, psychophysiology, and heart rate variability in women with low but not high exposure to childhood maltreatment

18-07-2024 - National Library of Medicine

CONCLUSION: In the current sample of Black women, HIV status was associated with PTSD symptom severity in a manner dependent on level of childhood maltreatment, suggesting that HIV status may be an important factor to consider for behavioral and pharmacological treatment strategies for PTSD. Additionally, HIV status is associated with lower percent potentiation to darkness and lower RSA ... [Read more...](#)

6. Access to best-evidenced mental health support for care-experienced young people: Learnings from the implementation of cognitive therapy for PTSD

16-07-2024 - National Library of Medicine

CONCLUSIONS: Findings offer key considerations for mental health teams, service leads, commissioners and policy-makers to enhance delivery of best-evidenced mental health treatments like CT-PTSD, for CEYP. [Read more...](#)

7. Activation of GPER1 by G1 prevents PTSD-like behaviors in mice: Illustrating the mechanisms from BDNF/TrkB to mitochondria and synaptic connection

12-07-2024 - National Library of Medicine

CONCLUSION: G1 improved PTSD-like behaviors in SPS mice, possibly by increasing hippocampal GPER1 expression and promoting BDNF/TrkB signaling to repair synaptic and mitochondrial functional impairments. This study would provide critical mechanism for the prevention and treatment of PTSD. [Read more...](#)

8. Lifespan of Splints in a Sample of German Soldiers Hospitalised with Post-traumatic Stress Disorder (PTSD) in Combination with Sleep Bruxism and Painful Temporomandibular Disorder (TMD)

12-07-2024 - National Library of Medicine

CONCLUSION: The presented data shows that therapeutic pain reduction remained valid in the long term despite continued PTSD. The lifespan of a splint seems to be dependent on individual factors. Long-term splint therapy appears to be accepted by the majority of patients with PTSD and painful TMD. [Read more...](#)

9. Why Do Veterans Not Respond as Well as Civilians to Trauma-Focused Therapies for PTSD?

11-07-2024 - National Library of Medicine

This column first reviews evidence that veterans have poorer response to trauma-focused therapies for PTSD compared to civilians. We then consider several explanations for this trend, starting with gender as a possible confounding variable. We also examine other hypotheses, including the effects of the military acculturation process, the unique influences of military traumas, ... [Read more...](#)

10. Self-stigma mediates the relationships between childhood maltreatment and symptom levels of PTSD, depression, and anxiety

10-07-2024 - National Library of Medicine

Background: Childhood maltreatment is a risk factor for developing multiple forms of psychopathology, including depression, posttraumatic stress disorder (PTSD), and anxiety. Yet, the mechanisms linking childhood maltreatment and these psychopathologies remain less clear. Objective: Here we examined whether self-stigma, the internalization of negative stereotypes about one's experiences, ... [Read more...](#)

11. Psychological distress mediates the association between COVID-19-related discrimination and subsequent PTSD symptom severity in healthcare workers: a two-year follow-up study

09-07-2024 - National Library of Medicine

CONCLUSIONS: COVID-19-related discrimination is associated with subsequent PTSD symptom severity in healthcare workers. Psychological distress may serve as an important mediator, underscoring the potential need for interventions targeting this factor. [Read more...](#)

12. A retrospective chart review to assess the impact of alpha-guided transcranial magnetic stimulation on symptoms of PTSD and depression in active-duty special operations service members

08-07-2024 - National Library of Medicine

CONCLUSION: This data provides preliminary support for safe application of α -rTMS for symptom reduction in active-duty special operations military personnel. [Read more...](#)

13. Blunted brachial blood flow velocity response to acute mental stress in PTSD females

05-07-2024 - National Library of Medicine

Post-traumatic stress disorder (PTSD) is associated with increased cardiovascular disease (CVD) risk. Compared with males, females are twice as likely to develop PTSD after trauma exposure, and cardiovascular reactivity to stress is a known risk factor for CVD. We aimed to examine hemodynamic responses to acute mental stress in trauma-exposed females with and without a clinical diagnosis of PTSD. [Read more...](#)

14. Subjective cognitive concerns, APOE ϵ 4, PTSD symptoms, and risk for dementia among older veterans

02-07-2024 - National Library of Medicine

CONCLUSIONS: The findings underscore the value of SCC as an indicator of ADRD risk in Veterans 65 and older when considered in conjunction with other influential genetic, clinical, and demographic risk factors. [Read more...](#)

15. The effect of a single session of psychological first aid in the emergency department on PTSD and depressive symptoms three months post-intervention: results of a randomised controlled trial

01-07-2024 - National Library of Medicine

Background: Despite its popularity, evidence of the effectiveness of Psychological First Aid (PFA) is scarce. Objective: To assess whether PFA, compared to psychoeducation (PsyEd), an attention placebo control, reduces PTSD and depressive symptoms three months post-intervention. Methods: In two emergency departments, 166 recent-trauma adult survivors were randomised to a single session of PFA ... [Read more...](#)

[Back to Top](#)

Psychosis

Psychosis

1. Interaction between visual impairment and genetic risk of dementia and psychosis in older adults

26-07-2024 - National Library of Medicine

CONCLUSIONS: The association between VI and neuropsychiatric outcomes is not explained by shared genetic risk factors, and there is a significant interaction between VI and polygenic risk of hallucinations in older adults. [Read more...](#)

2. Timeframe for Conversion to Psychosis From Individuals at Clinical High-Risk: A Quantile Regression

26-07-2024 - National Library of Medicine

CONCLUSIONS: This study underscores the pivotal role of functional characteristics in shaping TCP among individuals with CHR, emphasizing the necessity for a comprehensive consideration of temporal aspects in early prevention efforts. [Read more...](#)

3. Do Cognitive Subtypes Exist in People at Clinical High Risk for Psychosis? Results From the EU-GEI Study

25-07-2024 - National Library of Medicine

CONCLUSIONS: Stratifying patients according to cognitive performance has the potential to inform clinical care. However, we did not find evidence of cognitive clusters in this CHR-P sample. We suggest that care needs to be taken in inferring the existence of distinct cognitive subtypes from unsupervised learning studies. Future research in CHR-P samples could explore the existence of ... [Read more...](#)

4. Late 'Early Intervention in Psychosis': A Family School for Learning How to Live with Schizophrenia

24-07-2024 - National Library of Medicine

The paper describes a family school for learning how to live with schizophrenia, which was founded in 1986 in Vienna, Austria, and is still running today. It was established in cooperation between professionals and the Austrian self-help association HPE of the relatives of persons with mental disorders. It addresses the needs of 10 families at a time, in cases where a son or a daughter was ... [Read more...](#)

5. The Effect of Untreated Illness in Youth Depression: A Cross-Sectional Study

24-07-2024 - National Library of Medicine

CONCLUSION: The study showed that DUI has an impact on the reduction of depressive, negative symptoms and symptoms of disorganization in youth patients at the first depressive episode. A high level of comorbidity has been uncovered, confirming that a variety of non-psychotic and psychotic disorders in youth manifest themselves in depression at a prodromal stage, ... [Read more...](#)

6. The Role of Proximity to Coordinated Specialty Care For Early Psychosis And Program Engagement in Washington State: The Interaction of Travel Time, Race, and Ethnicity

24-07-2024 - National Library of Medicine

CONCLUSIONS: Findings suggest that proximity is associated with program engagement and partially explains potential differences in program status among ethnoracial group. [Read more...](#)

7. Clinical Effectiveness of Lurasidone Monotherapy in Patients with Acute Episodes of Schizophrenia and Associated Symptoms of Depression

24-07-2024 - National Library of Medicine

CONCLUSION: A six-week prospective observational study of the real-world clinical effectiveness of lurasidone in doses ranging from 40 mg to 160 mg per day established statistically and clinically significant improvements in both psychotic and depressive symptoms in patients with acute exacerbation of schizophrenia and associated symptoms of depression. [Read more...](#)

8. Psychiatric disorders after deep brain stimulation of the subthalamic nucleus in Parkinson's disease: a systematic review

24-07-2024 - National Library of Medicine

CONCLUSION: More common psychiatric disorders related to the neuroanatomy of the nucleus were observed, probably because of the microlesions caused by the implantation of deep brain stimulation and the regulation of the stimulation of the device. The most common disorders include depression, mania/hypomania, psychosis, anxiety, suicidal ideation, and hypersexuality. [Read more...](#)

9. Reply to Zhou et al's "Refining Psychosis Research: Insights on Cannabis Use and Data Accuracy"

24-07-2024 - National Library of Medicine

No abstract [Read more...](#)

10. Diagnostics and treatment of impulse control disorders, psychosis and delirium: systemic review-based recommendations - guideline "Parkinson's disease" of the German Society of Neurology

24-07-2024 - National Library of Medicine

CONCLUSION: The updated guideline encompasses the evidence-based diagnostic, non-pharmacological and pharmacological management of ICD, psychosis and delirium in PD. [Read more...](#)

11. Clinical Features of First-episode Psychoses During the COVID-19 Pandemic

24-07-2024 - National Library of Medicine

CONCLUSIONS: The differences in the clinical and psychopathological structure of psychotic states revealed during the COVID-19 pandemic were statistically insignificant. Additional results of the study may indicate a decrease in the availability of mental healthcare for patients with psychoses, which requires further investigation. [Read more...](#)

12. Early intervention in psychosis in low- and middle-income countries: Applying the same principles as the developed countries

23-07-2024 - National Library of Medicine

No abstract [Read more...](#)

13. Factors associated with the psychosis continuum among homeless people: Comparison between natives and migrants in the SAMENTA study

23-07-2024 - National Library of Medicine

CONCLUSION: Differences were found in the factors associated with the psychosis continuum by migrant status, they highlight the impact of experiences related to migration. Prospective studies are needed to better understand these underlying pathways. [Read more...](#)

14. Parkinson's disease psychosis associated with accelerated multidomain cognitive decline

23-07-2024 - National Library of Medicine

CONCLUSIONS: Patients with PD psychosis exhibited decline in semantic aspects of language, processing speed, global cognition, visuospatial abilities and memory, regardless of sociodemographic characteristics, neuropsychiatric and motor symptoms. These cognitive domains, particularly semantic aspects of language may therefore play an important role in PD psychosis and warrant further ... [Read more...](#)

15. Clinical high risk for psychosis and service disengagement: Incidence and predictors across 2 years of follow-up

22-07-2024 - National Library of Medicine

BACK: Service disengagement is common in subjects at CHR-P (clinical high risk for psychosis), potentially worsening daily functioning and increasing the duration of untreated psychosis. That is why to identify baseline predictors of service disengagement could help better tailoring follow-up on every CHR-P individual. [Read more...](#)

16. An Introduction to the Human Connectome Project for Early Psychosis

22-07-2024 - National Library of Medicine

CONCLUSIONS: This paper provides an overview of the specific HCP-EP procedures, assessments, and protocols, as well as a brief characterization of the study participants to make it easier for researchers to use this rich dataset. Although we focus here on discussing and comparing affective and non-affective psychosis groups, the HCP-EP dataset also provides sufficient information for ... [Read more...](#)

17. Trace amine-associated receptor 1 (TAAR1) agonism for psychosis: a living systematic review and meta-analysis of human and non-human data

22-07-2024 - National Library of Medicine

CONCLUSIONS: TAAR1 agonists may be less efficacious than dopamine D (2) receptor antagonists already licensed for schizophrenia. The results are preliminary due to the limited number of drugs examined, lack of longer-term data, publication bias, and assay sensitivity concerns in trials associated with large placebo response. Considering their unique mechanism of action, ... [Read more...](#)

18. Quetiapine, Clozapine, and Pimavanserin Treatment Response in Monogenic Parkinson's Disease Psychosis: A Systematic Review

22-07-2024 - National Library of Medicine

Psychotic symptoms frequently occur in idiopathic Parkinson's disease (PD) and often require treatment with antipsychotic therapy. Most antipsychotics have the potential to worsen the motor symptoms of PD quetiapine, clozapine, and pimavanserin are commonly used for the treatment of idiopathic PD because these medications tend to be comparatively well tolerated. [Read more...](#)

19. Steroid-induced psychosis: a spectrum of neuropsychiatric glucocorticoid side effects

22-07-2024 - National Library of Medicine

Glucocorticoid-induced neuropsychiatric side effects have been known since their initial usage and frequently manifest in clinical settings. Despite this, they remain unpredictable, variable and complex to manage, impacting patient outcomes and the healthcare system. We report a case of

glucocorticoid-induced psychosis after the administration of dexamethasone post-neurosurgical intervention ... [Read more...](#)

20. Effectiveness of Acceptance and Commitment Therapy on Psychotic Severity Among Inpatients With Primary Psychoses: A Randomized Controlled Trial

22-07-2024 - National Library of Medicine

This study investigated the effectiveness of acceptance and commitment therapy (ACT) compared to treatment as usual in managing psychotic symptoms, emotional dysregulation, recovery and psychological flexibility in inpatients with primary psychoses. The Primary outcome assessed the positive and negative syndrome scale, while the secondary outcomes were to assess difficulties in the emotion ... [Read more...](#)

21. Pons connectivity correlates with neurophysiological and clinical signatures of predictive coding in psychosis

22-07-2024 - National Library of Medicine

No abstract [Read more...](#)

22. Diagnosing Late-Onset Psychosis in a Medically Complex Patient: A Diagnostic Challenge

22-07-2024 - National Library of Medicine

This case report explores various possible causes of late-onset psychosis and highlights the importance of follow-up care. We report the case of a 65-year-old female with minimal available medical history or contacts, who presented to the hospital after being found unconscious after three weeks of strange behaviors, including partition delusions, multiple phone calls and texts to her friend, ... [Read more...](#)

23. Age of migration and common mental disorders among migrants in early adulthood: a Norwegian registry study

22-07-2024 - BioMed Central

Younger age of migration is associated with higher risk of psychotic disorders but the relationship between age of migration and common mental disorders is less clear. This study investigates the association b... [Read more...](#)

24. "Sustaining the burden". A qualitative study on the emotional impact and social functioning of family caregivers of patients with psychosis

21-07-2024 - National Library of Medicine

Evidence shows that caring for a family member with a psychotic disorder generates a significant emotional impact and repercussions on social functioning. However, this caregiving experience can be influenced by cultural factors. The aim of this study is to explore the experience and perception of a group of family caregivers of patients with psychotic disorders of different durations ... [Read more...](#)

25. Reasons for Discharge in a National Network of Early Psychosis Intervention Programs

20-07-2024 - National Library of Medicine

CONCLUSIONS: Participants were discharged from early psychosis intervention services for diverse reasons, some of which were associated with sociocultural factors. Disengagement is a widespread problem affecting all hubs. [Read more...](#)

26. The influence of age on ECT efficacy in depression, mania, psychotic depression and schizophrenia: A transdiagnostic analysis

20-07-2024 - National Library of Medicine

CONCLUSION: Patients with unipolar or bipolar depression, mania, or schizophrenia, regardless of age, respond favourably to ECT. Other associated factors such as psychomotor and psychotic symptoms, disease severity and number of failed pharmacotherapies should be considered in predicting ECT response. Younger patients with psychotic depression may respond better to ECT. [Read more...](#)

27. How does loneliness interact with positive, negative and depressive symptoms of psychosis? New insights from a longitudinal therapy process study

20-07-2024 - National Library of Medicine

Cross-sectional research suggests an association between loneliness and psychotic symptoms, but the causal direction of this association is still unclear. Even though loneliness has been proposed as a potential treatment target to improve psychotherapy for psychosis, not much is known about its role in the treatment process. In this study, we re-analyzed data from a therapy process study to ... [Read more...](#)

28. Robust Brain Correlates of Cognitive Performance in Psychosis and its Prodrome

20-07-2024 - National Library of Medicine

CONCLUSIONS: This connectome-wide association study identified reproducible links between connectivity and cognition in separate samples of psychosis and at-risk individuals who would later develop psychosis. A carefully selected task and population improves the ability of connectome-wide association studies to identify reliable brain-phenotype relationships. [Read more...](#)

29. Employment, education or training status (NEET) at baseline predicts high-threshold symptomatic remission in first episode psychosis: A cohort study

20-07-2024 - National Library of Medicine

CONCLUSION: NEET may represent an important predictive variable of symptomatic outcomes which requires prospective evaluation. [Read more...](#)

30. Visual contrast sensitivity in clinical high risk and first episode psychosis

20-07-2024 - National Library of Medicine

CONCLUSION: This study supports the hypothesis that there are deficits in visual information processing, particularly in tasks that emphasize the magnocellular pathway, in patients experiencing early psychosis. VCS therefore has the potential to be used as a biomarker in this population. [Read more...](#)

31. Effectiveness of online social networking interventions on social isolation and quality of life of people with psychosis: A systematic review

20-07-2024 - National Library of Medicine

CONCLUSION: Higher quality and longer-term studies did not support effectiveness of current OSN interventions in reducing social isolation or improving quality of life of people with psychosis. These interventions used purpose-built platforms and encouraged OSN between selected individuals, which may explain these outcomes. Future research may explore promoting safe use of mainstream OSN ... [Read more...](#)

32. TimelinePTC: Development of a unified interface for pathways to care collection, visualization, and collaboration in first episode psychosis

19-07-2024 - National Library of Medicine

This paper presents TimelinePTC, a web-based tool developed to improve the collection and analysis of Pathways to Care (PTC) data in first episode psychosis (FEP) research. Accurately measuring the duration of untreated psychosis (DUP) is essential for effective FEP treatment,

requiring detailed understanding of the patient's journey to care. However, traditional PTC data collection methods, ... [Read more...](#)

33. Sex differences in clinical presentation in youth at high risk for psychosis who transition to psychosis

19-07-2024 - National Library of Medicine

Sex differences have been observed in individuals with schizophrenia and for those at clinical high risk (CHR) for psychosis. However, specific differences in CHR individuals who transition to psychosis remain inconsistent and understudied. This study aimed to investigate sex differences in 156 CHR individuals who made the transition to psychosis. A wide range of demographics, ... [Read more...](#)

34. Does relapse cause illness progression in first-episode psychosis? A review

19-07-2024 - National Library of Medicine

CONCLUSION: While the social and psychological consequences of a relapse should not be dismissed, clinicians should demand high-quality evidence about the risks of relapse on long-term outcomes. The conventional notion that relapse leads to treatment non-response or worse long-term outcomes is generally not supported by the highest quality studies. These findings can help clinicians and ... [Read more...](#)

35. Interpersonal consequences of paranoid ideation, negative symptoms and sleep problems in a transdiagnostic sample of individuals with psychosis

19-07-2024 - National Library of Medicine

Paranoid ideation is a transdiagnostic construct that is associated with social impairment and often occurs in psychotic spectrum disorders. Little research has examined how paranoid ideation is related to social behaviors that underlie social impairment and may ultimately lead to social rejection. It is important to consider that negative symptoms and sleep problems also contribute to social ... [Read more...](#)

36. The association of tobacco smoking and metabolite levels in the anterior cingulate cortex of first-episode psychosis patients: A case-control and 6-month follow-up (1)H-MRS study

19-07-2024 - National Library of Medicine

Tobacco smoking is highly prevalent among patients with psychosis and associated with worse clinical outcomes. Neurometabolites, such as glutamate and choline, are both implicated in psychosis and tobacco smoking. However, the specific associations between smoking and neurometabolites have yet to be investigated in patients with psychosis. The current study examines associations of chronic ... [Read more...](#)

37. Computational analysis of linguistic features in speech samples of first-episode bipolar disorder and psychosis

19-07-2024 - National Library of Medicine

CONCLUSION: Our findings demonstrate that both patient groups showed language abnormalities, which were more severe and widespread in FEP compared to FEBD. Our results suggest that NLP methods reveal transdiagnostic linguistic abnormalities in FEP and FEBD. [Read more...](#)

38. Kufor-Rakeb syndrome-associated psychosis: a novel loss-of-function ATP13A2 variant and response to antipsychotic therapy

18-07-2024 - National Library of Medicine

Biallelic (autosomal recessive) pathogenic variants in ATP13A2 cause a form of juvenile-onset parkinsonism, termed Kufor-Rakeb syndrome. In addition to motor symptoms, a variety of other

neurological and psychiatric symptoms may occur in affected individuals, including supranuclear gaze palsy and cognitive decline. Although psychotic symptoms are often reported, ... [Read more...](#)

39. A mixed-methods study to evaluate the feasibility and preliminary efficacy of delivering the optimal health program (OHP) for youth at clinical high risk (CHR) for psychosis: A study protocol

18-07-2024 - National Library of Medicine

Individuals with clinical high risk (CHR) for psychosis experience significant distress, impaired general functioning and a high lifetime risk of self-harm and attempted suicide. The CHR period is an important phase in an individual's mental health where appropriate interventions may reduce the risk of progression to several negative outcomes, including the development of schizophrenia. [Read more...](#)

40. Neurocognition in adolescents and young adults at clinical high risk for psychosis: Predictive stability for social and role functioning

18-07-2024 - National Library of Medicine

The prodromal phase of schizophrenia provides an optimal opportunity to mitigate the profound functional disability that is often associated with fully expressed psychosis. Considerable evidence supports the importance of neurocognition in the development of interpersonal (social) and academic (role) skills. Further findings from adolescents and young adults at clinical high risk for ... [Read more...](#)

41. The liminal space of first-episode psychosis and its treatment: A qualitative study exploring the experience of young people participating in an antipsychotic dose reduction randomized controlled trial

18-07-2024 - National Library of Medicine

CONCLUSIONS AND IMPLICATIONS FOR PRACTICE: The experience and treatment of FEP involves young people feeling torn between multiple, competing perspectives, demands, and priorities. Participation in an RCT exploring dose reduction provided additional supports contributing to the perception of greater safety to navigate their own experiences of treatment that was appropriate for them. [Read more...](#)

42. Challenge in translational psychiatry continues: How to find useful biomarkers for psychosis?

18-07-2024 - National Library of Medicine

No abstract [Read more...](#)

43. Editorial: Mental illness and neuropsychiatry of the homeless: psychosis, personality, drug abuse, and other brain disorders

18-07-2024 - National Library of Medicine

No abstract [Read more...](#)

44. The plasma proteome and prognosis for psychiatric symptoms in psychosis: A focus on function, not factors

18-07-2024 - National Library of Medicine

No abstract [Read more...](#)

45. Effect of DNA methylation and AUDIT-C polygenic scores on alcohol use disorder comorbidity in psychoses: No evidence of epigenetic basis of polygenic risk

18-07-2024 - National Library of Medicine

No abstract [Read more...](#)

46. Altered brain and physiological stress responses in early psychosis

18-07-2024 - *National Library of Medicine*

Stress is proposed to be a crucial factor in the onset and presentation of psychosis. The early stage of psychosis provides a window into how stress interacts with the emergence of psychosis. Yet, how people with early psychosis respond to stress remains unclear. The current study examined how stress responses (brain, physiological, self-report) differ in early psychosis. [Read more...](#)

47. Crisis of Objectivity: Using personalized networks to understand maladaptive sensemaking in a patient with psychotic, affective, and obsessive-compulsive symptoms

18-07-2024 - *Frontiers*

Aleš Oblak Matic Kuclar Katja Horvat Golob Alina Holnthaner Urška Battelino Borut Skodlar Jurij Bon [Read more...](#)

48. Behind the heterogeneity in the long-term course of first-episode psychosis: Different psychotic symptom trajectories are associated with different patterns of cannabis and stimulant use

17-07-2024 - *National Library of Medicine*

CONCLUSIONS: The risk for an adverse long-term course could be mitigated by treatment of substance use, where particular attention should be devoted to preventing the use of stimulants while the use reduction of cannabis may already yield positive effects. [Read more...](#)

49. The TIPS family psychoeducational group work approach in first episode psychosis and related disorders: 25 years of experiences

17-07-2024 - *National Library of Medicine*

CONCLUSION: The 25-year experience at Stavanger University Hospital demonstrates that with appropriate training and resources, FPE can be successfully integrated and sustained within standard mental health care practices. This case study provides valuable insights for other institutions aiming to implement FPE and improve treatment outcomes for patients with severe mental disorders. [Read more...](#)

50. A Talking Cure for Psychosis: Cognitive-behavioral therapy helps to treat symptoms for which drugs are ineffective

17-07-2024 - *National Library of Medicine*

No abstract [Read more...](#)

51. Clinical and cognitive outcomes in first-episode psychosis: focus on the interplay between cannabis use and genetic variability in endocannabinoid receptors

17-07-2024 - *Frontiers*

Maitane Osoz-Irurozqui Maria Guardiola-Ripoll Carmen Almodóvar-Payá Amalia Guerrero-Pedraza Noemí Hostalet Maria Isabel Carrión Jesus J Gomar Salvador Sarró Edith Pomarol-Clotet Mar Fatjó-Vilas [Read more...](#)

52. Commentary on Neuropsychiatric Symptom Profile in Alzheimer's Disease and their Relationship with Functional Decline

16-07-2024 - *Elsevier*

Alzheimer's disease (AD) is a neurodegenerative disorder characterized by progressive cognitive and functional decline, leading to loss of independence in AD dementia. Noncognitive

neuropsychiatric symptoms (NPS) such as apathy, agitation and psychotic symptoms are common and known to correlate with a host of negative outcomes including greater functional decline, reviewed by1. [Read more...](#)

53. Art and mentalizing in early intervention psychosis: rationale and therapist insights on a new psychoeducational course

16-07-2024 - National Library of Medicine

In this paper, we explore the rationale for a combined art therapy and mentalization-based treatment (MBT) group course for those experiencing a first episode of psychosis (FEP). We discuss the theoretical background for how art and MBT theory can help us better understand and work with groups of individuals experiencing FEP, particularly focusing on avoidance and insecure attachment styles. [Read more...](#)

54. Novel N100 area reliably captures aberrant sensory processing and is associated with neurocognition in early psychosis

16-07-2024 - National Library of Medicine

CONCLUSION: Among the ERP measures studied, N100 area measures may serve as a reliable biomarker of aberrant sensory processing and neurocognition in early psychosis. [Read more...](#)

55. Emotional intelligence and neurocognition profiles in first-episode psychosis: A two-year follow-up study

16-07-2024 - National Library of Medicine

Emotional intelligence (EI) and neurocognition (NC) impairments are common in first-episode psychosis (FEP), yet their evolution over time remains unclear. This study identified patient profiles in EI and NC performance in FEP. 98 adult FEP patients and 128 healthy controls (HCs) were tested on clinical, functional, EI, and NC variables at baseline and two-year follow-up (FUP). [Read more...](#)

56. Early Onset Psychosis in a Pediatric Oncology Setting: A Case Report

16-07-2024 - National Library of Medicine

Schizophrenia (SCZ) and schizoaffective disorder (SHZ) are psychiatric disorders commonly identified in individuals in their late adolescence or early adulthood. Comorbidities are common, though a concurrent diagnosis of leukemia, one of the most frequently occurring cancers of adolescence, has not yet been described in such cases. This case study outlines the clinical presentation, course, ... [Read more...](#)

57. Association between suicidal ideation, negative symptoms and theory of mind in first episode psychosis

16-07-2024 - National Library of Medicine

CONCLUSION: Patients with FEP and chronic schizophrenia have comparable deficits in theory of mind dimension of social cognition. The severity of negative and depressive symptoms potentially contributes to the increased risk of suicide in FEP. [Read more...](#)

58. Psychosis and help-seeking behaviour-A systematic review of the literature

15-07-2024 - National Library of Medicine

CONCLUSIONS: This is the first systematic review to examine help-seeking behaviour in psychosis. Assertive and culturally sensitive engagement efforts should be targeted towards people with a history of early adversity, poor mental health literacy, limited social support and more severe psychosis. [Read more...](#)

59. Making Sense of Recovery From First Psychosis With Antipsychotic Medication: A Qualitative Phenomenological Study

15-07-2024 - National Library of Medicine

CONCLUSIONS: Our findings show that recovery from psychosis with antipsychotics is an all-encompassing, multi-faceted, and ambivalent experience. The themes found in this research could inspire clinicians to discuss less obvious aspects of the experience of recovering with antipsychotics. Even more so, paying attention to the first-person perspective could lead to a more thorough ... [Read more...](#)

60. Impaired contour object perception in psychosis

15-07-2024 - National Library of Medicine

Contour integration, the process of joining spatially separated elements into a single unified line, has consistently been found to be impaired in schizophrenia. Recent work suggests that this deficit could be associated with psychotic symptomatology, rather than a specific diagnosis such as schizophrenia. Examining a transdiagnostic sample of participants with psychotic psychopathology, ... [Read more...](#)

61. Cognitive Behavioral Psychotherapy as an Add-on in Comprehensive Outpatient Care of Non-affective Psychoses: A Multicenter Randomized-Controlled Effectiveness Trial in a Naturalistic Setting

15-07-2024 - National Library of Medicine

CONCLUSION: The results underline an add-on benefit of CBTp in chronically ill individuals with NAP. Superiority of CBTp was demonstrated in comparison with high-quality comprehensive care and may also be true in different comprehensive care settings. [Read more...](#)

62. External validation of a prognostic model to improve prediction of psychosis in primary care

15-07-2024 - National Library of Medicine

Background Early detection could reduce the duration of untreated psychosis. GPs are a vital part of the psychosis care pathway but find it difficult to detect the early features. An accurate risk prediction tool (P Risk) was developed to detect these. **Aim** The external validation of P Risk. **Methods** A retrospective cohort study using a validation dataset of 1,647, ... [Read more...](#)

63. Exploring the conceptualisation, measurement, clinical utility and treatment of formal thought disorder in psychosis: A Delphi study

13-07-2024 - National Library of Medicine

CONCLUSIONS: Our results contribute to the still elusive formal definition of FTD. The multitude of interpretations regarding these topics highlights the need for further clarity with this phenomenon. Our findings emphasised that the measurement and clinical utility of FTD are closely tied to the concept hence, until there is agreement on the concept of FTD, difficulties with measuring and ... [Read more...](#)

64. A cross-national investigation of psychosis-like experiences in five European countries included in the E-CLECTIC study: Psychometric challenges in studying their measurement

13-07-2024 - National Library of Medicine

CONCLUSIONS: The study proved that the CAPE measures a single latent dimension of psychosis-proneness. The CAPE might help locate and estimate psychosis risk and can be used as a screening tool in primary care settings/education settings. [Read more...](#)

65. The role of human involvement and support in digital mental health interventions for people with schizophrenia spectrum disorders: a critical review

12-07-2024 - National Library of Medicine

PURPOSE OF REVIEW: Schizophrenia spectrum disorders (SDD) are characterized by a complex array of psychosis symptoms, and typically require ongoing and long-term support,

including pharmacological and nonpharmacological management. Digital mental health interventions (DMHIs) have been suggested as a novel therapeutic approach to enable low-cost, scalable improvements in quality of care for ... [Read more...](#)

66. Letter to the Editor concerning "Electroconvulsive therapy in the maintenance phase of psychotic unipolar depression"

11-07-2024 - National Library of Medicine

No abstract [Read more...](#)

67. Refining Psychosis Research: Insights on Cannabis Use and Data Accuracy

11-07-2024 - National Library of Medicine

No abstract [Read more...](#)

68. Improving dependability in science: A critique on the psychometric qualities of the HiTOP psychosis superspectrum

11-07-2024 - National Library of Medicine

We reevaluated HiTOP's existing factor analytic evidence-base for a Psychosis (P) superspectrum as encompassing two psychosis-relevant subfactors ("spectra")-Thought Disorder (TD) and Detachment (D). We found that their data did not support P as a superspectrum with TD and D subfactors. Instead, TD contained both positive and negative symptoms of psychosis and emerged at the subfactor level. [Read more...](#)

69. Editorial: Mentalization in the psychosis continuum: current knowledge and new directions for research and clinical practice

11-07-2024 - National Library of Medicine

No abstract [Read more...](#)

70. Childhood trauma and treatment resistance in first-episode psychosis: Investigating the role of premorbid adjustment and duration of untreated psychosis

11-07-2024 - National Library of Medicine

BACKGROUND: Early identification of treatment non-response in first-episode psychosis (FEP) is essential to outcome. Despite indications that exposure to childhood trauma (CT) can have adverse effects on illness severity, its impact on treatment non-response and the interplay with other pre-treatment characteristics is sparsely investigated. We use a lack of clinical recovery as an early ... [Read more...](#)

71. The influence of complex psychiatric comorbidities on treatment for clinical high-risk for psychosis: A preliminary study

10-07-2024 - National Library of Medicine

CONCLUSION: Individual differences in clinical complexity may predict functional response during the early phases of CHR-P treatment. [Read more...](#)

72. Elevated serum kynurenic acid in individuals with first-episode psychosis and insufficient response to antipsychotics

10-07-2024 - National Library of Medicine

The tryptophan-metabolizing kynurenine pathway (KP) can be activated by enhanced inflammatory responses and has been implicated in the pathophysiology of schizophrenia. However, there is little evidence for KP dysregulation in the early course of psychotic illness. We aimed to investigate the potential immune-mediated hyperactivity of KP in individuals with first-episode psychosis (FEP) and ... [Read more...](#)

73. Qualitative study to explore the perspectives and mental health experiences of first episode psychosis patients and their caregivers in North India

10-07-2024 - National Library of Medicine

CONCLUSION: North Indian patients with FEP lack awareness of symptoms. Therefore, onus for seeking help often falls on their caregivers. Psychoeducation from first contact with services and increasing awareness about psychotic illness within the community might help address lack of awareness about symptoms, mental health services, early signs of relapse, and importance of psychosocial ... [Read more...](#)

74. Pilot study to test the feasibility and clinical efficacy of a psychosocial care programme for patients with psychosis in low-resource settings

10-07-2024 - National Library of Medicine

CONCLUSION: Home-based intervention is feasible and acceptable in a low-resource setting, with preliminary evidence for effectiveness. These findings need corroboration with randomised controlled trials in early psychosis to ameliorate course of illness. [Read more...](#)

75. Analysis of Spanish-Language News Reports on Schizophrenia and Psychosis

10-07-2024 - National Library of Medicine

CONCLUSIONS: More studies should emphasize the importance of U.S. Spanish-language news outlets offering linguistically and culturally appropriate information on treatment options and where and how to access mental health care. Studies focusing on recovery and treatment for schizophrenia and psychosis are needed to combat public mental health stigma in the Latinx population. [Read more...](#)

76. The association of the persecutory ideation questionnaire with clinically-relevant and other outcomes: the moderating role of confidence

09-07-2024 - National Library of Medicine

One of the most used self-administered instruments to assess persecutory delusions is the Persecutory Ideation Questionnaire (PIQ). Individual differences in PIQ scores are important because they predict the severity of symptoms associated with psychosis-related disorders. The current research demonstrates that PIQ is associated with two new outcomes: Satisfaction with life (Studies 1 and 2) ... [Read more...](#)

77. Predicting Clinical Improvement in Early Psychosis Using Circuit-Based Resting-State Functional Magnetic Resonance Imaging

09-07-2024 - National Library of Medicine

CONCLUSIONS: Overall, these results suggest that resting-state functional magnetic resonance imaging connectivity may serve as a useful biomarker of clinical outcomes in recent-onset psychosis. [Read more...](#)

78. On Seizures and Knives: Perampanel-Induced Psychosis: A Case Report and Literature Review

09-07-2024 - National Library of Medicine

Managing epilepsy in the context of intellectual disability can be complicated as this population is known to have higher rates of drug resistance and sensitivity to side effects of antiseizure medications (ASMs). Perampanel is a novel ASM recently approved as an adjunctive treatment for drug resistant focal seizures. It carries a black-box warning for serious psychiatric and behavioral ... [Read more...](#)

79. "I was able to share more details": The experiences of using a smartphone application to support shared decision making in young people with psychosis

08-07-2024 - National Library of Medicine

CONCLUSION AND IMPLICATIONS FOR PRACTICE: Experiences with the app were double sided. On the one hand, the use of the app supports communication, and conversely, interaction with the app can create limitations and new challenges for communication. There is a need for more research to understand the use of mental health smartphone apps and their role in supporting interactive processes such as ... [Read more...](#)

80. Considerations for working with Asian Americans across the psychosis spectrum following the onset of the COVID-19 pandemic

08-07-2024 - National Library of Medicine

With the rise of anti-Asian racism and discrimination that followed the onset of the COVID-19 pandemic, the need to improve Asian Americans' (AA) connection to and experiences with clinical care is critical. AA at risk for or experiencing psychosis represent a particularly vulnerable subset of a population that already exhibits low service utilization and a multitude of barriers to mental ... [Read more...](#)

81. Intra-nasal esketamine induced psychotic disorder in a post COVID-19 major depressive episode: A case report

06-07-2024 - National Library of Medicine

No abstract [Read more...](#)

82. A 10-Year Longitudinal Study of Brain Cortical Thickness in People with First-Episode Psychosis Using Normative Models

06-07-2024 - National Library of Medicine

CONCLUSIONS: This long-term longitudinal study revealed a distributed pattern of cortical differences which attenuated over time together with a reduction in symptoms. These findings are not in line with a simple neurodegenerative account of schizophrenia, and deviations from normative models offer a promising avenue to develop biomarkers to track clinical trajectories over time. [Read more...](#)

83. Assessment of resting cerebral perfusion between methamphetamine-associated psychosis and schizophrenia through arterial spin labeling MRI

06-07-2024 - National Library of Medicine

CONCLUSION: METH exposure was associated with decreased rCBF in the precuneus and premotor cortex. Patients with MAP exhibited higher rCBF than those with SCZ, implying preserved insight and favorable outcomes. rCBF can therefore potentially serve as a diagnostic approach to differentiate patients with MAP from those with SCZ. [Read more...](#)

84. Reply to: Why does problem gambling in psychotic disorders pose such a challenge for comprehension?

05-07-2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

85. Aberrant Hippocampal Neuroregenerative Plasticity in Schizophrenia: Reactive Neuroblastosis as a Possible Pathocellular Mechanism of Hallucination

05-07-2024 - National Library of Medicine

Hallucination is a sensory perception that occurs in the absence of external stimuli during abnormal neurological disturbances and various mental diseases. Hallucination is recognized as a core psychotic symptom and is particularly more prevalent in individuals with schizophrenia. Strikingly, a significant number of subjects with Alzheimer's disease (AD), Parkinson's disease (PD), ... [Read more...](#)

86. Harmonizing early intervention strategies: scoping review of clinical high risk for psychosis and borderline personality disorder

05-07-2024 - National Library of Medicine

CONCLUSION: The scoping review reveals diverse approaches to clinical care for CHR-P and BPD, with no unified treatment strategies. Recommendations for future research should focus on: (i) exploring referral pathways across early intervention clinics to promote timely intervention (ii) enhancing early detection strategies in innovative settings such as emergency departments (iii) improving ... [Read more...](#)

87. Psychosis in Fahr Syndrome: A Case Report

05-07-2024 - National Library of Medicine

Fahr syndrome is a rare neurological disorder characterized by a combination of neurological and psychiatric symptoms. Despite its complexity, there is a significant scarcity of literature addressing the treatment of the psychiatric symptoms of Fahr syndrome. This case report discusses the complexity of management of psychosis in patients with Fahr syndrome emphasizing the delicate balance ... [Read more...](#)

88. Prescription medication use in the 10 years prior to diagnosis of young onset Alzheimer's disease: a nationwide nested case-control study

05-07-2024 - National Library of Medicine

CONCLUSIONS: In this study, medication use in several categories was associated with YOAD. Onset of treatment-requiring psychiatric symptoms such as depression or psychosis in mid-life may serve as potential early indicators of YOAD. [Read more...](#)

89. Clinical characteristics associated with functioning trajectories following admission to a psychiatric institution: A prospective cohort study of individuals with psychosis

05-07-2024 - National Library of Medicine

Psychotic disorders can be severely enabling, and functional recovery is often difficult to achieve. Admission to a psychiatric unit represents a key opportunity to implement strategies that will improve functional outcomes. In the current literature, there is a lack of consensus on which factors influence functional recovery. Therefore, the present longitudinal cohort study aimed to identify ... [Read more...](#)

90. Meaningfulness and attachment: what dreams, psychosis and psychedelic states tell us about our need for connection

05-07-2024 - National Library of Medicine

The human need to find meaning in life and the human need for connection may be two sides of the same coin, a coin forged in the developmental crucible of attachment. Our need for meaningfulness can be traced to our developmental need for connection in the attachment relationship. The free energy principle dictates that in order to resist a natural tendency towards disorder self-organizing ... [Read more...](#)

91. Longitudinal changes in cognitive function in early psychosis: a meta-analysis with the MATRICS consensus cognitive battery (MCCB)

05-07-2024 - National Library of Medicine

CONCLUSION: The magnitude of cognitive improvement for MCCB domains was not significantly different between FEP and healthy controls other than visuospatial learning. This underscores visuospatial learning as a potentially sensitive cognitive marker for early pathologic state changes in psychotic disorders. [Read more...](#)

92. Self-reported suicidal ideation among individuals with first episode psychosis and healthy controls: Findings from the international multicentre EU-GEI study

05-07-2024 - National Library of Medicine

CONCLUSIONS: This study showed that depressive symptoms are an important factor relating to suicidal ideation in individuals with FEP, over and above other clinical, sociodemographic, and developmental factors. This underscores the relevance of screening for suicidal ideation in individuals with FEP, and highlights the need for a better understanding of the diagnostic uncertainty and course ... [Read more...](#)

93. Long-Acting Injectable Antipsychotics in the Geriatric Population: A longitudinal study

04-07-2024 - Elsevier

In the last decade, the United States' geriatric population has increased to 16.8%, experiencing the greatest growth rate since the 1800s¹. Geriatric patients with psychotic disorders range from 0.2-4.75% in community-based samples and from 10-63% in nursing homes.² There has been a wide discussion about using antipsychotics in this population. In 2004, the Committee on Safety of Medicines ... [Read more...](#)

94. Psychosis Associated With Hyperglycemia in a Female Patient With Type 1 Diabetes Mellitus: A Case Report

04-07-2024 - National Library of Medicine

This paper presents the case of a 22-year-old woman who was hospitalized multiple times with episodes of psychosis co-occurring with hyperglycemia. Her psychosis was characterized by auditory hallucinations, visual hallucinations, and disorganized speech and behavior. The patient has a prior medical history of type 1 diabetes mellitus (T1DM) and Graves' disease and was non-adherent to ... [Read more...](#)

95. Predictors of clinical insight in first-episode psychosis: Different patterns in men and women

04-07-2024 - National Library of Medicine

CONCLUSIONS: Poor insight in first-episode psychosis is strongly linked to deficits in metacognition and social cognition, with marked differences between men and women with respect to the specific skills involved in the impairment. Meanwhile, good insight is linked to a variety of affective manifestations in men. These findings suggest new avenues for more targeted cognitive interventions to ... [Read more...](#)

[Back to Top](#)

Schizophrenia

Schizophrenia

1. Speech-Gesture Matching and Schizotypal Traits: A Network Approach

24-07-2024 - National Library of Medicine

CONCLUSION: The association between impaired abstract speech-gesture matching and disorganization supports a continuum between schizophrenia and schizotypy. Using gestures to facilitate communication connects subjective and objective aspects of gesture processing and schizotypal traits. Future interventional studies in patients should test the potential causal pathways implied by this network ... [Read more...](#)

2. 4D dynamic spatial brain networks at rest linked to cognition show atypical variability and coupling in schizophrenia

24-07-2024 - National Library of Medicine

Despite increasing interest in the dynamics of functional brain networks, most studies focus on the changing relationships over time between spatially static networks or regions. Here we propose an approach to study dynamic spatial brain networks in human resting state functional magnetic resonance imaging (rsfMRI) data and evaluate the temporal changes in the volumes of these 4D networks. [Read more...](#)

3. Gut microbiome and metabolism alterations in schizophrenia with metabolic syndrome severity

24-07-2024 - BioMed Central

Schizophrenia (SCZ) patients undergoing antipsychotic treatment demonstrated a high prevalence and harmful effects of metabolic syndrome (MetS), which acted as the major cause of cardiovascular disease. The ma... [Read more...](#)

4. Revisiting Rorschach test and Minnesota Multiphasic Personality Inventory-II patterns in Kraepelinian vs. DSM-wise Schizophrenia: How They Differ and What It Means for Diagnosis

23-07-2024 - National Library of Medicine

CONCLUSION: Our results suggested the value of revisiting psychological tests in clinically delineated subgroups, such as Kraepelinian schizophrenia. Although patients fall under the same diagnostic category of schizophrenia, considering different phenotypes is important when interpreting psychological test outcomes. Additionally, our study indicated that both schizophrenia groups did not ... [Read more...](#)

5. The Prediction of Diagnostic Change From Bipolar Disorder to Schizophrenia and Schizophrenia to Bipolar Disorder in a Population-Based, Longitudinal, National Swedish Sample

22-07-2024 - National Library of Medicine

CONCLUSIONS: Diagnostic conversion of BD→SZ and SZ→BD are not rare, are moderately predictable, and should likely be accounted for in many research designs. [Read more...](#)

6. Schizophrenia Quality of Life Scale and Schizophrenia Quality of Life Scale Revision 4: A Systematic Review of Measurement Properties

22-07-2024 - National Library of Medicine

CONCLUSIONS: The SQLS and SQLS-R4 hold the potential for recommendation in rating QOL. Identified weaknesses necessitate further validations. [Read more...](#)

7. Experiences of the family caregivers of persons with schizophrenia in north Indian region: A qualitative inquiry

21-07-2024 - National Library of Medicine

CONCLUSION: Giving care to PwS entails financial, social, emotional, and physical burden. Feelings of frustration, helplessness, uncertainty, and loss are common. Transformation of personal, professional, and social life are usual consequence of caregiving. Generally, caregivers cope through addictions or spiritual means. Significant perceived requirements include a lack of knowledge about ... [Read more...](#)

8. The effects of life review-based collage book making on psychosocial functioning and discrepancy between patients' and hospital staff's perception of daily functioning in long-term hospitalized patients with schizophrenia: A randomized controlled trial

21-07-2024 - National Library of Medicine

The purpose of this study was to investigate the psychosocial effects of life review-based collage book making on long-term inpatients with schizophrenia, and to verify the effectiveness of this program in reducing the discrepancy between self-perception and others' evaluation of patients' day-to-day functioning. Participants were randomly assigned to intervention or control group.

[Read more...](#)

9. Cannabidiol: Pharmacodynamics and pharmacokinetic in the context of neuropsychiatric disorders

19-07-2024 - National Library of Medicine

In this chapter we explored the growing interest in cannabinoids, particularly cannabidiol (CBD), over the last two decades due to their potential therapeutic applications in neurodegenerative and psychiatric disorders. CBD, a major non-psychotomimetic compound derived from *Cannabis sativa*, is highlighted as a safer alternative to other cannabinoids like Δ^9 -tetrahydrocannabinol (THC). [Read more...](#)

10. Causality between six psychiatric disorders and digestive tract cancers risk: a two-sample Mendelian randomization study

19-07-2024 - National Library of Medicine

Associations between psychiatric disorders and digestive tract cancers have been proposed. However, the causal link between these factors remains unclear. This study pioneers Mendelian randomization (MR) analysis to explore the genetic link between psychiatric disorders and digestive tract cancers risk. We analysed data on six psychiatric disorders [schizophrenia, bipolar disorder, ... [Read more...](#)

11. Cannabidiol as an antipsychotic drug

19-07-2024 - National Library of Medicine

Cannabidiol (CBD) is a major phytocannabinoid in the *Cannabis sativa* plant. In contrast to Δ^9 -tetrahydrocannabinol (THC), CBD does not produce the typical psychotomimetic effects of the plant. In addition, CBD has attracted increased interest due to its potential therapeutic effects in various psychiatric disorders, including schizophrenia. Several studies have proposed that CBD has ... [Read more...](#)

12. Soundless voices, silenced selves: are auditory verbal hallucinations in schizophrenia truly perceptual?

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages 658-664 | Humpston, Clara S, PhD Woodward, Todd S, ProfSummaryIn much contemporary psychiatric training and practice, there is a strong emphasis on the audible or perceptual quality and externality of auditory verbal hallucinations in clinical assessments. A typical question during clinical assessment... [Read more...](#)

13. Breaking the cycle: Exploring the relationship of metacognition beliefs, obsessive-compulsive symptoms, and psychosocial performance among individuals diagnosed with schizophrenia

18-07-2024 - National Library of Medicine

CONCLUSION: The study reveals a compelling inverse relationship between higher metacognitive dysfunctional beliefs and lower levels of psychosocial functioning in individuals diagnosed with schizophrenia. It also identifies certain demographic factors, such as younger age, as significant contributors to elevated OCS. Importantly, metacognitive dysfunction emerged as a critical predictor of ... [Read more...](#)

14. Acute Treatment Of Schizophrenia

18-07-2024 - National Library of Medicine

Schizophrenia is one of the most common, most severe and most costly mental illnesses in adults. In the acute phase, sufferers usually experience massive anxiety and a high level of distress due to their altered perception. If the symptoms are severe, psychiatric emergencies can arise. The earliest possible antipsychotic treatment, which is felt to be appropriate by those affected, ... [Read more...](#)

15. Changes in levels of the zinc transporter SLC39A12 in Brodmann's area 44: Effects of sex, suicide, CNS pH and schizophrenia

18-07-2024 - National Library of Medicine

Disturbed CNS zinc homeostasis is suggested as part of the pathophysiology of schizophrenia. Our data, from multiple studies, suggests levels of cortical RNA for the solute carrier family 39 member 12 (SLC39A12), a putative zinc transporter, is higher in people with schizophrenia and is more perturbed in a sub-group of people with the disorder that can be separated because they have very low ... [Read more...](#)

16. Breaking the cycle: Exploring the relationship of metacognition beliefs, obsessive-compulsive symptoms, and psychosocial performance among individuals diagnosed with schizophrenia

18-07-2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView. [Read more...](#)

17. Long-term safety and effectiveness of lurasidone in adolescents and young adults with schizophrenia: pooled post hoc analyses of two 12-month extension studies

18-07-2024 - BioMed Central

The aim of this analysis was to evaluate the long-term safety and effectiveness of lurasidone in the treatment of schizophrenia in adolescents and young adults (13–25). [Read more...](#)

18. Innovative strategies for managing hallucinations by exploring effects of tDCS on source monitoring abilities

17-07-2024 - National Library of Medicine

This randomised, crossover, sham-controlled study explored the neural basis of source-monitoring, a crucial cognitive process implicated in schizophrenia. Left superior temporal gyrus (STG) and dorsolateral prefrontal cortex (DLPFC) were the key focus areas. Thirty participants without neurological or psychological disorders underwent offline sham and active tDCS sessions with specific ... [Read more...](#)

19. Three-Year Outcomes of 6-Month Paliperidone Palmitate in Adults With Schizophrenia: An Open-Label Extension Study of a Randomized Clinical Trial

17-07-2024 - National Library of Medicine

CONCLUSIONS AND RELEVANCE: In a 2-year OLE study of a 1-year RCT, results supported favorable long-term outcomes of PP once every 6 months for up to 3 years in adults with schizophrenia. [Read more...](#)

20. Increased regional activity of a pro-autophagy pathway in schizophrenia as a contributor to sex differences in the disease pathology

17-07-2024 - National Library of Medicine

Based on recent genome-wide association studies, it is theorized that altered regulation of autophagy contributes to the pathophysiology of schizophrenia and bipolar disorder. As activity of autophagy-regulatory pathways is controlled by discrete phosphorylation sites on the relevant proteins, phospho-protein profiling is one of the few approaches available for enabling a quantitative ... [Read more...](#)

21. Editorial: The Current Categorical Concept of Schizophrenia is Inadequate: Should we Look at the Current State of Affairs for Compensatory Processes?

17-07-2024 - National Library of Medicine

No abstract [Read more...](#)

22. Recovery-Oriented Principles Provide a Dynamic Reframing of Patient Care in Schizophrenia

17-07-2024 - National Library of Medicine

No abstract [Read more...](#)

23. Sex and gender differences in cancer in individuals with severe mental disorders

16-07-2024 - National Library of Medicine

PURPOSE OF REVIEW: Although cancer incidence is similar between individuals with severe mental disorders (SMD) and the general population (GP), survival rates are lower, particularly in those with schizophrenia. While the scientific and medical communities acknowledge sex differences in cancer mechanisms, including risk factors and cancer types, less is known about sex and gender disparities ... [Read more...](#)

24. Wavelet Transform, Reconstructed Phase Space, and Deep Learning Neural Networks for EEG-Based Schizophrenia Detection

16-07-2024 - National Library of Medicine

This study proposes an innovative expert system that uses exclusively EEG signals to diagnose schizophrenia in its early stages. For diagnosing psychiatric/neurological disorders, electroencephalogram (EEG) testing is considered a financially viable, safe, and reliable alternative. Using the reconstructed phase space (RPS) and the continuous wavelet transform, ... [Read more...](#)

25. Utilization and Perceived Need for Mental Health Services Among Homeless Seniors

16-07-2024 - National Library of Medicine

Homeless seniors confront distinct challenges regarding their mental health needs and service access. This study aims to illuminate the mental health landscape of homeless seniors by examining the prevalence of mental illness, utilization of mental health services, and perceived need for mental health care. The study comprises 177 homeless seniors in New York, NY. Findings indicate 10. [Read more...](#)

26. Neurostructural subgroup in 4291 individuals with schizophrenia identified using the subtype and stage inference algorithm

16-07-2024 - National Library of Medicine

Machine learning can be used to define subtypes of psychiatric conditions based on shared biological foundations of mental disorders. Here we analyzed cross-sectional brain images from 4,222 individuals with schizophrenia and 7038 healthy subjects pooled across 41 international cohorts from the ENIGMA, non-ENIGMA cohorts and public datasets. Using the Subtype and Stage Inference (SuStaln) ... [Read more...](#)

27. Is game-based therapy effective for treating cognitive deficits in adults with schizophrenia? Evidence from a randomized controlled trial

16-07-2024 - National Library of Medicine

Cognitive deficits in schizophrenia are a major contributor to poor functional outcomes and everyday functioning, making them a promising therapeutic target. Recent years have witnessed a dramatic increase in the use of digital interventions, such as game-based therapy, targeting

various domains of cognition to treat mental disorders. Game-based digital interventions have been suggested to ... [Read more...](#)

28. Assessment of socio-demographic characteristics and social status of patients with negative symptoms in schizophrenia at different stages of the disease

15-07-2024 - National Library of Medicine

CONCLUSION: Conclusions: The obtained data can be used to establish diagnostic criteria for patients with negative symptoms in schizophrenia, depending on the dynamics of the disease.

[Read more...](#)

29. Diagnosis and treatment depression in schizophrenia

15-07-2024 - National Library of Medicine

Depression is the third most common illness among patients with schizophrenia which negatively affects the course of the disease and significantly contributes to the mortality rate, due to increased suicide. Depression, along with negative symptoms and cognitive deficits, is one of the main factors that significantly decreases the quality of life and the disease prognosis in patients with ... [Read more...](#)

30. Efficacy and tolerability of brexpiprazole - a new antipsychotic drug from the group of dopamine D2 receptor partial agonists

14-07-2024 - National Library of Medicine

Brexpiprazole is a new antipsychotic drug from the group of dopamine D2/D3 receptor partial agonists. It represents a development of the second-generation antipsychotics and is an important addition to the pharmacological treatment options for schizophrenia. The purpose of this article is to present, illustrated by the case of brexpiprazole, how advances in the pharmacological properties of ... [Read more...](#)

31. Introducing the Role of Genotoxicity in Neurodegenerative Diseases and Neuropsychiatric Disorders

13-07-2024 - National Library of Medicine

Decades of research have identified genetic and environmental factors involved in age-related neurodegenerative diseases and, to a lesser extent, neuropsychiatric disorders. Genomic instability, i.e., the loss of genome integrity, is a common feature among both neurodegenerative (mayo-trophic lateral sclerosis, Parkinson's disease, Alzheimer's disease) and psychiatric (schizophrenia, autism, ... [Read more...](#)

32. Stability and Validity of Self-Reported Depression and Anxiety in Autistic Youth

13-07-2024 - National Library of Medicine

The aim of this study was to assess test-retest reliability and diagnostic validity of self-report instruments of depression and anxiety in autistic youth. Participants were 55 autistic youth aged 8-17 years presenting with depressive or anxiety symptoms. They were interviewed with the Kiddie Schedule for Affective Disorders and Schizophrenia for School-Age Children (K-SADS-PL) and completed ... [Read more...](#)

33. Genetic components of microdeletion syndromes and their role in determining schizophrenia traits

13-07-2024 - National Library of Medicine

Schizophrenia is a neuropsychiatric disorder characterized by various symptoms such as hallucinations, delusions, and disordered thinking. The etiology of this disease is unknown however, it has been linked to many microdeletion syndromes that are likely to contribute to the

pathology of schizophrenia. In this review we have comprehensively analyzed the role of various microdeletion syndromes, ... [Read more...](#)

34. Immune Dysfunction in Schizophrenia Spectrum Disorders

12-07-2024 - National Library of Medicine

Evidence from epidemiological, clinical, and biological research resulted in the immune hypothesis: the hypothesis that immune system dysfunction is involved in the pathophysiology of schizophrenia spectrum disorders (SSD). The promising implication of this hypothesis is the potential to use existing immunomodulatory treatment for innovative interventions for SSD. [Read more...](#)

35. Assessing Caregiving Burden in Family Caregivers of Depression and Schizophrenia in Pakistan

12-07-2024 - National Library of Medicine

CONCLUSION: Family caregivers of schizophrenia undergo the severe burden of care and distress, and they may be considered a high-risk group for the development of mental health problems. Comprehensive intervention programs may be developed to involve them and safeguard their mental health. (Neuropsychopharmacol Hung 2024 26(2): 86-93) Keywords: caregiving burden, family, caregivers, depression, ... [Read more...](#)

36. Application of the Trail Making Test in the in schizophrenia research

12-07-2024 - National Library of Medicine

Even the Kraepelinian concept of dementia praecox suggests a link between schizophrenia and various cognitive deficits. Although cognitive impairment is not a fundamental symptom of schizophrenia, it is considered to be one of the basic features of the disease. The deficit can affect a number of cognitive domains and is most often specific. One of the most pronounced cognitive symptoms of ... [Read more...](#)

37. Involvement of serotonergic receptors in depressive processes and their modulation by beta-arrestins: A review

12-07-2024 - National Library of Medicine

Over time, several studies have been conducted to demonstrate the functions of the neurotransmitter 5-hydroxytryptamine (5-HT), better known as serotonin. This neurotransmitter is associated with the modulation of various social and physiological behaviors, and its dysregulation has consequences at the behavioral level, leading to various neurophysiological disorders. [Read more...](#)

38. Research Progress on the Association between Schizophrenia and Toxoplasma gondii Infection

11-07-2024 - National Library of Medicine

Toxoplasma gondii(T. gondii or Tg), is an obligatory intracellular parasite with humans as its intermediate hosts. In recent years, significant correlations between T. gondii infection and schizophrenia have been reported, including the possible mediating mechanisms. Currently, mechanisms and hypotheses focus on central neurotransmitters, immunity, neuroinflammation, and epigenetics however, ... [Read more...](#)

39. Auditory and Visual Hallucinations in a Congenitally Deaf Patient with Schizophrenia: A Case Report and Brief Literature Review

11-07-2024 - National Library of Medicine

This report discusses the case of a 54-year-old woman with a complex psychiatric history including schizophrenia, tardive dyskinesia, borderline intellectual function, and congenital deafness that reported auditory and visual hallucinations during an acute exacerbation of

schizophrenia. After resuming a previous lithium regimen and introducing olanzapine, the patient improved and was ... [Read more...](#)

40. Evaluation of systemic immune inflammation index and neutrophil-to-lymphocyte ratio in schizophrenia, bipolar disorder and depression

11-07-2024 - National Library of Medicine

CONCLUSION: The results of the study indicate that the significant difference in NLR and SII values persists after treatment in patients with schizophrenia and BD, and that the abnormal inflammatory response continues during the treatment process (Tab. 2, Ref. 41). [Read more...](#)

41. Schizophrenia-Like Deficits and Impaired Glutamate/Gamma-aminobutyric acid Homeostasis in Zfp804a Conditional Knockout Mice

11-07-2024 - National Library of Medicine

CONCLUSIONS: Zfp804a cKO mice reproducing SCZ-like pathological and behavioral phenotypes were successfully developed. A novel mechanism was determined in which Zfp804a caused Glu/GABA imbalance and reduced GAD67 expression, which was partly recovered by clozapine treatment. These findings underscore the role of altered gene expression in understanding the pathogenesis of SCZ and provide a ... [Read more...](#)

42. The role of microglia in early neurodevelopment and the effects of maternal immune activation

11-07-2024 - National Library of Medicine

Activation of the maternal immune system during gestation has been associated with an increased risk for neurodevelopmental disorders in the offspring, particularly schizophrenia and autism spectrum disorder. Microglia, the tissue-resident macrophages of the central nervous system, are implicated as potential mediators of this increased risk. Early in development, ... [Read more...](#)

43. Evaluating Reduced Blood Monitoring Frequency and the Detection of Hematological Abnormalities in Clozapine-Treated Patients With Schizophrenia: A Chart Review Study From the COVID-19 Pandemic

10-07-2024 - National Library of Medicine

CONCLUSIONS: Reducing blood monitoring frequency in patients on clozapine for more than 12 months did not compromise detection of hematological abnormalities. [Read more...](#)

44. Associations of Cognitive Expectancies With Auditory Hallucinations and Hallucinatory-Like Experiences in Patients With Schizophrenia

10-07-2024 - National Library of Medicine

CONCLUSIONS: The current study demonstrates that strong priors in the form of cognitive expectancies affect perception and play a role in perceptual disturbances. There is also a tentative possibility that overreliance on strong priors may be associated with hallucinations in currently hallucinating subjects. Possible, avoidable confounding factors are discussed in detail. [Read more...](#)

45. Combining Radiomics With Connectomics: A Promising New Approach to Characterize Dysconnectivity in Schizophrenia

10-07-2024 - National Library of Medicine

No abstract [Read more...](#)

46. Echoes of Madness: My Journey With Schizophrenia

09-07-2024 - National Library of Medicine

No abstract [Read more...](#)

47. CAN PROBIOTICS PLUS VITAMIN D SUPPLEMENTS BENEFIT PEOPLE WITH SCHIZOPHRENIA?

09-07-2024 - National Library of Medicine

No abstract [Read more...](#)

48. Investigating the role of obesity, circadian disturbances and lifestyle factors in people with schizophrenia and bipolar disorder: Study protocol for the SOMBER trial

08-07-2024 - Public Library of Science (PLoS)

by Mikkel EI Kolind, Rikke Kruse, Anni S. Petersen, Charlotte S. Larsen, Lasse K. Bak, Kurt Højlund, Christoph P. Beier, Elsebeth Stenager, Claus B. Juhl The aim of this study is to investigate circadian rhythms in independently living adults with obesity and mental disease, exploring the interplay between biological markers and lifestyle factors. Eighty participants divided equally into four ... [Read more...](#)

49. Investigating the impact of schizophrenia traits on attention: the role of the theta band in a modified Posner cueing paradigm

08-07-2024 - National Library of Medicine

Joint attention is an indispensable tool for daily communication. Abnormalities in joint attention may be a key reason underlying social impairment in schizophrenia spectrum disorders. In this study, we aimed to explore the attentional orientation mechanism related to schizotypal traits in a social situation. Here, we employed a Posner cueing paradigm with social attentional cues. [Read more...](#)

50. Shared Genetic Architecture Among Gastrointestinal Diseases, Schizophrenia, and Brain Subcortical Volumes

08-07-2024 - National Library of Medicine

CONCLUSIONS: These findings revealed the shared genetic architecture contributing to SCZ and GI diseases, as well as their shared alterations in brain subcortical volumes. These insights have substantial implications for the concurrent development of intervention and therapy targets for these diseases. [Read more...](#)

51. Effect of transcranial direct current stimulation with concurrent cognitive performance targeting posterior parietal cortex vs prefrontal cortex on working memory in schizophrenia: a randomized clinical trial

08-07-2024 - National Library of Medicine

Working memory deficits are linked to irregularities in the dorsolateral prefrontal cortex (DLPFC) and the posterior parietal cortex (PPC) in schizophrenia, effective intervention strategies are lacking. We evaluated the differential efficacy and underlying neuromechanisms of targeting transcranial direct current stimulation (tDCS) at the DLPFC and the PPC with concurrent cognitive ... [Read more...](#)

52. Importance of Early Diagnosis and Treatment of Perioperative Catatonia: A Case Report

07-07-2024 - National Library of Medicine

Symptoms of catatonia include silence, motionlessness, and postural retention. Although it is important to detect and treat catatonia early, before it becomes severe, postoperative cases have inherent risks that hinder diagnosis and treatment. A 60-year-old man with schizophrenia underwent endoscopic/thoracoscopic esophagectomy and was extubated in the operating room. [Read more...](#)

53. Media Use and Its Associations With Paranoia in Schizophrenia and Bipolar Disorder: Ecological Momentary Assessment

05-07-2024 - National Library of Medicine

CONCLUSIONS: This study shows that social media use was associated with a modest decrease in paranoia, perhaps reflecting the clinical benefits of social connection. However, structural disadvantage and individual factors may hamper the accessibility of media activities, and the mental health correlates of media use may further vary as a function of contents and contexts of use. [Read more...](#)

54. Study of the genetic association between selected 3q29 region genes and schizophrenia and autism spectrum disorder in the Japanese population

04-07-2024 - National Library of Medicine

Psychiatric disorders are highly inheritable, and most psychiatric disorders exhibit genetic overlap. Recent studies associated the 3q29 recurrent deletion with schizophrenia (SCZ) and autism spectrum disorder (ASD). In this study, we investigated the association of genes in the 3q29 region with SCZ and ASD. TM4SF19 and PAK2 were chosen as candidate genes for this study based on evidence from ... [Read more...](#)

55. Reduced speech coherence in psychosis-related social media forum posts

04-07-2024 - National Library of Medicine

The extraction of linguistic markers from social media posts, which are indicative of the onset and course of mental disorders, offers great potential for mental healthcare. In the present study, we extracted over one million posts from the popular social media platform Reddit to analyze speech coherence, which reflects formal thought disorder and is a characteristic feature of schizophrenia ... [Read more...](#)

56. Perturbations in gut microbiota composition in schizophrenia

03-07-2024 - Public Library of Science (PLoS)

by YiMeng Wang, SiGuo Bi, XiaoLong Li, YuTao Zhong, DongDong Qi Schizophrenia is a severe, complex and long-term psychiatric disorder with unclear etiology. Gut microbes influence the central nervous system via the gut-brain axis. Consequently, investigations of the relationship between gut microbes and schizophrenia are warranted. This study involved 29 patients with schizophrenia and 30 ... [Read more...](#)

57. Targeted psychological and psychosocial interventions for auditory hallucinations in persons with psychotic disorders: Protocol for a systematic review and meta-analysis

03-07-2024 - Public Library of Science (PLoS)

by Laura Fässler, Irene Bighelli, Stefan Leucht, Michel Sabé, Malek Bajbouj, Christine Knaevelsrud, Kerem Böge Background In recent years, a growing body of evidence has demonstrated the efficacy of non-pharmacological interventions for schizophrenia spectrum disorders (SSD) including positive symptoms such as auditory hallucinations (AH). However, clinical trials predominantly examine ... [Read more...](#)

58. Beyond the symptoms: Exploring attachment styles and reality-testing among schizophrenia clients from a nursing perspective

03-07-2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView. [Read more...](#)

59. Relationship between plasma TNF- α levels and agitation symptoms in first episode patients with schizophrenia

03-07-2024 - National Library of Medicine

CONCLUSIONS: These results suggested that TNF- α might play an important role in the onset and development of agitation symptoms of schizophrenia. [Read more...](#)

60. Primary versus secondary psychosis in a patient with congenital liver disease

03-07-2024 - National Library of Medicine

In this article we report the case of a man with congenital liver disease who later developed psychotic illness and was diagnosed with schizophrenia. We illustrate how decompensation in liver function was associated with the exacerbation of psychotic symptoms. We discuss differential diagnostic challenges, and the possible overlapping neuropathology in these two conditions that may converge ... [Read more...](#)

61. Haloperidol (oral) versus olanzapine (oral) for people with schizophrenia and schizophrenia-spectrum disorders

03-07-2024 - National Library of Medicine

BACKGROUND: Schizophrenia is often a severe and disabling psychiatric disorder. Antipsychotics remain the mainstay of psychotropic treatment for people with psychosis. In limited resource and humanitarian contexts, it is key to have several options for beneficial, low-cost antipsychotics, which require minimal monitoring. We wanted to compare oral haloperidol, ... [Read more...](#)

62. Error in Results

03-07-2024 - The JAMA Network

In the Original Investigation titled "Efficacy and Safety of Xanomeline-Trospium Chloride in Schizophrenia: a Randomized Clinical Trial," published online May 1, 2024, there was an error in the Results. The rate difference for the placebo group was incorrectly reported at 35.4% it should have been 25.4%. This article has been corrected. [Read more...](#)

63. Loss of dysbindin-1 in excitatory neurons in mice impacts NMDAR-dependent behaviors, neuronal morphology and synaptic transmission in the ventral hippocampus

02-07-2024 - National Library of Medicine

Dysbindin-1, a protein encoded by the schizophrenia susceptibility gene DTNBP1, is reduced in the hippocampus of schizophrenia patients. It is expressed in various cellular populations of the brain and implicated in dopaminergic and glutamatergic transmission. To investigate the impact of reduced dysbindin-1 in excitatory cells on hippocampal-associated behaviors and synaptic transmission, ... [Read more...](#)

64. Ivabradine-induced delirium in a patient taking clozapine for treatment-resistant schizophrenia: a case report

02-07-2024 - National Library of Medicine

No abstract [Read more...](#)

65. Patients with schizophrenia in Morocco during the COVID-19 pandemic: a longitudinal observational study

02-07-2024 - National Library of Medicine

CONCLUSION: Home confinement during the COVID-19 pandemic had limited negative impact on the mental health of patients with schizophrenia in Morocco. [Read more...](#)

66. Heavy metal concentrations and clinical symptoms in patients diagnosed with schizophrenia related to cigarette smoking

02-07-2024 - National Library of Medicine

In our study, blood concentrations of lead (Pb), arsenic (As), and cadmium (Cd) and urine concentrations of thallium (Tl) were measured together with related symptoms of heavy metal poisoning in cigarette smoking volunteers diagnosed with schizophrenia, in cigarette smokers not diagnosed with schizophrenia, and in the control group of non-smokers and not diagnosed with schizophrenia volunteers. [Read more...](#)

67. Neuroretinal Alterations in Schizophrenia and Bipolar Disorder: An Updated Meta-analysis

02-07-2024 - National Library of Medicine

Schizophrenia (SZ) and bipolar disorder (BD) are characterized by major symptomatic, cognitive, and neuroanatomical changes. Recent studies have used optical coherence tomography (OCT) to investigate retinal changes in SZ and BD, but their unique and shared changes require further evaluation. Articles were identified using PubMed and Google Scholar. 39 studies met the inclusion criteria. [Read more...](#)

68. The impact of care-recipient relationship type on mental health burden of caregivers for schizophrenia patients: evidence from Beijing, China

01-07-2024 - National Library of Medicine

CONCLUSION: This study reveals that caregivers having different types of care-recipient relationship with schizophrenia patients experience significantly different mental health burdens in Beijing, China, and major influencing factors are distinct according to different care-recipient relationship types. [Read more...](#)

69. Whole-exome sequencing of individuals from an isolated population under extreme conditions implicates rare risk variants of schizophrenia

01-07-2024 - National Library of Medicine

Schizophrenia (SCZ), which affects approximately 1% of the world's population, is a global public health concern. It is generally considered that the interplay between genes and the environment is important in the onset and/or development of SCZ. Although several whole-exome sequencing studies have revealed rare risk variants of SCZ, no rare coding variants have been strongly replicated. [Read more...](#)

70. Clinical, cognitive, and functional characteristics of recent-onset psychosis with autistic features: A 2-year longitudinal study

30-06-2024 - National Library of Medicine

Though categorized as separate illnesses, schizophrenia and autism are known to exhibit shared characteristics. This study explored the distinctions in clinical, cognitive, and functional characteristics among individuals with recent-onset psychosis, considering the severity of their autistic symptoms, involving longitudinal examinations. We analyzed 671 patients with recent-onset psychosis ... [Read more...](#)

71. Neuropeptide FF (NPFF)-positive nerve cells of the human cerebral cortex and white matter in controls, selected neurodegenerative diseases, and schizophrenia

29-06-2024 - National Library of Medicine

We quantified and determined for the first time the distribution pattern of the neuropeptide NPFF in the human cerebral cortex and subjacent white matter. To do so, we studied n = 9 cases without neurological disorders and n = 22 cases with neurodegenerative diseases, including sporadic amyotrophic lateral sclerosis (ALS, n = 8), Alzheimer's disease (AD, n = 8), Pick's disease (PiD, n = 3), ... [Read more...](#)

72. National Institute of Mental Health Support for Cognitive Treatment Development in Schizophrenia: A Narrative Review

28-06-2024 - National Library of Medicine

For several decades the National Institute of Mental Health (NIMH) has supported basic and translational research into cognitive impairment in schizophrenia. This article describes the Institute's ongoing commitment to cognitive assessment and intervention research, as reflected by three signature initiatives-Measurement and Treatment Research to Improve Cognition in Schizophrenia Cognitive ... [Read more...](#)

73. Exploring the impact of biological alterations in the superior thalamic radiations on exploratory eye movements in attenuated psychosis syndrome

28-06-2024 - National Library of Medicine

INTRODUCTION: Aberrant fixation and scan paths in visual searches have been repeatedly reported in schizophrenia. The frontal eye fields (FEF) and thalamus may be responsible for fixation and scan paths. These two regions are connected by superior thalamic radiation (STR) in humans. Studies have reported reduced fixation numbers and shortened scan path lengths in individuals with attenuated ... [Read more...](#)

74. Digital phenotyping correlates of mobile cognitive measures in schizophrenia: A multisite global mental health feasibility trial

28-06-2024 - National Library of Medicine

Traditional cognitive assessments in schizophrenia are time-consuming and necessitate specialized training, making routine evaluation challenging. To overcome these limitations, this study investigates the feasibility and advantages of utilizing smartphone-based assessments to capture both cognitive functioning and digital phenotyping data and compare these results to gold standard measures. [Read more...](#)

75. Causal associations between psoriasis, eczema, urticaria, and mental illness: A bidirectional Mendelian randomization study of the European population

28-06-2024 - National Library of Medicine

Observational studies have reported a relationship between multiple common dermatoses and mental illness. To assess the potential bidirectional causality between 3 skin disorders (psoriasis, eczema, and urticaria) and 4 psychiatric disorders (bipolar disorder, schizophrenia, major depressive disorder, and anxiety) in the European population, we used Mendelian randomization (MR) analysis, ... [Read more...](#)

76. Correction to: Traumatic Brain Injury and Risk of Schizophrenia and Other Non-mood Psychotic Disorders: Findings From a Large Inpatient Database in the United States

28-06-2024 - National Library of Medicine

No abstract [Read more...](#)

[Back to Top](#)

Personality disorder

Personality disorder

1. Adverse Childhood Experiences Among Adolescents With Body Dysmorphic Disorder: Frequency and Clinical Correlates

22-07-2024 - National Library of Medicine

Increasing empirical attention has been given to the role of adverse childhood experiences (ACEs) in the development and maintenance of body dysmorphic disorder (BDD). Yet, current research has predominantly focused on adult and nonclinical BDD samples, and little is known about relevance of ACEs in adolescent BDD. The present study examined (a) the frequency of ACEs in adolescents with a ... [Read more...](#)

2. The role of borderline personality disorder traits in predicting longitudinal variability of major depressive symptoms among a sample of depressed adults

19-07-2024 - National Library of Medicine

CONCLUSIONS: The unexpected findings shed light on the interplay between these disorders, emphasizing the need for further research to understand their association. [Read more...](#)

3. Stepped care approaches for people with personality disorder

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages 582-583 | Lamph, Gary Crawford, MikePeople with personality disorder typically receive mental health services and treatments in times of individual crisis. Evidence for the effectiveness of pharmaceutical treatments for people with personality disorder is absent, while long-term psy... [Read more...](#)

4. The role of psychological formulation in inpatient settings in supporting staff empathy and therapeutic optimism for adults diagnosed with borderline personality disorder: A pre- and post-vignette study

16-07-2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView. [Read more...](#)

5. Serum Erythropoietin and Ischemic-Modified Albumin Levels in Adolescents with Obsessive-Compulsive Disorder

12-07-2024 - National Library of Medicine

Erythropoietin (EPO) has neuroprotective effects by increasing oxidative stress resistance and stabilizing redox balance. Ischemic-modified albumin (IMA) is a product of protein oxidation, and recent evidence suggests that IMA can be used as an indicator of oxidative damage. This study aimed to investigate serum EPO and IMA levels in obsessive-compulsive disorder (OCD) patients and to ... [Read more...](#)

6. Investigating an Acceptance and Commitment Therapy-Based Exposure Therapy Intervention in Treatment-Refractory OCD and Related Disorders: Changes in Psychological Flexibility, Treatment Engagement, and Treatment Perceptions

11-07-2024 - National Library of Medicine

While exposure therapy is the most effective psychological treatment for obsessive-compulsive disorder (OCD), anxiety, and traumatic stress-related disorders, it is not universally effective, indicating a need for further treatment optimization. This study investigated a shift in approach to exposure therapy with 29 treatment-refractory adults in an OCD clinic not responding to standard ... [Read more...](#)

7. Associations between borderline personality disorder symptoms and personality functioning in adolescents: A brief report

11-07-2024 - National Library of Medicine

Borderline personality disorder (BPD) is a serious mental disorder, which has been linked to a number of negative outcomes in adolescents and adults. BPD is generally linked to more severe impairments in personality functioning. The (differential) association of specific BPD symptoms

with severity level, however, has not been explored yet. The present study explores the relationship between ... [Read more...](#)

8. Scoping Review of Acceptance and Commitment Therapy for Obsessive-Compulsive Disorder in Iran

11-07-2024 - National Library of Medicine

Acceptance and commitment therapy (ACT) for obsessive-compulsive disorder (OCD) has been found efficacious in randomized clinical trials (RCTs), but the two widely known RCTs were conducted within the United States with predominantly White samples. Research that evaluates treatments like ACT for OCD outside the typical Western cultures is needed. The current scoping review summarizes the key ... [Read more...](#)

9. Associations between borderline personality disorder symptoms and personality functioning in adolescents: A brief report.

11-07-2024 - DOI Foundation (IDF)

Borderline personality disorder (BPD) is a serious mental disorder, which has been linked to a number of negative outcomes in adolescents and adults. BPD is generally linked to more severe impairments in personality functioning. The (differential) association of specific BPD symptoms with severity level, however, has not been explored yet. The present study explores the relationship between ... [Read more...](#)

10. Visual perspective taking neural processing in forensic cases with high density EEG

10-07-2024 - National Library of Medicine

This EEG study aims at dissecting the differences in the activation of neural generators between borderline personality disorder patients with court-ordered measures (BDL-COM) and healthy controls in visual perspective taking. We focused on the distinction between mentalizing (Avatar) and non-mentalizing (Arrow) stimuli as well as self versus other-perspective in the dot perspective task ... [Read more...](#)

11. Mental Health Hospitalizations in Canadian Children, Adolescents, and Young Adults Over the COVID-19 Pandemic

08-07-2024 - National Library of Medicine

CONCLUSIONS AND RELEVANCE: This cross-sectional study of Canadian youths and young adults found a rise in anxiety, personality disorders, and suicidality in females and a rise in eating disorders in both sexes in the COVID-19-prevalent period. These results suggest that in future pandemics, policymakers should support youths and young adults who are particularly vulnerable to deterioration in ... [Read more...](#)

12. The significance of connectedness: avoidant personality disorder patients' subjective experiences of change after attending a specialized treatment program

08-07-2024 - Frontiers

Kristine Dahl Kjetil Bremer Theresa Wilberg [Read more...](#)

13. A network perspective on posttraumatic stress disorder and comorbid borderline personality disorder symptoms

03-07-2024 - National Library of Medicine

Background: Comorbidity between posttraumatic stress disorder (PTSD) and borderline personality disorder (BPD) is surrounded by diagnostic controversy and although various effective treatments exist, dropout and nonresponse are high. Objective: By estimating the network structure of comorbid PTSD and BPD symptoms, the current study illustrates how the network perspective offers tools to tackle ... [Read more...](#)

14. Borderline Personality Disorder and Eating Disorders: Investigating the Role of Emotion Regulation

03-07-2024 - National Library of Medicine

Objective: Borderline personality disorder (BPD) and eating disorders (EDs) both cause significant distress and co-occur at rates higher than expected, signifying potential overlapping regulatory mechanisms between both disorders. More specifically, both disorders involve emotion regulation deficits, suggesting they may share specific maladaptive regulatory components. [Read more...](#)

15. Can Patients With Narcissistic Personality Disorder Change? A Case Series

01-07-2024 - National Library of Medicine

The study was set out to establish the potential for psychotherapy to effect improvements in patients with narcissistic personality disorder (NPD). Eight patients with NPD who improved in treatment were identified. Consensus clinician/investigator diagnostic scores from before and after the psychotherapies were retroactively established on the Diagnostic Interview for Narcissism (DIN) and the ... [Read more...](#)

16. The Relationship of Rumination, Worry and OCD Symptoms During Technology Supported Mindfulness Therapy for OCD

01-07-2024 - National Library of Medicine

CONCLUSIONS: Individuals in the TSM condition experienced greater reductions in rumination and worry during 8 weeks of TSM treatment compared to the waitlist control, and reduced worry predicted subsequent OCD symptom reduction. [Read more...](#)

17. 'Throw me a life buoy, please': A systematic review and thematic synthesis of qualitative evidence regarding nurses' experiences of caring for inpatients with borderline personality disorder and/or non-suicidal self-injury

28-06-2024 - John Wiley & Sons

Journal of Psychiatric and Mental Health Nursing, EarlyView. [Read more...](#)

18. Rethinking Unacceptable Thoughts: Validation of an Expanded Version of the Dimensional Obsessive-Compulsive Scale

27-06-2024 - National Library of Medicine

The Dimensional Obsessive-Compulsive Scale (DOCS) is widely used to measure obsessive-compulsive disorder (OCD) severity across four broad symptom dimensions (i.e., contamination, responsibility for harm, unacceptable thoughts, symmetry). Despite its proven utility, there is reason to suspect that the unacceptable thoughts subscale conflates different types of unacceptable thoughts that are ... [Read more...](#)

19. A brief screener for impairment in personality functioning: Psychometric validation of the Five-Item Screening Scale for Personality Disorders in a Dutch-speaking clinical sample.

23-05-2024 - DOI Foundation (IDF)

Personality disorders (PDs) are characterized by problems with identity and self-direction. Since the recent dimensional PD models of the Diagnostic and Statistical Manual of Mental Disorders, fifth edition (DSM-5) and the International Statistical Classification of Diseases and Related Health Problems, 11th edition, the role of identity and self-direction in personality pathology has been ... [Read more...](#)

20. Borderline personality disorder stigma: Examining the effects of diagnostic disclosure, behavior, and gender as sources of stigma in the general population.

23-05-2024 - DOI Foundation (IDF)

Borderline personality disorder (BPD) is a severe mental disorder characterized by a pervasive pattern of emotional and behavioral dysregulation. Dysfunction and distress may be compounded by stigmatizing beliefs held by members of the community. There is a lack of research focusing on stigmatizing beliefs about BPD held by the general population. This study addressed this gap by examining ... [Read more...](#)

21. Comparing the symptom presentation similarities and differences of complex posttraumatic stress disorder and borderline personality disorder: A systematic review.

16-05-2024 - DOI Foundation (IDF)

Complex posttraumatic stress disorder (CPTSD) is characterized in the International Classification of Diseases-11 by affect dysregulation, negative self-concept, and relationship impairments, symptoms also presented in borderline personality disorder (BPD). Some research shows CPTSD as a distinct disorder, others as a subgroup or a replacement for BPD. No review currently amalgamates the ... [Read more...](#)

22. Borderline personality disorder and social connectedness: A systematic review.

02-05-2024 - DOI Foundation (IDF)

Borderline personality disorder (BPD) is a debilitating disorder characterized by deficits in social connectedness, which is a multifaceted construct with structural (i.e., the number, diversity, or frequency of social relationships), functional (i.e., the actual or perceived resources relationships provide), and quality (i.e., the positive and negative aspects of social relationships) ... [Read more...](#)

23. Changes in mentalization in patients with personality disorders during sequential brief—Adlerian psychodynamic psychotherapy: The role of therapists' technique and countertransference.

04-04-2024 - DOI Foundation (IDF)

Mentalization, that is the capacity to understand our and others' behaviors in terms of intentional mental states, represents one of the core features of personality disorders (PDs) and can be related to therapists' countertransference (CT) and interventions. Aims: The aim of the present work was to study the relationship between therapists' technique, therapists' CT, ... [Read more...](#)

[Back to Top](#)

Attention Deficit Hyperactivity Disorder

Attention Deficit Hyperactivity Disorder

1. Business case for psychosocial interventions in clinics: potential for decrease in treatment discontinuation and costs

23-07-2024 - National Library of Medicine

CONCLUSIONS: The provision of CBT or mindfulness to women seeking fertility treatment could add value. Higher quality primary studies are needed on the effect of mindfulness on clinical pregnancy rates. [Read more...](#)

2. The mediating effect of the amygdala-frontal circuit on the association between depressive symptoms and cognitive function in Alzheimer's disease

22-07-2024 - National Library of Medicine

Depressive symptoms occur commonly in Alzheimer's disease (AD). Although abnormalities in the amygdala-frontal circuit have been linked to emotional dysregulation and cognitive impairment, the neurological basis underlying these associations in AD patients with depressive symptoms (ADD) is unclear. We aimed to investigate the relationship between the amygdala-frontal circuit and depressive ... [Read more...](#)

3. [Correspondence] Stereotactic ablative radiotherapy and immunotherapy for early-stage lung cancer

18-07-2024 - Elsevier

Joe Y Chang and colleagues reported on a randomised phase 2 trial in medically inoperable patients with early-stage (IA–IIB) node-negative non-small-cell lung cancer (NSCLC) or isolated parenchymal recurrences.¹ The addition of nivolumab to stereotactic ablative radiotherapy (SABR) led to improved 4-year event-free survival compared with SABR alone (77% vs 53% hazard ratio 0.38, ... [Read more...](#)

4. [Correspondence] Integrate evidence certainty in ranking interventions – Authors' reply

18-07-2024 - Elsevier

We thank Yiyong Wei and colleagues for their Correspondence about our iCOMP network meta-analysis.¹ We agree with the authors that rankings in network meta-analysis need to be interpreted with caution, and that they might be misleading when interpreted in isolation. Yet, we believe that when interpreted correctly, rankings complement measures of effect size and assessments of certainty of ... [Read more...](#)

5. Effect of juggling expertise on pointing performance in peripheral vision

12-07-2024 - Public Library of Science (PLoS)

by Tristan Jurkiewicz, Ludovic Delporte, Patrice Revol, Yves Rossetti, Laure Pisella Juggling is a very complex activity requiring motor, visual and coordination skills. Expert jugglers experience a “third eye” monitoring leftward and rightward ball zenith positions alternately, in the upper visual fields, while maintaining their gaze straight-ahead. This “third eye” reduces their motor noise ... [Read more...](#)

6. Association of psychological violence, harassment, and cyberbullying with depression and turnover intentions in female nurses

10-07-2024 - National Library of Medicine

PURPOSE: Psychological violence and harassment have been reported to be associated with mental health problems and turnover intention among nurses. Cyberbullying, a hidden form of harassment using information and communication technology, is attracting attention as a factor that threatens the mental health of nurses. This study aimed to add coping characteristics, social support, ... [Read more...](#)

7. Her village: experiences of drug-involved women in a female-only aftercare program in the Philippines

10-07-2024 - National Library of Medicine

PURPOSE: Women are exposed to vulnerabilities that can lead to drug use or hinder recovery. However, there is a dearth of studies on recovery programs for women. This study aims to add to the literature by examining the feasibility of a women-only aftercare program for recovering users in the Philippines. [Read more...](#)

8. We need a contract between the public and the NHS that focuses on prevention

04-07-2024 - British Medical Journal

Cunnett and Smith argue for a new public conversation about the NHS.¹ But we must go further than they suggest. We need a new “contract” between the public and patients and the NHS, and to review medical care in the last phases of life (fewer drugs and more care). We also need to be realistic about what a publicly funded service can offer—slightly restricted but high quality responsive care, ... [Read more...](#)

9. The criteria used to rule out mild cognitive impairment impact dementia incidence rates in subjective cognitive decline

29-06-2024 - National Library of Medicine

CONCLUSIONS: This study highlights that the approach used to ascertain SCD has important implications for both SCD phenotypes and prognosis. This underscores the importance of how MCI is operationalized within SCD studies. More broadly, the findings add to a growing body of work indicating that objective cognition should not be overlooked in SCD, and offer a potential explanation for the ... [Read more...](#)

[Back to Top](#)

Eating disorders

Eating disorders

1. Bulimia Nervosa and Treatment-Related Disparities: A Review

25-07-2024 - Frontiers

Kim Wilson Robert Kagabo [Read more...](#)

2. The Moderating Role of Food Cravings in the Relationship between Weight Suppression and Eating Disorder Psychopathology in College Students

22-07-2024 - Frontiers

Susana Cruz Garcia Julia M. Hormes [Read more...](#)

3. Bidirectional Associations between Probable Eating Disorders and Mental Health Conditions Among Military Service Members and Veterans

20-07-2024 - National Library of Medicine

Although prior research has examined the prevalence of eating disorders (EDs) such as binge eating disorder (BED) and bulimia nervosa (BN) among military personnel, less is known regarding temporal associations between EDs and other mental health conditions. Using longitudinal data from 179,694 service members and veterans from the Millennium Cohort Study, temporal associations between EDs ... [Read more...](#)

4. Cortical thickness and childhood eating behaviors: differences according to sex and age, and relevance for eating disorders

19-07-2024 - National Library of Medicine

CONCLUSIONS: Leveraging on a community sample, findings support distinct patterns of associations between eating behaviors and cortical thickness, depending on sex and age. [Read more...](#)

5. Suicide in patients with eating disorders: lessons to learn

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages 574-575 | Zipfel, Stephan Giel, Katrin E Fernandez-Aranda, Fernando... In The Lancet Psychiatry, Catherine Hercus and colleagues present a unique nationwide retrospective cohort study on suicide in secondary care

patients with eating disorders in England based on data from the National Confidential Inquiry into Suici... [Read more...](#)

6. Suicide in individuals with eating disorders who had sought mental health treatment in England: a national retrospective cohort study

18-07-2024 - *ClinicalKey (Elsevier)*

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages 592-600 | Hercus, Catherine, FRANZCP Baird, Alison, PhD Ibrahim, Saied, PhD...
SummaryBackgroundAlthough studies have suggested a high risk of suicide in people with eating disorders, most studies have focused on suicidal ideation and attempts. There is little research on the characteristics of people with eating disorders w... [Read more...](#)

7. Eating Disorders Across the Gender Spectrum: Clinical Presentation and Treatment Outcomes in Boys and Transgender and Gender-Expansive Youth

18-07-2024 - *National Library of Medicine*

No abstract [Read more...](#)

8. Eating patterns and risk of eating disorders in adolescents

18-07-2024 - *National Library of Medicine*

Adolescence is a critical period for the onset of eating disorders, which affect an adolescent's diet and can have adverse and long-term health consequences. The relationship between the risk of eating disorders and the diet of Russian adolescents has been little studied. The objective of the research was to characterize the relationship between the risk of eating disorders and dietary ... [Read more...](#)

9. Are Sub-elite Athletes at Higher Risk of Eating Disorders, Exercise Addiction, Depression, and Low Energy Availability Compared With Elite Athletes?

16-07-2024 - *National Library of Medicine*

CONCLUSIONS: Sub-elite athletes have a higher risk of eating disorders compared with elite athletes. Regular screening of ED symptoms and associated conditions in elite and especially sub-elite athletes may ensure early identification. [Read more...](#)

10. Differences in menopausal quality of life, body appreciation, and body dissatisfaction between women at high and low risk of an eating disorder

16-07-2024 - *National Library of Medicine*

OBJECTIVE: Experiences of menopause and quality of life during menopause can vary extensively among women. While menopause has been associated with negative impacts on eating and body image, it is unclear to what extent quality of life differs by eating disorder risk status. The aim of this study was to explore how menopause symptoms and quality of life differ between those women at high- or ... [Read more...](#)

11. Network dynamics of self-compassion, anxiety, and depression during eating disorder therapy

14-07-2024 - *National Library of Medicine*

CONCLUSION: Temporal network analyses suggest that a change in hopelessness, worrying, and restlessness drives symptom improvement in ED behaviour and the development of self-compassion during residential treatment. These processes vary between patients with and without a history of childhood maltreatment separately, indicating the need for further analyses. [Read more...](#)

12. Integrating nutrition, physical exercise, psychosocial support and antiemetic drugs into CINV management: the road to success

13-07-2024 - *National Library of Medicine*

Over the years, advancements in antiemetic drugs have improved chemotherapy-induced nausea and vomiting (CINV) control. However, despite the antiemetics therapies, in a relevant number of adult patients (~30%), CINV is still persistent, leading to several complications, such as electrolyte imbalances, anorexia, and treatment discontinuation. Supportive care interventions have gained ... [Read more...](#)

13. Disordered Eating/Eating Disorders in Adolescents

13-07-2024 - National Library of Medicine

The coronavirus disease 2019 pandemic was as tressful time for adolescents, with increased isolation, loss of routines, and changes in access to medical care. In this setting, the medical system saw a significant rise in the number of adolescents seeking care for eating disorders, as well as increased severity of patient presentation. Telehealth treatment for eating disorders was a unique ... [Read more...](#)

14. Peripheral Biomarkers of Anorexia Nervosa: A Meta-Analysis

13-07-2024 - National Library of Medicine

The pathogenesis of anorexia nervosa (AN) has been hypothesized to involve several biological systems. However, reliable biomarkers for AN have yet to be established. This study was aimed to identify statistically significant and clinically meaningful peripheral biomarkers associated with AN. A systematic literature search was conducted to identify studies published in English from inception ... [Read more...](#)

15. Predictive Model of the Relationship between Appearance, Eating Attitudes, and Physical Activity Behavior in Young People amid COVID-19

13-07-2024 - National Library of Medicine

This cross-sectional study conducted in Poland explored the relationship between the fear of negative appearance evaluations, eating disorders, and physical activity objectives, particularly during the COVID-19 pandemic. The Fear of Negative Appearance Evaluation Scale (FNAES), the Eating Attitude Test (EAT-26), and the Physical Activity Goals Inventory (IPAO) were administered to 644 ... [Read more...](#)

16. Economic uncertainty and mental health: Global evidence, 1991 to 2019

11-07-2024 - National Library of Medicine

Mental health has deteriorated globally due to COVID-19, climate crisis, economic policies, and regional conflicts, requiring immediate attention. This study aims to comprehend the relationship between economic uncertainty and the prevalence of anxiety disorders, major depressive disorder, and eating disorders across various demographics and countries. Using robust fixed-effect models, ... [Read more...](#)

17. Mental Health, and Eating Disorders in Patients After Roux-en-Y Gastric Bypass Surgery (RYGB)

09-07-2024 - National Library of Medicine

Introduction: Obesity, as one of the main health problems worldwide, is associated with an increased risk of developing mental and eating disorders and negative eating habits. Bariatric surgery allows for rapid weight loss and alleviates the symptoms of concomitant diseases in obese patients. Aim: Pre- and postoperative estimation of mental disorders and eating behaviors in patients after ... [Read more...](#)

18. Effects of repetitive transcranial magnetic stimulation of the right inferior parietal lobe on the body image perception in anorexia nervosa: A pilot randomized controlled study

06-07-2024 - National Library of Medicine

CONCLUSION: This pilot study does not support the use of rTMS of the rIPL as an effective method for improving body shape perception in individuals with the restrictive form of AN. Further research is warranted to comprehensively explore both the clinical and neurophysiological effects of HF rTMS in this population. [Read more...](#)

19. The human VGLUT3-pT8I mutation elicits uneven striatal DA signaling, food or drug maladaptive consumption in male mice

06-07-2024 - National Library of Medicine

Cholinergic striatal interneurons (ChIs) express the vesicular glutamate transporter 3 (VGLUT3) which allows them to regulate the striatal network with glutamate and acetylcholine (ACh). In addition, VGLUT3-dependent glutamate increases ACh vesicular stores through vesicular synergy. A missense polymorphism, VGLUT3-p.T8I, was identified in patients with substance use disorders (SUDs) and ... [Read more...](#)

20. Chatbot aimed to promote mental health services use for eating disorders following online screening: Comment

05-07-2024 - National Library of Medicine

No abstract [Read more...](#)

21. Web-Based Cognitive Behavioral Treatment for Bulimia Nervosa: A Randomized Clinical Trial

03-07-2024 - National Library of Medicine

CONCLUSIONS AND RELEVANCE: In this randomized clinical trial, a web-based cognitive behavioral self-help intervention effectively decreased eating disorder symptoms and illness-related burden in individuals with BN, underlining the potential of digital interventions to complement established treatments. [Read more...](#)

22. Who gets treated for an eating disorder? Implications for inference based on clinical populations

03-07-2024 - National Library of Medicine

CONCLUSIONS: Most women meeting criteria for an eating disorder do not receive treatment. Women with BED or obesity are the least likely to receive treatment. [Read more...](#)

23. The Contribution of Shame to Eating Disorder Treatment Outcomes in a Community Mental Health Clinic

03-07-2024 - National Library of Medicine

OBJECTIVE: Shame is a powerful self-conscious emotion that is often experienced by individuals with eating disorders (EDs). While the association between EDs and shame is well-established, there is limited research investigating the contribution of pre-treatment shame to clinical outcomes. [Read more...](#)

24. Issues Related to the Use of Visual Social Networks and Perceived Usefulness of Social Media Literacy During the Recovery Phase: Qualitative Research Among Girls With Eating Disorders

02-07-2024 - National Library of Medicine

CONCLUSIONS: The findings provide important insights for health professionals working with youth in preparing media literacy programs. These programs aim to reduce potential risks and amplify the positive effects of online resources. They underscore the importance of addressing this issue during hospitalization to develop skills and critical thinking aimed at changing small habits that ... [Read more...](#)

25. Anxiety, eating disorders and menstrual disturbances risk in Spanish elite female paddlers

02-07-2024 - National Library of Medicine

Affiliated athletes are frequently subject to higher levels of anxiety due to the intensity of training, competition and many other factors. This anxiety can cause alterations in their health, both physically and mentally, such as menstrual irregularities, eating disorders, etc. In this work we have analysed the anxiety levels of a population of female affiliated paddlers and the possible ...

[Read more...](#)

26. Gender stereotypes in eating disorder recognition

02-07-2024 - National Library of Medicine

CONCLUSION: These results highlight the importance of education on EDs and awareness that EDs can occur in any individual, regardless of their gender identification. [Read more...](#)

27. Cancer-related cognitive impairment as a key contributor to psychopathology in cancer survivors: implications for prevention, treatment and supportive care

02-07-2024 - National Library of Medicine

A significant proportion of cancer survivors will experience some form of mental health compromise across domains including mood, anxiety, psychosis, eating disorders, and substance use. This psychopathology within cancer survivors is related to a range of negative outcomes and can also have a substantial negative impact on quality of life. Along with psychopathology, ...

[Read more...](#)

28. Adjunctive electroconvulsive therapy in the treatment of a patient with comorbid major depressive disorder, posttraumatic stress disorder, and anorexia nervosa - a case report

01-07-2024 - National Library of Medicine

PURPOSE: Posttraumatic stress disorder (PTSD) is still-underdiagnosed and often accompanied by other psychiatric disorders affecting treatment and outcomes. [Read more...](#)

29. Eating Disorders: All that a Pediatrician Should Know

29-06-2024 - National Library of Medicine

Eating Disorders are psychiatric conditions that can manifest clinically as malnutrition due to restrictive eating and weight control behaviors or obesity due to binge eating. Eating disorders such as anorexia and bulimia nervosa have peak onset during adolescence and young adulthood. This population is at the highest risk due to psychosocial changes surrounding identity development and body ... [Read more...](#)

30. Understanding a person's whole identity and lived experience is crucial in managing eating disorders

28-06-2024 - National Library of Medicine

No abstract [Read more...](#)

31. Negative emotional eating patterns in general Chinese adults: A replication and expansion study examining group differences in eating disorder symptomatology, psychosocial impairment, and emotion regulation difficulties

27-06-2024 - National Library of Medicine

Previous research identified four patterns of negative emotional eating in American and Chinese university students and proposed future directions (e.g., exploring potential differences in emotion regulation across patterns and replicating the patterns in a general, non-student population). Furthermore, prior research has not explored group differences in muscularity-oriented eating disorder ... [Read more...](#)

32. Higher orthorexia tendency among female fashion models: an empirical international study

27-06-2024 - National Library of Medicine

CONCLUSION: Fashion models are at risk for the development of eating disorders. Even though not yet included in the DSM-5, the assessment of orthorexia nervosa among fashion models seems to be important. It is suggested to take appropriate measures to prevent the spread of disordered eating habits among models as they can lead to the development of anorexia nervosa or bulimia nervosa. [Read more...](#)

33. Risk Factors That Predict Future Onset of Anorexia Nervosa, Bulimia Nervosa, Binge Eating Disorder, and Purging Disorder in Adolescent Girls

27-06-2024 - National Library of Medicine

Because very few prospective studies have identified risk factors that predicted future onset of threshold/subthreshold anorexia nervosa (AN), bulimia nervosa (BN), binge eating disorder (BED), and purging disorder (PD), we analyzed prospective data collected from a large cohort of adolescent girls followed over an 8-year period to advance knowledge about risk factor specificity. [Read more...](#)

34. Clinical Experiences Using Cognitive-Behavioral Therapy for Eating Disorders

27-06-2024 - National Library of Medicine

Data suggests that despite the availability of evidence-based psychological treatments for eating disorders (EDs), techniques from these therapies may be less frequently used within real-life clinical practice. The aim of this study was to provide the opportunity for clinicians to give feedback on their experiences treating EDs using cognitive-behavioral therapy (CBT) through reporting on use ... [Read more...](#)

[Back to Top](#)

Self-harm

Self-harm

1. Non-suicidal self-injury in the COVID-19 pandemic: results from cross-sectional surveys among Brazilian adults from 2020 to 2023

24-07-2024 - Frontiers

Andre Faro Walter Lisboa Brenda F. Silva-Ferraz Derek Falk [Read more...](#)

2. The smallest things make me emotional! Emotion reactivity in nonsuicidal self-injury: Trait, state and physiological differences

23-07-2024 - Frontiers

Melissa S Jankowski Aubrey J Legasse Victoria Quinones Meaghan L Delcourt Emily A P Haigh [Read more...](#)

3. Cognitive impairment in major depressive disorder with non-suicidal self-injury: Association with the functional connectivity of frontotemporal cortex

21-07-2024 - National Library of Medicine

CONCLUSION: In MDD patients, the appearance of NSSI is often accompanied by further impairment of attention/alertness and a decline in functional connectivity of the frontotemporal cortex. The impairment of verbal learning and working memory was associated with decreased functional connectivity of the frontotemporal cortex in MDD patients with NSSI. [Read more...](#)

4. Sex differences in self-harm and suicide in young autistic adults

20-07-2024 - National Library of Medicine

CONCLUSION: Autistic males and females are at increased risk of death from suicide following severe self-harm, particularly self-cutting. [Read more...](#)

5. The relationship between childhood maltreatment and self-harm: the mediating roles of alexithymia, dissociation, internalizing and posttraumatic symptoms

19-07-2024 - National Library of Medicine

Background: Although childhood maltreatment is associated with later self-harm, the mechanism through which it might lead to self-harm is not completely understood. The purpose of this study was to examine the roles of alexithymia, dissociation, internalizing and posttraumatic symptoms in the association between exposure to childhood maltreatment and subsequent self-harm. [Read more...](#)

6. An analysis of risk factors and current status of depressive mood in mid-to-late adolescence and early adulthood in northern China

19-07-2024 - National Library of Medicine

INTRODUCTION: At present, the incidence of adolescent depression is increasing each year, having a wide and profound impact on adolescents. This study investigated the mood state of mid-to-late adolescents and young adults and analyzed related factors clarified the incidence of depression, suicide, and self-injurious thoughts/behaviors in this population and conducted relevant analysis of ... [Read more...](#)

7. Sex differences in self-harm and suicide in young autistic adults

19-07-2024 - John Wiley & Sons

Acta Psychiatrica Scandinavica, EarlyView. [Read more...](#)

8. Friendships and peer relationships and self-harm ideation and behaviour among young people: a systematic review and narrative synthesis

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages 633-657 | Bilello, Delfina, PhD Townsend, Ellen, Prof Broome, Matthew R, Prof...Summary Friendships and peer relationships have an important role in the experience of self-harm ideation and behaviour in young people, yet they typically remain overlooked. This systematic review and narrative synthesis explores the extant litera... [Read more...](#)

9. The weight of weights: Causal impact of overweight on major depressive disorder and its disparate association with suicide attempts in over 450,000 individuals of European ancestry (AM-SRNMA 003)

17-07-2024 - National Library of Medicine

CONCLUSION: This study has provided evidence for the causal relationship between overweight and MDD, BD, ADHD, with no observed relationship between overweight and AD, MA, PD, SZ, SUD, ASD, ever attempted suicide, recent thoughts of suicide or self-harm, and suicide or other intentional self-harm events. [Read more...](#)

10. Suicidal ideation, suicide attempt, and self-injury among American Indian, Alaskan Native, and Native Hawaiian college students in the United States from 2015 to 2019

17-07-2024 - National Library of Medicine

CONCLUSIONS: We identified opioid misuse as a potential risk factor for suicidal ideation and intentional self-injury among populations of AI/AN/NH college students. Programs seeking to reduce suicide prevalence among Indigenous college students may benefit from the inclusion of evidence-based interventions that prevent and treat issues related to opioid use. [Read more...](#)

11. Are face transplant candidates choosing autonomously? A preliminary method to evaluate autonomous choosing in psychosocial and bioethical assessments

12-07-2024 - National Library of Medicine

This report proposes a framework for evaluating the validity of informed consent and autonomy in face transplant candidates, taking into account the risk of depression and non-compliance. Traditional factors like decisional capacity, disclosure, comprehension, voluntariness, and agreement are insufficient for assessing valid informed consent in individuals whose self-worth relies on public ... [Read more...](#)

12. Non-Suicidal Self-Injury and Suicide Risk Among Adult Medical Inpatients

12-07-2024 - National Library of Medicine

CONCLUSIONS: Adult medical inpatients with a lifetime history of NSSI were significantly more likely to screen positive for suicide risk. Research examining NSSI among adult medical patients is especially relevant for suicide risk detection and prevention efforts. [Read more...](#)

13. Suicide, suicide attempts and self-harm in Moroccan prisons

10-07-2024 - National Library of Medicine

PURPOSE: High rates of suicide and self-harm are reported in prisons in Western countries, while fewer studies exist from a non-Western context. This study aims to identify rates of suicide, non-fatal suicide attempts and self-harm in Moroccan prisons and to better understand the context, methods, tools, predictors and profile of persons engaged in the acts. [Read more...](#)

14. Promoting Adolescent Suicide Prevention Programmes in Pakistan: An Insight into Challenges and Opportunities

09-07-2024 - National Library of Medicine

Suicide is a global health concern, with profound social, emotional, and economic repercussions for individuals, families, and communities. Suicidal behaviour among adolescents, encompassing ideation, self-harm, and suicide attempts poses a significant global public health challenge. The cultural, social, and economic factors that contribute to suicide in Pakistan are complex and multifaceted, ... [Read more...](#)

15. Effect of Parenting Style, Attachment to Parents, and Selfcompassion on the Occurrence and Recovery Motivation for Nonsuicide Self-injury in Adolescents

09-07-2024 - Frontiers

Pei Liu Jianbo Liu Yi Li Jianping Lu [Read more...](#)

16. Differences in self-harm among adolescents and young adults with autism spectrum disorder: a gender-based approach

08-07-2024 - National Library of Medicine

CONCLUSIONS: Although the study concluded that there is no substantially greater likelihood of one sex in particular engaging non-suicidal self-harm, significant differences were identified in terms of the specific types of self-harm, and the motivations or functions associated with these non-suicidal self-harming behaviours. [Read more...](#)

17. Psychosocial factors affect the occurrence of nonsuicidal self-injury in adolescents with major depressive disorder through chain mediation

08-07-2024 - National Library of Medicine

In the adolescent group, about half of adolescents with major depressive disorder (MDD) have NSSI. Psychosocial factors are associated with the development of NSSI. Clarifying the relationship between psychosocial factors and NSSI in adolescents with MDD can help us achieve

early prevent. Demographic data, Hamilton Depression Scale-24 (HAMA(24)), childhood trauma questionnaire, ... [Read more...](#)

18. Unintentional Intoxication or Injury and Risk for Self-Harm in Young People

03-07-2024 - *The JAMA Network*

This cohort study explores the risk of nonfatal self-harm in French adolescents and young adults hospitalized for unintentional intoxication or injury. [Read more...](#)

19. Characteristics of surveillance systems for suicide and self-harm: A scoping review

02-07-2024 - *National Library of Medicine*

CONCLUSIONS: This review identified the characteristics of surveillance systems for suicide and self-harm. Monitoring and evaluation are crucial for ongoing relevance and impact on prevention efforts. [Read more...](#)

20. Experiences and Cognitive Characteristics of Non-Suicidal Self-Injury in Adolescents With Depression: A Qualitative Study

01-07-2024 - *National Library of Medicine*

CONCLUSION: Although nursing staff should provide comprehensive treatment and psychological support, efforts should also be made to strengthen caregiving skills of family members, thereby promoting overall physical and mental health of adolescents. [Journal of Psychosocial Nursing and Mental Health Services, xx(x), xx-xx.]. [Read more...](#)

21. Books: The Anxious Generation: How the Great Rewiring of Childhood is Causing an Epidemic of Mental Illness: Gen Z and the meteoric rise in anxiety, depression, and self-harm

27-06-2024 - *National Library of Medicine*

No abstract [Read more...](#)

22. Prevalence and incidence of suicide, suicidal ideation and self-harm in caregivers of cancer patients: A systematic review and meta-analysis

27-06-2024 - *National Library of Medicine*

CONCLUSION: We highlight the need for more support of CPCs at risk of suicidality. Additional research is warranted to identify other risk and protective factors. [Read more...](#)

23. Comparing times of self-harm presentations to hospital emergency departments in children, adolescents, young adults and adults: a national registry study 2007–2019

27-06-2024 - *BioMed Central*

The few studies that have explored self-harm presentation times at hospital emergency departments (EDs) – an important factor that can determine if a patient receives a mental health assessment – primarily foc... [Read more...](#)

24. Adolescents Who Do Not Endorse Risk via the Patient Health Questionnaire Before Self-Harm or Suicide

24-04-2024 - *The JAMA Network*

This cohort study investigates the characteristics of adolescents with a history of depression who do not endorse risk on the Patient Health Questionnaire before self-harm or suicide. [Read more...](#)

[Back to Top](#)

Suicide

Suicide

1. Culturally Contextualized Suicide Prevention for International Students: New Opportunities for Research and Practice

26-07-2024 - *Frontiers*

Samuel McKay Jocelyn Meza [Read more...](#)

2. Perceptions of mental health, suicide and working conditions in the construction industry—A qualitative study

24-07-2024 - *Public Library of Science (PLoS)*

by Kristina Aurelius, Mia Söderberg, Viktoria Wahlström, Margda Waern, Anthony D. LaMontagne, Maria Åberg
Objective The aim of the study was to explore perceptions of mental ill health, suicidal behaviour and working conditions among male construction workers, in order to gain an in-depth understanding of these phenomenon and to identify relevant avenues for workplace interventions. [Read more...](#)

3. Psychosocial and Psychiatric Factors Associated with Expected Fatality during Suicide Attempt in Men and Women

24-07-2024 - *National Library of Medicine*

CONCLUSION: There is a difference in risk factors for expected fatality and intent in men and women attempting suicide, which may not necessarily result in severe medical outcomes but may help during the post-crisis counseling of suicide attempters. Expected fatality deserves more attention as a component of general intent. An in-depth study of this phenomenon may help to understand motives ... [Read more...](#)

4. Intentional Insulin Overdose and Depression in Subjects with and Without Diabetes Mellitus: A Commentary

24-07-2024 - *National Library of Medicine*

Insulin is an essential medication for people with type 1 diabetes mellitus and for some people with type 2 diabetes. Interestingly, insulin abuse has been reported as a mode of suicide, not only among people with diabetes, but also among their relatives, and among medical and paramedical personnel who have access to insulin. The aim of the present commentary was to raise awareness of ... [Read more...](#)

5. The investigation of relationship between serum melatonin levels with Beck Depression Inventory and Beck Scale for Suicidal Ideation in suicide patients

24-07-2024 - *National Library of Medicine*

CONCLUSION: According to our results, it was determined that there was a significant negative relationship between melatonin level and the Beck Scale for Suicidal Ideation scoring. [Read more...](#)

6. Reliability of Suicide Risk Estimates: A Vignette Study

24-07-2024 - *National Library of Medicine*

CONCLUSIONS: The results highlight that the reliability of unguided suicide risk assessments is questionable. Standardized risk assessment protocols are therefore recommended. Nonetheless, even reliable risk estimation does not imply predictive validity of risk estimates for future suicidal behavior. [Read more...](#)

7. Response to Doctors for Life on assisted suicide

23-07-2024 - *National Library of Medicine*

No abstract [Read more...](#)

8. Association of alpha-Klotho with regulation of Keap1/Nrf2/Interleukin-1 pathway and AMPA receptor trafficking in the brain of suicide victims

23-07-2024 - National Library of Medicine

Suicide is a significant public health challenge worldwide. Statistical data confirm a strong relationship between suicidal behavior and depressive disorders (DDs), but the molecular mechanisms of these diseases are still poorly understood. A growing body of research suggests that the Klotho-mediated pathway may be a novel intracellular target for the development of suicide-related disorders ... [Read more...](#)

9. Predicting negative attitudes towards suicide in social media texts: prediction model development and validation study

23-07-2024 - National Library of Medicine

CONCLUSION: This study demonstrates the efficiency and necessity of machine learning prediction of negative attitudes as a whole, and confirms that external validation is essential before implementing prediction models into practice. [Read more...](#)

10. Evaluating the Relationship between Depression, Suicidal Thoughts, and Ulcerative Colitis in Acne Patients on Isotretinoin: A Case-Control Study

23-07-2024 - National Library of Medicine

No abstract [Read more...](#)

11. Assisted suicide: Ethical considerations and the South African debate

23-07-2024 - National Library of Medicine

No abstract [Read more...](#)

12. Autopsy rates and the misclassification of suicide and accident deaths

23-07-2024 - National Library of Medicine

Mortality statistics are critical to determine the burden of disease. Certain causes of death are prone to being misclassified on cause of death certificates. This poses a serious risk for public health and safety, as accurate death certificates form the basis for mortality statistics, which in turn are crucial for research, funding allocation and health interventions. [Read more...](#)

13. Correction: A meta-analysis of the effects of ketamine on suicidal ideation in depression patients

23-07-2024 - National Library of Medicine

No abstract [Read more...](#)

14. "She Was Feeling Overwhelmed at Home Caring for Her Children": Expectations of "Intensive Motherhood" as a Risk Factor for Young Women's Suicide

23-07-2024 - National Library of Medicine

Suicide is a leading cause of death among young women and are perinatal mothers. This paper explores how expectations of motherhood played a role in young women's deaths by suicide. I question the notion that motherhood is a "protective" factor against suicide. Using the concept of "intensive motherhood," I interrogate how expectations of mothers became fatal. [Read more...](#)

15. Attachment Style, Social Support Network, and Lifetime Suicide Ideation and Suicide Attempts Among New Soldiers in the U.S. Army

23-07-2024 - National Library of Medicine

CONCLUSION: This study highlights the need for increased understanding of the role of attachment style and social networks in suicide risk, in particular preoccupied attachment among

soldiers with SI. A critical next step is to explore these relationships prospectively to guide intervention development. [Read more...](#)

16. Improving access to suicide prevention services through the National Suicide Prevention Framework implementation: The community level evidence-based recommendations

23-07-2024 - National Library of Medicine

No abstract [Read more...](#)

17. Firearm ownership and suicide: Has the time come to discuss uniformity of health and social assessments in aid of regulation? Reflection from a retrospective study on a forensic case series

23-07-2024 - National Library of Medicine

CONCLUSIONS: Knowledge about firearm suicide and its relation to firearm legal possession is limited and current preventive laws should be reconsidered. Present administrative and clinical examinations required to obtain a firearm license in Italy and in some European territories are dealt with. The evaluation of the firearm-related risk of abuse is an essential but complex procedure, ... [Read more...](#)

18. Validation of the Paykel Suicide Scale and the Plutchik Suicide Risk Scale in Spanish Women during the Perinatal Period

23-07-2024 - John Wiley & Sons

Depression and Anxiety, Volume 2024, Issue 1, 2024. [Read more...](#)

19. Mindsets of suicide trajectories: An Linguistic Inquiry and Word Count analysis of suicide hotline conversations

22-07-2024 - National Library of Medicine

CONCLUSION: The psychological characteristics of people with various suicide risks can be described and differentiated via the closed-word categories and composite indicators. These results provide useful information for practitioners and researchers. [Read more...](#)

20. Constructing prediction models and analyzing factors in suicidal ideation using machine learning, focusing on the older population

22-07-2024 - National Library of Medicine

Suicide among the older population is a significant public health concern in South Korea. As the older individuals have long considered suicide before committing suicide trials, it is important to analyze the suicidal ideation that precedes the suicide attempt for intervention. In this study, six machine learning algorithms were employed to construct a predictive model for suicidal thinking ... [Read more...](#)

21. Social prescribing for suicide prevention: a rapid review

22-07-2024 - National Library of Medicine

This rapid review delves into the realm of social prescribing as a novel approach to suicide prevention by addressing the social determinants of health. Through an exploration of various databases including MEDLINE, PsychInfo, WILEY, and Sage, a total of 3,063 articles were initially identified as potentially relevant to the research. Following a meticulous screening process, ... [Read more...](#)

22. Masculinity and Afrocentric Worldview: Assessing Risk and Protective Factors of Self-Reliance and Ubuntu on Young Black Men's Suicide Ideation

22-07-2024 - National Library of Medicine

CONCLUSION: These findings suggest that compassion, an important aspect of Ubuntu, may have a protective effect against suicidal ideation, whereas high levels of depression and self-reliance may be linked to a greater vulnerability to suicidal ideation. As such, the current study recommends that interventions should reduce suicidal ideation and increase mental well-being among YBMs. [Read more...](#)

23. Prediction of the mechanism of suicide among Minnesota residents using data from the Minnesota violent death reporting system (MNVDRS)

22-07-2024 - National Library of Medicine

CONCLUSIONS: The study demonstrated that the use of a firearm in a death by suicide, as opposed to any other means of suicide, can be reasonably well predicted when an individual's social determinants and personal history are considered. These predictive models could help inform many prevention strategies, such as safe storage practices, background checks for firearm purchases or red flag laws. [Read more...](#)

24. Development of an Optimized Promoter System for Exosomal and Naked AAV Vector-Based Suicide Gene Therapy in Hepatocellular Carcinoma

22-07-2024 - National Library of Medicine

Suicide gene therapy is a promising strategy for the potential treatment of hepatocellular carcinoma (HCC). However, the lack of high transduction efficiency and targeted vectors in delivering the suicide genes to only the HCC cells is a major impediment. In the present study, we utilized an adeno-associated virus serotype 6 (AAV6) and its exosomal counterpart (exo-AAV) comprising of an ... [Read more...](#)

25. Connected for life: How social connectedness can help prevent suicide in American Indian and Alaska Native communities

21-07-2024 - National Library of Medicine

Enhancing social support and connectedness can reduce suicide risk, yet few studies have examined this effect in American Indian and Alaska Native (AI/AN) adults. We assessed suicidal ideation and behavior, thwarted belongingness, social support, enculturation, historical trauma, and traumatic life events in 709 AI/AN adults at high risk of suicide from five AI/AN communities. [Read more...](#)

26. Adapting the Zero Suicide framework to the adult emergency department setting: Strategies for nurse leaders

21-07-2024 - National Library of Medicine

The ED has been increasingly recognized as a key setting for suicide prevention. Zero Suicide (ZS) is an aspirational goal to eliminate suicide for all patients within a health care system through utilization of best practices. However, there has been limited exploration of ZS implementation within the ED. As ED nurses play an important role in suicide prevention through their close contact ... [Read more...](#)

27. Plasma amyloid- β is associated with suicidal ideation in older adults: a 15-year follow-up study

20-07-2024 - National Library of Medicine

No abstract [Read more...](#)

28. Sociodemographic and Clinical Characteristics of Older Adults With Suicide-Related Emergency Department Presentations

20-07-2024 - National Library of Medicine

OBJECTIVES: To identify characteristics of older adult emergency department (ED) patients aged ≥ 65 with suicidal ideation and/or behavior. [Read more...](#)

29. Exploring the neurocognitive correlates of suicidal ideation in major depressive disorder: The role of frontoparietal and default mode networks

20-07-2024 - National Library of Medicine

Suicidal ideation (SI) is a common symptom of major depressive disorder (MDD), often accompanied by cognitive alterations and emotional dysregulation. However, it is unclear whether cognitive dysfunction in patients with MDD is related to the presence or absence of SI and impaired connectivity within or between large-scale neurocognitive networks. Previous studies have shown that the ... [Read more...](#)

30. The recurrence of illness (ROI) index is a key factor in major depression that indicates increasing immune-linked neurotoxicity and vulnerability to suicidal behaviors

20-07-2024 - National Library of Medicine

In this study, we aimed to investigate the associations between the recurrence of illness (ROI) and biomarkers related to an activated immune network, immune-linked neurotoxicity (INT), and a combined INT and atherogenicity index (METAMMUNE). The study involved 67 healthy controls and 66 outpatient MDD (OMDD) participants. We utilized a Multiplex method to measure 48 cytokines and examined ... [Read more...](#)

31. Ambivalent attitudes toward life and death and suicide ideation among adolescents-The mediating role of depression

20-07-2024 - National Library of Medicine

CONCLUSIONS: Attitudes towards life, as well as depression play critical roles in the development of SI among adolescents. Interventions targeting reasons for living and promoting meaning of life may be beneficial in preventing depression and SI. [Read more...](#)

32. Suicide prevention providers' perspectives on addressing social determinants of health for at-risk Veterans

20-07-2024 - National Library of Medicine

CONCLUSION: Changes at the organizational and policy levels are needed to provide comprehensive suicide prevention services that connect at-risk Veteran with services to address adverse SDH. [Read more...](#)

33. Underdiagnosis, Undertreatment, and Noncompliance With Treatment in People Who Died by Suicide

19-07-2024 - National Library of Medicine

Background: This study explored the characteristics of people who die by suicide, comparing those who had depression with those who did not. [Read more...](#)

34. Effects of Low-Dose Ketamine Infusion on the Positive and Negative Domains of Hopelessness and Suicidal Thoughts

19-07-2024 - National Library of Medicine

Background: Low-dose ketamine infusion has been demonstrated to exert antisuicidal effects on patients with treatment-resistant depression (TRD) and strong suicidal ideation. Although evidence suggests an association between hopelessness and suicidality, very few studies have investigated the antihopelessness effects of ketamine. [Read more...](#)

35. Machine Learning-Based Evaluation of Suicide Risk Assessment in Crisis Counseling Calls

19-07-2024 - National Library of Medicine

CONCLUSIONS: ML models can reliably detect the presence of suicide risk assessment in crisis counseling conversations, presenting an opportunity to scale quality improvement efforts. [Read more...](#)

36. Living a private lie: intersectional stigma, depression and suicidal thoughts for selected young key populations living with HIV in Zambia

19-07-2024 - National Library of Medicine

CONCLUSION: Effectively addressing stigmas and poor mental health outcomes among young HIV-positive MSM and TGW will require adopting a socio-ecological approach that focuses on structural interventions, more trauma-informed and identity-supportive care for young people with HIV, as well as strengthening of authentic community-informed public health efforts. [Read more...](#)

37. Ethnicity and suicide in England and Wales: a national linked cohort study

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages 611-619 | Knipe, Duleeka, PhD Moran, Paul, Prof Howe, Laura D, Prof...SummaryBackgroundUnderstanding of ethnic disparities in suicide in England and Wales is poor as ethnicity is not recorded on death certificates. Using linked data, we examined variations, by sex, in suicide rates in England and Wales by ethnicity ... [Read more...](#)

38. Hiding in plain sight: ethnic and migrant variation in suicide

18-07-2024 - ClinicalKey (Elsevier)

Lancet Psychiatry, The, Volume 11, Issue 8, 2024 Aug, Pages 577-578 | Dykxhoorn, Jennifer Rich, Nathalie Martínez-Alés, Gonzalo...Although mortality data in England and Wales have been recorded since 1911 (including regular surveillance of suicide rates by age, sex, and region, which have been used to shape suicide prevention efforts), ethnicity and migrant status have not b... [Read more...](#)

39. Measurement invariance of the Suicide Cognitions Scale-Revised (SCS-R)

18-07-2024 - National Library of Medicine

The Suicide Cognitions Scale-Revised (SCS-R) is a unidimensional measure of suicidal cognitions theorized to assess the suicide belief system. Several solutions have been proposed for the Suicide Cognitions Scale and SCS-R (e.g., bifactor model with two specific factors, bifactor model with two specific factors, three correlated factors model). Research indicates the endorsement of thoughts ... [Read more...](#)

40. Examining the effects of social assistance on suicide-related behaviour among impoverished older adults in Korea using a nationwide cohort study from 2010-2019

18-07-2024 - National Library of Medicine

Suicide rates among older adults in Korea are one of the highest in the world. Although prior research found that poverty is associated with suicide mortality among older adults in Korea, it is unknown whether being a recipient of social assistance may reduce suicide risk among older adults living in poverty. We examined the impact of the public assistance program on suicide-related behaviour ... [Read more...](#)

41. "We're All in This Together": Farmers' Reactions to the Farmer Suicide Crisis

18-07-2024 - National Library of Medicine

Farmer suicide rates continue to increase, with levels being 1.5 times higher than the national rate. This has led agricultural and public health groups to craft and distribute farm stress and suicide messages to help farmers. However, suicide rates remain at critical levels indicating that

there may be a disconnect between existing efforts and farmer sensemaking of the crisis. [Read more...](#)

42. Reducing intrusive suicidal mental images in patients with depressive symptoms through a dual-task add-on module: Results of a multicenter randomized clinical trial

18-07-2024 - National Library of Medicine

CONCLUSIONS: Findings provide support for the effectiveness of adding a cognitive dual-task module to the treatment of psychiatric outpatients with elevated depressive symptoms in reducing suicidal intrusions and ideation and can be executed safely. (PsycInfo Database Record (c) 2024 APA, all rights reserved). [Read more...](#)

43. The Effects of Suicide Prevention Gatekeeper Training on Behavioral Intention and Intervention Behavior: A Systematic Review and Meta-Analysis

18-07-2024 - National Library of Medicine

To understand the current state of research, a systematic review and meta-analysis were conducted to synthesize the effects of suicide prevention gatekeeper training (GKT) on participant behavioral intention to intervene and participant suicide intervention behaviors. Included studies examined GKT with adult participants and measured either behavioral intention to conduct a suicide ... [Read more...](#)

44. Exploring the Objective Signs of Imminent Suicide Risk in Psychiatric Inpatients

18-07-2024 - National Library of Medicine

CONCLUSIONS: The findings offer insights on assessing suicide risk and preventing suicide. [Read more...](#)

45. Suicide Attempt Violence: Gender Differences, Diagnosis and Psychiatric Care Seeking in Mexico City

18-07-2024 - National Library of Medicine

CONCLUSION: We found that patients who use more violent methods of suicide took longer before seeking psychiatric care. This delay in accessing psychiatric care can be thought to contribute to the fact that completed suicides are more frequent within that category of patients. The majority of suicide attempts occurred in the 17-24 years age group therefore, it seems reasonable to analyze the ... [Read more...](#)

46. Circumstantial variables preceding firearm suicide among females with and without mobility disability in the USA: comparative analysis using data from the National Violent Death Reporting System

18-07-2024 - National Library of Medicine

CONCLUSIONS: Females with mobility disability who die by firearm suicide may be differentiated from suicide decedents without mobility disability by age, employment status, depressive mood, relationship problems and physical pain. The significance of these variables as independent risk factors for firearm suicide may be tested with prospective study designs, which in turn may inform the ... [Read more...](#)

47. Application of virtual reality to enhance therapeutic Tai Chi for depression in elderly people

18-07-2024 - National Library of Medicine

The battle against depression in the elderly is crucial due to its significant impact on their quality of life, physical and cognitive health, increased risk of social isolation and suicide, as well as the

associated higher healthcare costs. This research investigates the effects of traditional and augmented reality Tai Chi, using the virtual environment "Managed Tai Chi, ... [Read more...](#)

48. Examining heterogeneity in the affect-regulating function of suicidal ideation: Person-specific analyses in male inpatients with depression

18-07-2024 - National Library of Medicine

CONCLUSION: The demonstrated between-person heterogeneity points to the necessity to individualize the investigation of risk factors to enhance prediction and prevention of STBs. [Read more...](#)

49. Classification of Suicide Attempt Risk Using Environmental and Lifestyle Factors in 3 Large Youth Cohorts

17-07-2024 - National Library of Medicine

CONCLUSIONS AND RELEVANCE: Results suggest that exposomic scores of suicide attempt provided a generalizable method for risk classification that can be applied in diverse samples from clinical or population settings. [Read more...](#)

50. Suicide by an Electric Power Drill and Spade Drill Bit: An Unusual Mechanism of Death

17-07-2024 - National Library of Medicine

Self-inflicted penetrating brain injuries with drills have been reported but are uncommon and typically involve the use of conventional drill bits. We report an unusual case of a 56-year-old man with a history of psychiatric illness who completed suicide using an electric drill and spade-type drill bit. Multiple superficial scalp and deeper bony injuries were sustained, ... [Read more...](#)

51. Bartenders and Barbers Could Reduce Gun Suicides: Some of the many suicide deaths in the U.S. might not have happened if nonprofessionals had been schooled to provide advice about gun safety

17-07-2024 - National Library of Medicine

No abstract [Read more...](#)

52. A 3-Year Retrospective Review of Complex Suicides With a Review of the Literature

17-07-2024 - National Library of Medicine

Complex suicide is defined as death by the intentional use of more than 1 method to end one's life. Complex suicides can fit into the planned or premeditated category, where 2 or more methods are used simultaneously or in close succession, or unplanned, the use of 2 or more methods, in which the first method attempted fails (often because it is too unpleasant or painful), ... [Read more...](#)

53. Identifying suicidal risk factors in the French Overseas Territories with multimethod psychological autopsy (AUTOPSOM): a mixed-methods study protocol

17-07-2024 - BMJ Open

Introduction Understanding suicide in more isolated territories is a challenge because of the entanglement of cultural identity with historical, geographical and sociocultural specificities. This knowledge is a necessary precondition for the implementation of targeted prevention strategies in regions such as the French overseas territories (FOT), where data concerning suicidal risk factors is ... [Read more...](#)

54. Exposomic Risk Scores for Youth Suicide Attempts in 3 Cohorts

17-07-2024 - The JAMA Network

This cohort study investigates the cumulative contribution of environmental and lifestyle (exposome) factors to risk of suicide attempt among youth. [Read more...](#)

55. The Emotional Impact of Suicide Assessment: A Qualitative Study of Military Family Medicine Residents

16-07-2024 - National Library of Medicine

CONCLUSIONS: Despite claims of emotional detachment, participants often expressed surprise and vulnerability when faced with suicidal patients. With suicide screening becoming increasingly vital in primary care, understanding and mitigating the emotional impact on physicians is essential. Future research should explore strategies to support medical providers in navigating these challenging ... [Read more...](#)

56. Bipolar depression, suicide and the prescription of antidepressants

16-07-2024 - National Library of Medicine

No abstract [Read more...](#)

57. Editorial: Methods and interventions to predict and tackle suicide risk

16-07-2024 - National Library of Medicine

No abstract [Read more...](#)

58. "It's not the 'being trans,' it's everything around that": Trans Community Perspectives for Suicide Prevention

15-07-2024 - National Library of Medicine

Trans people are at significantly elevated risk of suicide death, suicide attempts, and suicidal ideation than their cisgender peers. Suicide prevention efforts are needed that address the most important issues to the trans community. In this qualitative study conducted in the United States in 2021, we aimed to broadly explore trans community member perspectives on suicidality and suicide ... [Read more...](#)

59. Last general practitioner consultation during the final month of life: a national medical record review of suicides in Sweden

15-07-2024 - National Library of Medicine

CONCLUSION: A high level of somatic symptoms was observed in primary care patients both with and without psychiatric contact, and this might have influenced GPs' management decisions. Psychiatric symptoms were noted in two thirds of those with psychiatric contact but only half of those without. While GPs noted psychiatric symptoms in over half of all individuals included in the study, ... [Read more...](#)

60. Revolutionizing Mental Health Nursing Education: Virtual Reality Simulation for Understanding and Intervening in Major Depressive Disorder and Suicidal Thoughts

15-07-2024 - National Library of Medicine

Utilizing Healthcare Simulation Standards of Best Practice™, a virtual reality (VR) platform was created to meet American Association of Colleges of Nursing Essential and Quad Council Public Health competencies. The scenario, involving major depressive disorder with suicidal ideation and alcohol dependency, engages learners in assessing suicide risk, recognizing symptoms, ... [Read more...](#)

61. Pediatric Patient With Neurofibromatosis I Presenting With Perceptual Disturbances and a Suicide Attempt

15-07-2024 - National Library of Medicine

This is a case of a pediatric patient with a history of neurofibromatosis I (NFI) presenting to the emergency department secondary to a suicide attempt via self-strangulation after being verbally and physically bullied at school. Upon hospital admission, the 10-year-old patient was found to have significant auditory and visual perceptual hallucinations in addition to suicidal ideations, ... [Read more...](#)

62. Correspondence to Blum et al. The role of interpersonal stressors and connectedness in acute suicide risk and the suicide crisis syndrome during the COVID-19 pandemic

15-07-2024 - National Library of Medicine

No abstract [Read more...](#)

63. Global public concern of childhood and adolescence suicide: a new perspective and new strategies for suicide prevention in the post-pandemic era

15-07-2024 - National Library of Medicine

CONCLUSIONS: The current narrative review integrates up-to-date knowledge on suicide epidemiology and the effects of the COVID-19 pandemic, risk factors, and intervention strategies. Although numerous studies have characterized trends in suicide among young people during the pre-pandemic era, further studies are required to investigate suicide during the pandemic and new strategies for ... [Read more...](#)

64. Relationship between family history of mandatory boarding school experiences and suicide risk in US reservation-based Native American youth: a cross-sectional analysis

15-07-2024 - National Library of Medicine

CONCLUSION: The association between family history of negative mandatory boarding school experiences and SI and SAs implies that culturally responsive interventions are needed to reduce the intergenerational impacts of historical trauma. [Read more...](#)

[Back to Top](#)

Addiction

Addiction

1. Client preferences for the design and delivery of injectable opioid agonist treatment services: Results from a best–worst scaling task

25-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

2. GLP-1R agonist medications for addiction treatment

24-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

3. Outcome assessment of different reward stimuli in Internet gaming disorder by event-related potentials

24-07-2024 - Public Library of Science (PLoS)

by Mengyue Zhang, Chenyue Zhao, Ziyu Mao, Meng Zhang, Xiaoli Xing An imbalance in sensitivity to different types of reward stimuli may be an important cause of addiction that is mainly manifested in high sensitivity to addictive substance rewards and blunting of natural rewards.

However, contradictions remain in the research results on the sensitivity of individuals with Internet gaming ... [Read more...](#)

4. Factors associated with disposable electronic cigarette use among US youth: A national repeated cross-sectional study, 2021–22

23-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

5. Alcohol-Specific Inpatient Diagnoses in Germany: A Retrospective Cross-Sectional Analysis of Primary and Secondary Diagnoses from 2012 to 2021

22-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

6. Expanding our understanding of long-term trends in alcohol abstinence and consumption in England (2001–19) using two age–period–cohort approaches

22-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

7. [Correspondence] Drug use among young people in Sierra Leone

18-07-2024 - Elsevier

Sierra Leone, a sub-Saharan African country with a median population age of 19 years and 75% of its entire population younger than 35 years,¹ is experiencing an exponential increase in synthetic substance misuse among its young people.² Many Sierra Leoneans live through multi-dimensional poverty that is exacerbated by the psychosocial distress they experienced during the decade-long civil war ... [Read more...](#)

8. Correction: Treatment of Behavioral Addictions and Substance Use Disorders: a Focus on the Effects of Theta-Burst Stimulation Over the Pre-SMA

18-07-2024 - Springer

[Read more...](#)

9. The effect of tobacco tax increase on price-minimizing tobacco purchasing behaviours: A systematic review and meta-analysis

15-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

10. Young adult retail purchases of cannabis, product category preferences and sales trends in California 2018–21: Differences compared with older adults

11-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

11. Effect of a peer-led emergency department behavioral intervention on non-fatal opioid overdose: 18-month outcome in the Navigator randomized controlled trial

10-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

12. Trajectories of craving in the course of pharmacotherapy trials for methamphetamine use disorder

10-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

13. Correction to “Efficacy and safety of combination behavioral activation for smoking cessation and varenicline for treating tobacco dependence among individuals with current or past major depressive disorder: A 2 × 2 factorial, randomized, placebo-controlled trial”

10-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

14. Correction to “Changes from 2017 to 2018 in e-cigarette use and in ever marijuana use with e-cigarettes among US adolescents: analysis of the National Youth Tobacco Survey”

10-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

15. Effectiveness of residential versus outpatient therapy for smoking cessation: The START randomized clinical trial

10-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

16. Disposable e-cigarette use: Factors, frequency and cigarette smoking among United States high school students

09-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

17. Research is needed to guide contingency management implementation across populations and settings

09-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

18. Dose-specific clinical outcomes in patients with opioid use disorder treated with 24–32 mg/day of buprenorphine

08-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

19. Commentary on Belete et al.: Alcohol use prevalence findings for sub-Saharan Africa can be better understood when coupled with a deep appreciation of the continent's diverse cultural contexts and drinking patterns

08-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

20. Packaging of disposable vaping products and e-liquids in England, Canada and the United States: A content analysis

06-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

21. Correction to “Measuring craving: A systematic review and mapping of assessment instruments. What about sexual craving?”

06-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

22. Will Australia's tightened prescription system reduce nicotine vaping among young people?

06-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

23. Systematic review and meta-analyses of cytisine to support tobacco cessation

04-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

24. A tobacco control policy analysis framework that extends into the future

04-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

25. Somatic and psychiatric comorbidity in people with diagnosed gambling disorder: A Finnish nation-wide register study

04-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

26. Prospective longitudinal relations among frequent social media use, nicotine vaping and experiencing internalizing mental health problems

03-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

27. Issue Information

02-07-2024 - John Wiley & Sons

Addiction, Volume 119, Issue 8, Page 1331-1333, August 2024. [Read more...](#)

28. Predictors of alcohol and other drug treatment completion among young people accessing residential and community-based treatment: A retrospective analysis of routinely collected service data

01-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

29. Use of disposable e-cigarettes among youth who vape in Canada, England and the United States: Repeat cross-sectional surveys, 2017–2023

01-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

30. Addictive and harmful vapes must never be sold as a consumer good

01-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

31. The ends do not justify the means when it comes to Australia's vaping policy

01-07-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

32. Electronic cigarettes and subsequent use of cigarettes in young people: An evidence and gap map

27-06-2024 - John Wiley & Sons

Addiction, EarlyView. [Read more...](#)

[Back to Top](#)

Abuse and Neglect

Abuse and neglect

1. "You think lots of love will heal the child, but it requires a lifetime of patience". Foster parents' intrapersonal and interpersonal struggles

27-07-2024 - Ovid

Author Names: Solvi A.S.,Rabu M.,Roseth I. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: "You think lots of love will heal the child, but it requires a lifetime of patience". Foster parents' intrapersonal and interpersonal struggles Year: 2024 Issue: Volume: 154 Abstract: Background: Foster parents can be placed under ... [Read more...](#)

2. Childhood abuse and depressive symptoms in adolescents: Affective inhibitory control as a mediator and sensory processing sensitivity as a moderator

27-07-2024 - Ovid

Author Names: Wei X.,Lu W. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Childhood abuse and depressive symptoms in adolescents: Affective inhibitory control as a mediator and sensory processing sensitivity as a moderator Year: 2024 Issue: Volume: 154 Abstract: Background: It is well documented that childhood abuse ... [Read more...](#)

3. Children's perceptions of their participation rights context when living in residential care and its relationship with their subjective well-being

27-07-2024 - Ovid

Author Names: Casas F.,Ditzel A.L. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Children's perceptions of their participation rights context when living in residential care and its relationship with their subjective well-being Year: 2024 Issue: Volume: Abstract: Background: Participation rights of children in residential ... [Read more...](#)

4. Childhood maltreatment and substance use risk: A moderated mediation model of autonomic reactivity and distress tolerance

27-07-2024 - Ovid

Author Names: McMains J.T.,Liu S.,Oshri A.,Sweet L.H. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Childhood maltreatment and substance use risk: A moderated mediation model of autonomic reactivity and distress tolerance Year: 2024 Issue: Volume: 154 Abstract: Background/Aims: The link between child maltreatment (CM) and ... [Read more...](#)

5. Evaluation of the Centers for Disease Control and Prevention's Essentials for Parenting Toddlers and Preschoolers on parent behavioral outcomes

27-07-2024 - Ovid

Author Names: Morgan M.H.C.,Herbst J.H.,Fortson B.L.,Shortt J.W.,Willis L.A.,Lokey C.,Smith Slep A.M.,Lorber M.F.,Huber-Krum S. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Evaluation of the Centers for Disease Control and Prevention's Essentials for Parenting Toddlers and Preschoolers on parent behavioral outcomes Year: ... [Read more...](#)

6. Profiles of socioemotional functioning in children with and without CPS-substantiated maltreatment: Associations with child maltreatment and dating violence

27-07-2024 - Ovid

Author Names: Atzl V.M.,Russotti J.,Cerulli C.,Cicchetti D.,Handley E.D. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Profiles of socioemotional functioning in children with and without CPS-substantiated maltreatment: Associations with child maltreatment and dating violence Year: 2024 Issue: Volume: 154 Abstract: ... [Read more...](#)

7. Influence of stress on self-injury among Chinese left-behind adolescents is not cast in stone: Synergistic roles of family protective factors

27-07-2024 - Ovid

Author Names: Bai R.,Liu J.,Gao Y.,Wang Y.,Liu X. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Influence of stress on self-injury among Chinese left-behind adolescents is not cast in stone: Synergistic roles of family protective factors Year: 2024 Issue: Volume: 154 Abstract: Background: Left-behind adolescents are ... [Read more...](#)

8. Child welfare predictive risk models and legal decision making

27-07-2024 - Ovid

Author Names: Trail M. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Child welfare predictive risk models and legal decision making Year: 2024 Issue: Volume: 154 Abstract: Background: Child welfare agencies around the world have experimented with algorithmic predictive modeling as a method to assist in decision making ... [Read more...](#)

9. A comparison of virtual versus in-person delivery of SafeCare on parent and implementation outcomes

27-07-2024 - Ovid

Author Names: Self-Brown S.,Watson A.,Fong K.,Espeleta H.,Bullinger L.,Whitaker D.J.,Recinos M.,Ogrodnick M.,Olwit C.,Cotner M. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: A comparison of virtual versus in-person delivery of SafeCare on parent and implementation outcomes Year: 2024 Issue: Volume: 154 Abstract: ... [Read more...](#)

10. Child maltreatment and youth exposure to risky environments: Latent class analysis of youth activity spaces

27-07-2024 - Ovid

Author Names: Yoon S.,Yang J.,Wang J.,Boettner B.,Browning C. Database Source: Embase Daily Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Child maltreatment and youth exposure to risky environments: Latent class analysis of youth activity spaces Year: 2024 Issue: Volume: 154 Abstract: Background: Child maltreatment may alter the way that adolescents ... [Read more...](#)

11. Accessing child sexual abuse material: Pathways to offending and online behaviour

27-07-2024 - Ovid

Author Names: Wortley R.,Findlater D.,Bailey A.,Zuhair D. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Accessing child sexual abuse material: Pathways to offending and online behaviour Year: 2024 Issue: Volume: 154 Abstract: Background: Most research examining the consumption of online child sexual abuse material (CSAM) ... [Read more...](#)

12. The prevalence of sexual grooming behaviors among survivors of childhood sexual abuse

27-07-2024 - Ovid

Author Names: Winters G.M.,Jeglic E.L.,Johnson B.N.,Chou C. Database Source: Embase Daily Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: The prevalence of sexual grooming behaviors among survivors of childhood sexual abuse Year: 2024 Issue: Volume: 154 Abstract: Background: Childhood sexual abuse (CSA) is a global problem that is preventable. [Read more...](#)

13. From percentages to narratives: Giving silence a voice in child sexual abuse within the Portuguese Catholic Church, 1950-2022

27-07-2024 - Ovid

Author Names: Ramos V.,de Almeida A.N. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: From percentages to narratives: Giving silence a voice in child sexual abuse within the Portuguese Catholic Church, 1950-2022 Year: 2024 Issue: Volume: 154 Abstract: Background: Over the last two decades, several studies have examined the ... [Read more...](#)

14. Internal consistency and test-retest reliability: A reliability generalization meta-analysis of the Childhood Trauma Questionnaire - Short Form (CTQ-SF)

27-07-2024 - Ovid

Author Names: Badenes-Ribera L.,Georgieva S.,Tomas J.M.,Navarro-Perez J.J. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Internal consistency and test-retest reliability: A reliability generalization meta-analysis of the Childhood Trauma Questionnaire - Short Form (CTQ-SF) Year: 2024 Issue: Volume: 154 Abstract: ... [Read more...](#)

15. Socioeconomic risk and the longitudinal child lifetime prevalence of child protection involvement

27-07-2024 - Ovid

Author Names: Esposito T.,Caldwell J.,Chabot M.,Blumenthal A.,Trocme N.,Helie S.,Fallon B.,Precourt S. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Socioeconomic risk and the longitudinal child lifetime prevalence of child protection involvement Year: 2024 Issue: Volume: 154 Abstract: Background: North American studies ... [Read more...](#)

16. Severe sexual abuse in childhood and altered neurophysiological response to reward in female adults

27-07-2024 - Ovid

Author Names: Letkiewicz A.M.,Suor J.H.,Glazer J.E.,Li L.Y.,Bernat E.M.,Burkhouse K.L.,Shankman S.A. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Severe sexual abuse in childhood and altered neurophysiological response to reward in female adults Year: 2024 Issue: Volume: 154 Abstract: Background: A relatively understudied ... [Read more...](#)

17. Facility dogs during police investigative interviews: Does it decrease children's reluctance?

27-07-2024 - Ovid

Author Names: Cote E.,Cyr M.,Brillon P.,Dion J.,Daignault I.V.,Gendron A. Database Source: Embase Daily Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Facility dogs during police investigative interviews: Does it decrease children's reluctance? Year: 2024 Issue: Volume: 154 Abstract: Background: Using facility dogs during police investigative interviews ... [Read more...](#)

18. Explaining the Unexplainable: Balancing Responsibility, Expectations, and Identity in Narratives of Sexual Recidivism

26-07-2024 - SAGE Publishing

Sexual Abuse, Ahead of Print. When someone is caught and punished for a sexual offense, recidivism prevention is of high priority. While a growing body of qualitative research has investigated the desistance process of those who have sexually offended, few studies have examined the narratives of individuals who have sexually recidivated in order to understand how they make sense of their ... [Read more...](#)

19. Unveiling the Elephant in the Room: How do Psychologists Perceive Individuals Convicted of Sexual Offenses?

25-07-2024 - SAGE Publishing

Sexual Abuse, Ahead of Print. The societal reintegration of individuals with criminal records, particularly involving sexual offenses, faces challenges due to moral condemnation. Professionals' perspectives are pivotal in facilitating this reintegration process. This study surveyed 314 psychologists via a web-based experiment to assess their judgments regarding allegations of sexual violence ... [Read more...](#)

20. Qualitative interview with mothers of moderately or late preterm infants in the UK: where are the care gaps?

24-07-2024 - BMJ Open

Introduction Preterm birth (<37 gestational weeks) accounts for an increasing proportion of global births each year, with moderately or late preterm birth (MLPT) (32+0/7-36+6/7 gestational weeks) comprising over 80% of all preterm births. Despite the frequency, MLPT births represent only a small fraction of prematurity research, with research exploring the parental experiences of having a ... [Read more...](#)

21. Prevalence of insomnia and associated factors among postpartum mothers in Southern Ethiopia, a community-based cross-sectional study

23-07-2024 - Public Library of Science (PLoS)

by Mesfin Difer Tetema, Kassahun Fikadu, Gistane Ayele, Gudeta Beriso Jima, Berhanu Negesse Kebede, Awol Arega Yimer, Legese Fekede Abza, Mebratu Demissie, Kenzudin Assfa Mossa, Seid Jemal Mohammed, Ayele Sahile Abdo, Mangistu Abera Insomnia has become a global public health concern, particularly among postpartum women. Minimal sleep interruption related to newborn care is normally expected, ... [Read more...](#)

22. Predictors of burnout, secondary traumatic stress, and compassion satisfaction among practitioners in Norwegian child advocacy centers

20-07-2024 - Ovid

Author Names: Endsjo M.,Vang M.L.,Jensen T.K.,Skar A.-M.S. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Predictors of burnout, secondary traumatic stress, and compassion satisfaction among practitioners in Norwegian child advocacy centers Year: 2024 Issue: Volume: 154 Abstract: Background: Practitioners at Child Advocacy ... [Read more...](#)

23. Childhood sexual abuse and IL6 mediated by change in BMI over an 18-year period: A growth curve model

20-07-2024 - Ovid

Author Names: Hall H.,Papp V.,Fitzgerald M. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Childhood sexual abuse and IL6 mediated by change in BMI over an 18-year period: A growth curve model Year: 2024 Issue:

Volume: 154 Abstract: Background: Childhood sexual abuse can increase both body weight and inflammation later in life. [Read more...](#)

24. Receipt of parenting, disability, unemployment, and other income support payments in persons aged 16 to 33 years - the associations with child maltreatment

20-07-2024 - Ovid

Author Names: Gnanamanickam E.S.,Segal L. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Receipt of parenting, disability, unemployment, and other income support payments in persons aged 16 to 33 years - the associations with child maltreatment Year: 2024 Issue: Volume: 154 Abstract: Background: Child maltreatment (CM) is a ... [Read more...](#)

25. Trends in child and adolescent assault and maltreatment following the re-introduction of the Banned Drinker Register in the Northern Territory, Australia

20-07-2024 - Ovid

Author Names: Baldwin R.,Coomber K.,Scott D.,Paradies Y.,Boffa J.,Miller P.G. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Trends in child and adolescent assault and maltreatment following the re-introduction of the Banned Drinker Register in the Northern Territory, Australia Year: 2024 Issue: Volume: 154 Abstract: ... [Read more...](#)

26. Violence against parents perpetrated by adolescent siblings of individuals with intellectual disability in South Korea

20-07-2024 - Ovid

Author Names: Kim E.,Kim J.,Sung S.,Park S. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Violence against parents perpetrated by adolescent siblings of individuals with intellectual disability in South Korea Year: 2024 Issue: Volume: 154 Abstract: Background: Few studies have focused on the daily hassles among adolescent ... [Read more...](#)

27. "They should ask me so that they can help me": Patterns of young children's expressed feelings and beliefs when interviewed about violence and difficult experiences

20-07-2024 - Ovid

Author Names: Franchino-Olsen H.,Woollett N.,Thurston C.,Maluleke P.,Christofides N.,Meinck F. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: "They should ask me so that they can help me": Patterns of young children's expressed feelings and beliefs when interviewed about violence and difficult experiences Year: 2024 Issue: ... [Read more...](#)

28. Maternal victimization and neglected offspring: Child marriage, IPV and depression symptoms among Salar Muslim women

20-07-2024 - Ovid

Author Names: Han X.,Emery C.R.,Xie W.,Ma C. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Maternal victimization and neglected offspring: Child marriage, IPV and depression symptoms among Salar Muslim women Year: 2024 Issue: Volume: 154 Abstract: Background: Child neglect is prevalent in western rural China, ... [Read more...](#)

29. "We don't know how to talk": Adolescent meaning making and experiences of participating in research on violence in Romania, South Africa, and the Philippines

20-07-2024 - Ovid

Author Names: Neelakantan L.,Fry D.,Florian L.,Silion D.,Filip M.,Thabeng M.,Te K.,Sunglao J.A.,Lu M.,Ward C.L.,Baban A.,Jocson R.M.,Pena Alampay L.,Meinck F. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: "We don't know how to talk": Adolescent meaning making and experiences of participating in research on violence in ... [Read more...](#)

30. The ripple effect of trauma: Evaluating vulnerability, post-traumatic stress symptoms, and aggression within a child and adolescent population

20-07-2024 - Ovid

Author Names: Stoppelbein L.,McRae E.,Smith S. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: The ripple effect of trauma: Evaluating vulnerability, post-traumatic stress symptoms, and aggression within a child and adolescent population Year: 2024 Issue: Volume: 154 Abstract: Background: The deleterious effects of ... [Read more...](#)

31. Lawyers rapport building practices with child witnesses

20-07-2024 - Ovid

Author Names: Carr S.M.A.,Williams S.,Evans A.D.,Bruer K.C. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Lawyers rapport building practices with child witnesses Year: 2024 Issue: Volume: 154 Abstract: Background: Existing literature on rapport building in forensic interviews with children has primarily focused on police ... [Read more...](#)

32. Advisory groups of children in research on gender-based violence

20-07-2024 - Ovid

Author Names: Garcia-Molsosa M.,Montserrat C.,Soler-Maso P.,Planas-Llado A.,Iglesias E. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Advisory groups of children in research on gender-based violence Year: 2024 Issue: Volume: Abstract: Involving children in research is not only advisable but mandatory from both a child ... [Read more...](#)

33. "I got to say two or three lines"-A systematic review of children's participation in child protective services

20-07-2024 - Ovid

Author Names: Toros K.,Falch-Eriksen A. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: "I got to say two or three lines"-A systematic review of children's participation in child protective services Year: 2024 Issue: Volume: Abstract: Background: Although children's right to participate in decisions that influence their ... [Read more...](#)

34. Do aversive well-being comparisons mediate the effects of childhood adversity on anxiety and depression?

20-07-2024 - Ovid

Author Names: Schlechter P.,Bryant R.A.,Morina N. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Do aversive well-being comparisons mediate the effects of childhood adversity on anxiety and depression? Year: 2024 Issue: Volume: 154 Abstract: Background: Childhood adversity (CA) is strongly associated with depression and ... [Read more...](#)

35. Caseload factors predictive of family abuse and neglect treatment outcomes

20-07-2024 - Ovid

Author Names: Rhoades K.A.,Nichols S.R.,Smith Slep A.M.,Heyman R.E. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Caseload factors predictive of family abuse and neglect treatment outcomes Year: 2024 Issue: Volume: 154 Abstract: Background: In child welfare, caseloads are frequently far higher than optimal. [Read more...](#)

36. Review of Policies and Practices to Prevent Technology-Facilitated Child Sexual Abuse Within Youth-Serving Organizations in the United States

19-07-2024 - National Library of Medicine

Technology-facilitated child sexual abuse (TF-CSA), or child sexual abuse that occurs online or through electronic communication, is a preventable public health problem that can be addressed within youth-serving organizations (YSOs). This study is a review of a purposive sample of organizational policies and practices designed to prevent TF-CSA collected from 13 national and local YSOs in the ... [Read more...](#)

37. [Editorial] The fertility industry: profiting from vulnerability

18-07-2024 - Elsevier

Despite major advances in securing sexual and reproductive rights globally, one aspect is continually neglected: infertility. Evolving gender norms and financial precariousness have led to delayed childbearing, which increases infertility in both males and females. An estimated one in six people are affected. However, there is insufficient awareness about fertility decline, the risk factors, ... [Read more...](#)

38. Polygenic prediction of major depressive disorder and related traits in African ancestries UK Biobank participants

16-07-2024 - National Library of Medicine

Genome-Wide Association Studies (GWAS) over-represent European ancestries, neglecting all other ancestry groups and low-income nations. Consequently, polygenic risk scores (PRS) more accurately predict complex traits in Europeans than African Ancestries groups. Very few studies have looked at the transferability of European-derived PRS for behavioural and mental health phenotypes to Africans. [Read more...](#)

39. Effects of early institutionalization involving psychosocial deprivation on cognitive functioning 60 years later: Findings of the LifeStories project

14-07-2024 - Ovid

Author Names: Sand H.,Sticca F.,Wehrle F.M.,Eichelberger D.A.,Simoni H.,Jenni O.G.,Lannen P. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Effects of early institutionalization involving psychosocial deprivation on cognitive functioning 60 years later: Findings of the LifeStories project Year: 2024 Issue: Volume: 154 ... [Read more...](#)

40. Childhood poverty and foster care placement: Implications for practice and policy

14-07-2024 - Ovid

Author Names: Dvalishvili D.,Jonson-Reid M.,Drake B. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Childhood poverty and foster care placement: Implications for practice and policy Year: 2024 Issue: Volume: 154 Abstract: Background: About 6 % of US children enter foster care (FC) at some point before age 18. [Read more...](#)

41. 'We can be a family again, but different than before'. A single-case study on therapeutic interventions that initiated a recovery process in a family after the disclosure of sibling sexual behavior

14-07-2024 - Ovid

Author Names: Simons A.,Noordegraaf M.,van Regenmortel T. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: 'We can be a family again, but different than before'. A single-case study on therapeutic interventions that initiated a recovery process in a family after the disclosure of sibling sexual behavior Year: 2024 Issue: ... [Read more...](#)

42. Adverse childhood experiences and aggression in adulthood: The moderating role of positive childhood experiences

14-07-2024 - Ovid

Author Names: Almeida T.C.,Cardoso J.,Matos A.F.,Murca A.,Cunha O. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Adverse childhood experiences and aggression in adulthood: The moderating role of positive childhood experiences Year: 2024 Issue: Volume: 154 Abstract: Background: Adverse childhood experiences (ACEs) have a ... [Read more...](#)

43. Silent suffering: The hidden challenges confronting unaccompanied refugee children through the eyes of social workers

14-07-2024 - Ovid

Author Names: Taha S.,Anabtawi M.,Al Wreidat T. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Silent suffering: The hidden challenges confronting unaccompanied refugee children through the eyes of social workers Year: 2024 Issue: Volume: 154 Abstract: Background: Unaccompanied refugee children are one of the most ... [Read more...](#)

44. The combined effects of adverse childhood experiences and neighborhood quality on child health and well-being

14-07-2024 - Ovid

Author Names: Jones M.S.,Everett H.D.,Hoffmann J.P. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: The combined effects of adverse childhood experiences and neighborhood quality on child health and well-being Year: 2024 Issue: Volume: 154 Abstract: Background: Many studies have investigated the effects of adverse childhood ... [Read more...](#)

45. Are you a cop?: Identifying suspicion in online chat operations with online groomers

14-07-2024 - Ovid

Author Names: Ringenberg T.R.,Seigfried-Spellar K.C.,Rayz J. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Are you a cop?: Identifying suspicion in online chat operations with online groomers Year: 2024 Issue: Volume: 154 Abstract: Background: The increase in online enticement has led to law enforcement agencies engaging ... [Read more...](#)

46. Family structure and children's risk of child protective services re-reports

14-07-2024 - Ovid

Author Names: Shipe S.L.,Guastaferrero K.,Ayer L.,Lee J.Y.,Connell C.M. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Family structure and children's risk of child protective services re-reports Year: 2024 Issue:

Volume: 154 Abstract: Background: Single parent families are at higher risk of re-report to Child Protective ... [Read more...](#)

47. Linkages between childhood emotional maltreatment and adulthood marital attitudes among rural first-generation college students in China: A latent profile analysis and multigroup comparisons

14-07-2024 - Ovid

Author Names: Wu L.,Dai Z.,Yang X.,Tang J.,Fang J.,Huang J.,Zheng Y.,Liu Y.,Chen L. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: Linkages between childhood emotional maltreatment and adulthood marital attitudes among rural first-generation college students in China: A latent profile analysis and multigroup comparisons ... [Read more...](#)

48. EEG responses to infant faces in young adults can be influenced by the quality of early care experiences with caregivers

14-07-2024 - Ovid

Author Names: Gemignani M.,de Falco S. Database Source: Embase Weekly Updates Journal Title: Child Abuse and Neglect,Child Abuse and Neglect Article Title: EEG responses to infant faces in young adults can be influenced by the quality of early care experiences with caregivers Year: 2024 Issue: Volume: 154 Abstract: Background: The quality of early experiences with caregivers affects ... [Read more...](#)

49. Leishmaniasis in Ethiopia: a scoping review protocol to determine the scope of research and remaining gaps

11-07-2024 - BMJ Open

Introduction The leishmaniasis are among the group of neglected tropical diseases that cause significant morbidity and mortality each year. Currently, the East Africa region has the highest visceral leishmaniasis burden in the world. Ethiopia is one of the East African countries that reports both visceral and cutaneous forms of the disease. As part of the Nairobi Declaration, ... [Read more...](#)

50. Dietary Interventions In Psychiatry - A Neglected Opportunity to Promote Healthy Lifestyles

11-07-2024 - National Library of Medicine

No abstract [Read more...](#)

[Back to Top](#)

[Powered by Vable](#) | [Privacy Policy](#) | [Unsubscribe from this alert](#)

Generated by Vable | [Privacy Policy](#)